



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

### Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

### About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>


















°  
HANDBOOK  
OF  
STREET-RAILROAD LOCATION.

BY  
*Pascal*  
JOHN P. BROOKS,


PROFESSOR OF CIVIL ENGINEERING IN STATE COLLEGE OF KENTUCKY.

*FIRST EDITION.*

FIRST THOUSAND.

NEW YORK:  
JOHN WILEY & SONS.  
LONDON: CHAPMAN & HALL LIMITED.  
1898.

Eng. 868.98



*Engineering appropriation.*

16.29

13.3

Copyright, 1897.

BY

JOHN P. BROOKS.

## PREFACE.

---

THIS book is designed to present to the student and engineer that part of the subject of street-railroad construction which is to be performed by the civil, rather than by the electrical engineer. It therefore includes, besides the trigonometrical problems pertaining to railroad curves, the general principles governing the choice of site, grades and curves. It is assumed that every one using the book will be familiar with the practice of land surveying and with the manipulation of surveying instruments, and no space is given to these subjects.


The arrangement is believed to be that which gives the best result in the classroom, while the form and size are convenient for use in the field. Every principle is illustrated by the solution of a numerical example, and at the end of each article several problems are proposed to test the proficiency of the student.

Especial attention is called to the presentation of the subject of compound curves and the use of them as transition curves. The table prepared gives the deflection angles from every chord to every point on the transition curve which is located by rationally increasing radii. It is explained how this table may be applied to main curves of radii between forty and twenty-five hundred feet. A similar table adapted to steam railroads is given by Mr. Godwin in his "Railroad Engineer's Field-book."

It is hoped that this book may be instrumental in obtaining for street-railroad construction the same degree of precision and permanence that is found in the best examples of American steam-railway practice.

JOHN P. BROOKS.

LEXINGTON, KY., Sept. 24, 1897.



# CONTENTS.

## CHAPTER I.

### CURVES.

	PAGE
ART. 1. TRIGONOMETRICAL RELATIONS .....	7
ART. 2. LOCATION OF CURVES .....	10
(a) By Offsets from Tangent.....	10
(b) By Offsets from a Chord.....	11
(c) By Intersection of Two Chords .....	12
(d) By Offsets from a Chord produced .....	13
(e) By Chords and Deflection Angles.....	14
ART. 3. CHANGING THE RADIUS .....	18
(a) To change $R$ to agree with Change in Tangent.....	18
(b) " " " " effect Change in External Distance.....	18
(c) " " " that from same P. C. Curve shall end in Parallel Tangent.....	19
(d) To change $R$ that Curve shall end in Parallel Tangent opposite P. T. ....	19
(e) To change $R$ to agree with a Change in $I$ .....	20
(f) To find $R$ to pass Curve between given Tangents through a given Point.....	22
ART. 4. SHIFTING THE CURVE .....	23
(a) To move P. C. that Curve shall end in Tangent parallel to first and given Distance from it.....	23
(b) To move Curve that P. C. and P. T. shall be on Tangents parallel to first ones.....	23
(c) To move Curve to agree with Change in Direction of Tangent at P. T. ....	25
(d) To locate P. C. that Curve shall pass at given Distance from a Point. ....	26
(e) To locate P. C. of Curve of given Radius to pass through a given Point.....	26
ART. 5. COMPOUND CURVES.....	27
(a) To locate Compound Curve when $I$ , $R_1$ , $R_2$ , and $T_1$ are given. 1st and 2d.....	27
(b) To locate Compound Curve when $I$ , $T_1$ , and $T_2$ are given. 1st and 2d ....	30
(c) To connect given Curve with given Tangent by Curve of given Radius. 1st and 2d.....	31
(d) change P. C. C. that curve shall end in a Parallel Tan- gent.....	33

## CHAPTER II.

## TURNOUTS AND SIDINGS.

	PAGE
ART. 6. TURNOUTS FROM A STRAIGHT TRACK .....	36
(a) When Two Turnouts in Opposite Directions begin at Same Point.....	37
(b) When $R_1$ and $R_2$ are unequal.....	37
(c) When Turnouts begin at Different Points.....	38
(d) When Three Frog Angles are known.....	39
ART. 7. TURNOUTS FROM A CURVED TRACK.....	41
(a) Turnout on Inside when Frog Angle is given.....	41
(b)     "     "     "     "     Radius     "     " .....	42
(c)     "     "     Outside     "     Frog Angle     "     " .....	42
(d)     "     "     "     "     Radius     "     " .....	43
ART. 8. SIDINGS AND CROSSOVERS .....	44
(a) To connect Siding with Straight Track when $d$ and Frog Angle are given.....	44
(b) To connect Siding with Straight Track when Radii and $d$ are given.....	46
(c) To connect Siding with Curved Track when Frog Angle and $d$ are given.....	46

## CHAPTER III.

## CONSTRUCTION.

ART. 9. LOCATION .....	51
Preliminary Survey. Choice of Grades and Curves. Effect of Grades and Curves on Traction Effort. Elevation of Outer Rail.	
ART. 10. TRANSITION CURVES .....	55
The Compound Spiral. Table of Deflection Angles. Tangent and External Distances. Vertical Curves.	
ART. 11. EARTHWORK COMPUTATION.....	62
Borrow-pits. The Prismoidal Formula. Form of Field-notes.	
ART. 12. ESTIMATE OF COST.....	69
Bill for Single Track. Bill for Double Track. Equipment Expense.	
ART. 13. SUPERINTENDENCE OF CONSTRUCTION.....	72
Reference Points. Preparation of Subgrade. Ballast. Ties. Rail Joints.	

## TABLES.

I. Trigonometrical Formulas.....	78
II. Natural Sines and Cosines .....	82
III. Natural Tangents and Cotangents.....	91
IV. Vers. Sines and Exsecants.....	103
V. Squares, Cubes, Reciprocals. Square and Cube Roots.....	126
VI. Deflection Angles for Spiral Curves.....	143
VII. Frog Distances for given Number of Frog .....	143
VIII. Frog Distances for given Radii.....	143
IX. Useful Formulas and Constants.....	144

# HANDBOOK

## OF

# STREET RAILROAD LOCATION.

### CHAPTER I.

#### RAILROAD CURVES.

#### ART. 1. TRIGONOMETRICAL RELATIONS.

Railroad curves are, in general, arcs of circles, and other forms which are sometimes employed will be considered else-




FIG. 1.

where. In Fig. 1,  $AFB$  is a curve joining two straight lines or tangents  $HV$  and  $GV$ , tangent at  $A$  and  $B$  respectively.

The initials of the words Point of Curve and Point of Tangency, P.C. and P.T., indicate the beginning and end of the curve. The lines  $AV$  and  $BV$  are called Tangent Distances,  $T$ . The distance  $AB$  is called the Long Chord to distinguish it from any other chord,  $C$ , as  $AP$ . On the line  $VO$ , joining the vertex and the center,  $VF$  is the External Distance,  $E$ , and  $FQ$  the Middle Ordinate,  $M$ . The exterior angle at  $V$  between the tangents is the Intersection Angle,  $I$ , which equals  $\angle AOB$ , and the angle between any chord and a tangent at the end of the chord is a Deflection Angle,  $d$ .

In Fig. 1,  $AO$  is perpendicular to  $AV$ , hence

$$AV = AO \tan \angle AOV,$$

$$\text{or} \quad T = R \tan \frac{I}{2},$$

$$\text{and} \quad R = T \cot \frac{I}{2}.$$

Let  $OK$  be drawn perpendicular to  $AP$ , then  $\angle VAP = \frac{1}{2}\angle AOP = \angle AOK$ , and

$$\sin d = \frac{C}{2R}.$$

$$\text{From Fig. 1,} \quad AB = 2T \cos \frac{1}{2}I;$$

$$AB = 2R \sin \frac{1}{2}I;$$

$$\text{also} \quad AB = 2M \cot \frac{1}{2}I.$$

The relation between the length of an arc and its subtended angle is the same as that of a semi-circumference to  $180^\circ$ ; hence if  $L$  be the length of  $AFB$ ,  $L : AOB = \pi R : 180^\circ$ , whence  $L = IR \frac{\pi}{180}$ , or

$$L = .0174533IR,$$

in which  $I$  is the angle  $AOB$  expressed in degrees and fraction of a degree.

In Fig. 1,  $QF = OF - OQ$ , or  $R - R \cos \frac{I}{2}$ ; then

$$M = R \left( 1 - \cos \frac{I}{2} \right) = R \text{ vers } \frac{I}{2}.$$



$$M = E \cos \frac{I}{2}.$$

In the triangle  $VFB$  the angle  $VBF = \frac{I}{4}$  and  $BVF = \frac{1}{2}(180 - I)$ ; so

$$VF:VB = \sin VBF:\sin VFB,$$

$$\text{or} \quad E = T \tan \frac{I}{4};$$

$$\text{also} \quad E = R \left( \frac{1}{\cos \frac{I}{2}} - 1 \right)$$

$$= R \operatorname{exsec} \frac{I}{2}.$$

Many other equations may be formed by solving any of the above for a different factor; for example, let it be required to determine the proper radius for a curve that shall pass 11 feet from the vertex of its tangents, which make an intersection angle  $65^\circ 32'$ . From the next to the last equation,

$$E = \frac{E \cos \frac{I}{2}}{1 - \cos \frac{I}{2}}$$

$$R = \frac{22 \times .84088}{.15912} = 58.1 \text{ feet}$$

With a table of exsecants at hand the labor of computation is somewhat lessened by using the next formula to that selected.

Prob. 1. In the above example compute the tangent distance, long chord, middle ordinate, and the deflection angle from the tangent to a 10-foot chord.

Prob. 2. Given:  $E = 4.64$  feet,  $M = 4.02$  feet. Compute  $R$  and  $I$ .

## ART. 2. LOCATING CURVES.

(a) By Offsets from a Tangent.—In Fig. 2 the distance along




FIG. 2.

the tangent from  $A$  to the foot of an offset, as  $c'$ , and the length of the offset,  $c'e$ , are given by

$$Ac' = t = R \sin cOA,$$

$$\text{and} \quad cc' = f = 1 - R \cos cOA;$$

$$\text{or} \quad f = R \text{ vers } cOA.$$

Let  $C$  be the length of any chord, as  $Ae$ , then  $f = \frac{C^2}{2R}$ .

If the angles  $cod$ ,  $doe$ ,  $eof$ , . . . be equal, the arcs subtending them will, of course, be equal, which is a better arrangement than to make  $Ac'$ ,  $c'd'$ , . . . equal. In the field, after  $c$  is fixed,  $Ad'$  is measured and  $d$  is located at the intersection of arcs of radii  $dd'$  and  $dc$ , with less chance of error than by erecting a perpendicular at  $d'$ . For example, let it be required to set stakes 10 feet apart on a curve of 50 feet radius and  $I = 88^\circ 24'$ .

$$\sin \frac{1}{2}AOC = \frac{5}{R} = .100, \quad \text{and} \quad AOC = 11^\circ 28'.$$

$$t_1 = 50 \times \sin 11^\circ 28' = 9.94 \text{ feet};$$

$$t_2 = 50 \times \sin 2 \cdot cOA = 19.48 \text{ feet};$$

$$t_3 = 50 \times \sin 3 \cdot cOA = 28.25;$$

$$t_4 = 50 \times \sin 4 \cdot cOA = 35.89.$$

The corresponding offsets are 1.0, 3.95, 8.74, and 15.18 feet. The number of arcs in the curve is found from  $88^\circ 24' \div 11^\circ 28'$  to be 7+. The points *A* and *B* are located by measuring from *V* the tangent distance  $T = R \tan \frac{1}{2}I$ , and four arcs of 10-foot chords may be laid off from *A* and three from *B*. The remaining chord,  $c = 2R \sin \frac{1}{4}(88^\circ 24' - 7 \times 11^\circ 28') = 7.09$  feet, whose measurement affords a test upon the accuracy of the work.

Prob. 3. In the above example compare the length of the curve with that of the eight chords.

(b) By Offsets from a Chord.—In Fig. 3 it is required to




FIG. 3.

locate the curve *ACB* by offsets from the chord *AB*. The distance  $Cc'$  is first determined by  $M = R \left(1 - \cos \frac{I}{2}\right)$ . Then any offset, as  $bb'$ , is  $c'C - Ce$ .

$$bb' = c'C - R(1 - \cos COb),$$

$$\text{or} \quad bb' = c'C - R \text{ vers } COb,$$

$$\text{and} \quad cb' = R \sin COb.$$

*A* and *B* are fixed by measuring the tangent distances from *V*.

For example: to locate points ten feet apart on a curve when the long chord and radius are given as 58.4 feet and 45 (

feet respectively,  $A$  and  $B$  being fixed.  $\sin \frac{1}{2}I = \frac{58.4}{90.0}$  and  $I = 80^\circ 56'$ .  $M = R(1 - \cos 40^\circ 28') = 10.76$  feet. The angle subtended by a chord of ten feet will be  $12^\circ 46'$ , the distances from the middle of the chord to the offsets from  $c'A$  and  $c'B$  will be 9.95, 19.40, and 27.89, and the offsets 9.65, 6.36, and 1.08 feet respectively. The small chords at the ends of the curve are found to be  $C' = 2R \sin \frac{1}{4}(80^\circ 56' - 6 \times 12^\circ 46') = 1.70$  feet. If it be desired to have the equal chords begin at  $A$ , the first arc  $COb$  will be  $2^\circ 10'$  and the second  $12^\circ 46'$ ; the first arc on the right of the middle will be  $10^\circ 36'$ , and the last one  $4^\circ 20'$ . Since the points on the curve are no longer symmetrical with respect to  $Cc'$ , the offsets and distances along the chord must be computed for each one.

On very flat arcs the middle ordinate is  $M = \frac{C^2}{8R}$  without material error.

(c) By Intersection of Two Chords.—If, in Fig. 4, the chord  $Aa$  be assumed, the chord  $aB$  can be computed by

$$aB = 2R \sin \frac{1}{4}(I - \Delta Oa).$$





FIG 4.

$Ab$  subtends twice the arc  $\Delta Oa$  and  $bOB = I - 2\Delta Oa$ . The chords from each point to  $A$  and to  $B$  may thus be computed and any point, as  $b$ , located by intersecting a small arc of radius

*Ab* by one of radius *Bb*. This is done by first determining within a foot or so where the point will fall and driving temporary stakes, one inside and one outside the curve, about two feet apart, into which nails are driven on an arc of radius *Ab*, and a string is stretched between them. The divergence of this chord from its arc will be inappreciable, and the point on the string and the arc of radius *bB* will be directly over *b*. This is not a good method of locating curves unless each of the chords is less than the length of the tape; it may, however, be applied to longer curves by first locating the middle of the curve by measuring the external distance from *V* toward *O* and locating the intermediate points in the manner described above. For example, let  $I = 96^\circ 42'$  and  $R = 60$  feet. *E* will be 30.28 feet, and the chord of  $\frac{I}{2}$  equals 49.14 feet, so the middle point of the curve may be found at the intersection of arcs of these radii from *V* and *A* respectively as centers. The points 10 feet from *A* and from *B* will be 39.84 feet from the middle, those 10 feet from the last will be 30.27 feet from the middle, and so on.

(d) By Offsets from a Chord produced.—The angle  $mab$ , Fig. 5, between a chord and the previous chord produced is the



**FIG. 5.**

same as that at the center subtended by the chord, and the angle between the tangent and the first chord  $VAa$  is one half this amount, or, if  $bam = d$ ,

$$\sin \frac{1}{2}d = \frac{C}{2R};$$

$$mb = C \sin d,$$

$$ma = C \cos d.$$

The length of the last chord,  $c'$ , ending at  $B$  will subtend an angle at the center of  $I - nd$ , when  $n$  is the number of chords laid off from  $A$ .

$$C' = 2R \sin \frac{1}{2}(I - nd).$$

This is an effective method of setting the stakes on a curve without the aid of an instrument. The intersection angle, if unknown, may be approximately determined by laying off  $Vx = Vy$  on  $VA$  and  $VB$  and measuring  $xy$ ; then

$$\cos \frac{I}{2} = \frac{xy}{2Vx}.$$

The points  $A$ ,  $B$  and  $a$  are fixed as described before. The ring at the end of the tape is hooked over the nail in stake  $A$ , and  $C + am$  is measured on  $Aa$  produced, locating  $m$ . The ring is then hooked at  $a$ , and the mark  $C + mb$  held at  $m$ ; the division on the tape indicating a chord distance from  $a$  will be over  $b$  when both sections of the tape are drawn taut.

For instance, let  $Vx = 50$  feet,  $xy = 72.02$  feet, and  $R = 45$  feet, to set stakes 10 feet apart on the curve.  $\cos \frac{1}{2}I = .7202$ ,  $I = 92^\circ 08'$ .  $T = 46.71$  feet.  $\sin \frac{1}{2}d = .1111$ ,  $d = 12^\circ 46'$ . The last chord will subtend an angle of  $92^\circ 08' - 7(12^\circ 46')$  or  $2^\circ 46'$  and be equal to 2.17 feet. The chord produced will be  $am = 10 \cos 12^\circ 46' = 9.75$  feet, and  $mb = 10 \sin 12^\circ 46' = 2.21$  feet.

(e) By Chords and Deflection Angles.—If the chords in Fig. 6 be all equal, they will subtend angles at  $A$ , each equal to  $V\hat{A}a$  or  $d$ , when  $2d$  is the angle at the center of the curve subtended by the same chord. The angle at any point on the curve, as  $b$ , between a chord from  $A$  produced, and the chord  $bd$  from  $b$  to any other point on the curve, is the same as the angle at  $A$  between the tangent and  $Ad$ ;

$$\text{or} \quad gbd = V\hat{A}d,$$

$$\text{also} \quad ecd = V\hat{A}c \text{ or } a\hat{A}d.$$

With the instrument at  $A$  the first chord  $Aa$  is measured



from the tangent to the chord from  $A$  to that point, so that the vernier will always read zero when the telescope is pointed to  $A$ . The line of sight is turned through  $180^\circ$ , either in azimuth or by revolving the telescope on its axis, and the vernier readings for all the following points are given in the column of total deflections in the following field-notes for the curve in Fig. 6:

Station.	Distance.	Chord Deflection.	Total Deflection.
$A$	0	$0^\circ 0'$	$0^\circ 00'$
$a$	$C$	$d$	$d$
$b$	$C$	$d$	$2d$
$c$	$C$	$d$	$3d$
$d$	$C$	$d$	$4d$
$B$	$C'$	$d'$	$\frac{1}{2}I$

If the instrument be at  $c$  and a back-sight is taken to  $A$ , the vernier reading is zero; if to  $a$  or  $b$ , readings taken from the notes are  $d$  or  $2d$ . The telescope is turned through  $180^\circ$  and the notes indicate that  $4d$  is the proper setting for locating the point  $d$ . The last deflection is  $\frac{1}{2}I - 4d$ , and the measured and computed lengths of  $dB$  should agree.

As an example let it be required to make a table of field-notes for a curve whose radius is 50 feet and intersection angle  $106^\circ 18'$ . Then  $T = 66.72$  feet. The deflection for a chord of 10 feet is  $\sin d = 5 \div 50 = .10000$ ,  $d = 5^\circ 44'$ . The length of the curve is 92.75 feet, so the last chord will subtend an angle of  $106 - 18'$  less 9 times  $11^\circ 28'$ , or  $d' = 1^\circ 33'$  and  $C' = 2.71$  feet.

Station.	Distance.	Chord Deflection.	Total Deflection.	Remarks.
P. C.	0 feet	$0^\circ 00'$	$0^\circ 00'$	
$a$	10	5 44	5 44	
$b$	10	5 44	11 28	
$c$	10	5 44	17 12	$\times$ c Transit Point
$d$	10	5 44	22 56	
$e$	10	5 44	28 40	
$f$	10	5 44	34 24	
$g$	10	5 44	40 08	$\times$ g Transit Point
$h$	10	5 44	45 52	
$i$	10	5 44	51 36	
P. T.	2.71	1 33	53 09	



With the transit at  $g$ , to take a back-sight on  $c$  the vernier should be set at  $17^{\circ} 12'$ , the total deflection for  $c$ . The readings for  $h$ ,  $i$ , and P. T. are the values in the fourth column opposite those stations.

When the intersection point or points of curve or tangency are not situated so that they may be occupied by the instrument, the curve may still be located by one of the foregoing methods. If any line, as  $xy$ , Fig. 7, be run from a point on




FIG 7

one tangent to a point on the other, the sum of  $Vxy$  and  $Vyx$  will be the intersection angle. In the triangle  $Vxy$ ,  $Vx$  and  $Vy$  may be computed when the angles and the length of  $xy$  are known: then the radius having been assumed,  $AV$  is computed and hence  $xA$  is known. Offsets to the tangent may be computed for assumed distances from  $A$  and  $B$ .

Prob. 4. Given  $I = 85^{\circ} 26'$  and  $E = 21.66$  feet. Compute offsets and distances along the long chord for points 10 feet apart on the curve.

Prob. 5. If a chord  $c$  subtends an arc  $d$ , compute  $c_1$ ,  $c_2$ ,  $c_3$ , and  $c_4$  for arcs  $2d$ ,  $3d$ ,  $4d$ , and  $5d$ .


Prob. 6. Given:  $Vx = 25$  feet,  $xy = 33.5$  feet, and  $E = 26.0$  feet. Make the computations necessary in laying out the curve in eight equal chords (Fig. 5).

Prob. 7. Make table of deflection angles when  $I = 106^{\circ} 18'$  and  $R = 80$  feet, and compute the difference between the length of the curve and that of the sum of the chords.

Prob. 8. With the transit at P. C. when  $R = 80$  feet and  $I = 150^{\circ}$ , how far could a point near the P. T. on a radius of 5 feet and center at the point next to the P. T., be moved without departing more than 0.01 feet from the chord P. C. — P. T.?

## ART. 3. CHANGING THE RADIUS.

(a) To change the Radius to agree with a given change in the Tangent.—In Fig. 8,  $AO$  is the radius of the curve  $AB$



whose tangent is  $AV$ ; it is required to find the change in the length of the radius that  $A$  may be moved to  $A'$ . In the triangle  $OO'D$ ,  $O'D = OD \cot OO'D$ , or

$$R' - R = (T' - T) \cot \frac{I}{2}.$$

The new radius will be greater or less than the first according as  $VA'$  is greater or less than  $VA$ .

(b) To change the Radius to effect a given change in the External Distance.—It is required to determine a radius that shall cause the curve to pass through  $C'$  instead of through  $C$  in Fig. 8. The distance  $VC = R \div \cos \frac{I}{2} - R$ ,

$$\text{and} \quad VC' = R' \div \cos \frac{I}{2} - R',$$

$$\text{then} \quad R' - R = \frac{VC' - VC}{\sec \frac{I}{2} - 1},$$

$$\text{or} \quad R' - R = CC' \operatorname{exsec} \frac{I}{2}.$$

If  $CC'$  be measured, the difference in radii is found numerically.

(c) To change the Radius so that from the same P. C. the curve shall end in a parallel tangent at a given distance from the original one.—In Fig. 9,  $V'B'$  is parallel to  $VB$ , and the required change of radius is  $OO'$ . If  $BD$  be parallel to  $OO'$ ,  $B'D$  and  $BD$  are each equal to  $OO'$ , and  $B$  and  $B'$  are on the arc of a circle of radius  $R' - R$  and center  $D$ ;




FIG. 9.

$$\text{then} \quad (R' - R) = \frac{x}{\text{vers } I'}$$

$$\text{or} \quad (R' - R) = \frac{x}{2 \sin^2 \frac{I'}{2}}$$

in which  $x$  is the distance between the two positions of the tangent. The formula is equally applicable when second tangent is inside the first.

(d) To change the Radius so that the curve shall end in a parallel tangent directly opposite the original P. T. and a given distance from it.—In Fig. 10 the change in length of the tangents is  $DV'$ , or

$$(T' - T) = DV'.$$

$$(R' - R) \tan \frac{I}{2} = x \cot I;$$

$$\text{then} \quad R' - R = x \cot I \cot \frac{I}{2},$$

$$\text{also} \quad R' - R = \frac{x}{\text{exsec } I'}$$

The new curve will begin at  $A'$ , and when  $R' - R$  or  $O'G$  is known  $AA'$  may be computed.

$$AA' = (R' - R) \tan I,$$

$$\text{also } AA' = x \cot \frac{I}{2}.$$




FIG 10.

The method of computation is the same whether the new tangent is outside or inside the original one.

(c) To change the Radius to agree with a given change in  $I$ .  
1st. When P. C. remains unchanged.

In Fig. 11 the change in  $I$  is  $BVB''$  and, if the P. C. remains at  $A$ ,  $OO''$  is the required change of radius. Since  $AV$  is common to both curves,

$$R' \tan \frac{AO''B''}{2} = R \tan \frac{AOB}{2};$$

$$R' = R \tan \frac{I}{2} \cot \frac{I'}{2},$$

in which  $R'$  is the only unknown quantity, since  $I' = I \pm$  the given change  $BVB''$ .

2d. When the P. T. remains unchanged.

Under this condition the vertex is moved from  $V$  to  $V'$  and

the given change of  $I$  is  $VBV'$  in Fig. 11. Since  $B$  is fixed, its distance from  $AV$  is

$$R' - R' \cos I' = R - R \cos I,$$




FIG. 11.

in which the algebraic sign of cosine  $I'$  and of cosine  $I$  must be observed,

$$\text{or} \quad R' = R(1 - \cos I) \div (1 - \cos I'),$$

$$\text{also} \quad R' = R \frac{\text{vers } I}{\text{vers } I'}.$$

Since  $A'O$  is parallel to  $AO$ , the distance from  $B$  to each is

$$R' \sin I' = R \sin I,$$

$$\text{or} \quad AA' = R' \sin I' - R \sin I,$$

which determines the position of the new P. C.

For example, let  $R = 60$  feet and  $I = 106^\circ 30'$ ; it is required to determine the radius and P. C. of a curve that end at the same P. T. making  $I' = 110^\circ$ .

$$R' = 60(1 - \cos 106^\circ 30') \div (1 - \cos 110^\circ),$$

$$R = 57.4 \text{ feet.}$$

$$AA' = 57.4 \sin 110^\circ 00' - 60 \sin 106^\circ 30' = 3.60 \text{ feet.}$$

The new P. C. will be on  $AV$ , 360 feet from  $A$ .

(f) To find the radius of a curve which shall pass through a given point and connect two given tangents.—Let  $VA$  and  $VB$  in Fig. 12 be the given tangents, and  $P$  the given point lo-




FIG. 12.

cated by an offset  $x$  from  $VA$  distant  $y$  from the vertex. If a point  $P'$  be located from  $VB$  with the coordinates  $x$  and  $y$ , the required curve will pass through it and  $PP'$  will be perpendicular to the line bisecting  $AVB$ . Then  $\tan AVP = x + y$ , and  $PVF = \frac{1}{2}(180 - I) - AVP$ ; hence  $PVF$  may be computed.  $PV = \sqrt{x^2 + y^2}$ , and therefore  $PF$  and  $VF$  may be found; also in the right triangle  $EVF$ ,  $VE = VF \div \sin \frac{I}{2}$ , and  $FE = VF \cot \frac{I}{2}$ ; from which the numerical values of  $FE$  and  $VE$  may be determined. Then

$$EA = \sqrt{P'E \times PE},$$

and  $VA = VE + EA$ , which is the tangent of the required curve whose P. C. is at  $A$ . The radius may then be computed,  $R = VA \cot \frac{I}{2}$ . If the tangents are located,  $P'P$  and  $PE$  may be measured instead of being computed.

For example let,  $I = 120^\circ$ ,  $y = 80$  feet, and  $x = 20$  feet, to de-

termine  $T$  and  $R$ . Here  $\tan AVP = .250$ ,  $AVP = 14^\circ 02'$ , and  $PVF = 15^\circ 58'$ .  $PV = \sqrt{400 + 6400} = 82.46$  feet.  $PF = 82.46 \sin 15^\circ 58' = 22.69$  feet.  $VF = 82.46 \cos 15^\circ 58' = 79.28$  feet.  $VE = 79.28 \div .8660 = 91.54$  feet. Then

$$EA = \sqrt{23.09 \times 68.47} = 39.76 \text{ feet, } T = 131.30, \\ \text{and } R = 131.36 \times .5774 = 75.8 \text{ feet.}$$

Prob. 9. Given:  $I = 75^\circ 32'$ ,  $R = 50$  feet. It is required to find the radius of a curve that shall connect the same tangents and pass 2 feet farther from the vertex.

Prob. 10. In Fig. 12 let  $x = 15$  feet,  $y = 65$  feet, and  $I = 96^\circ$ . Find the radius.

Prob. 11. Given:  $I = 87^\circ 20'$  and  $R = 60$  feet. What is the radius of a curve that will connect the same P. C. with a parallel tangent 4 feet outside that through the original P. T.? What will be the new tangent distances?

Prob. 12. If, in the above problem, the second P. T. be opposite the first, compute the new radius and the necessary change in position of P. C.

Prob. 13. Given:  $I = 100^\circ$ ,  $I' = 105^\circ$ , and  $R = 65$  feet. Compute the length of the new curves when P. T. is changed and when  $V$  is changed.

#### ART. 4. SHIFTING THE CURVE.

(a) To move the Point of Curve along the tangent so that the curve may end in a tangent parallel to the original one and at a certain distance from it.—Let  $x$  in Fig. 13 be the distance between the two tangents, then

$$VV' = AA' = x \div \sin I,$$

because  $A'O'B' = AOB$ , since  $AB$  is moved bodily without change of dimensions to  $A'B'$ .




FIG. 13.

(b) To move the curve so that both the Points of Curve and of Tangency may be on tangents parallel to the former ones and at given distances from them.—In Fig. 14 the curve  $AB$  may

be transferred to  $A'B'$  by first moving  $A$  along  $AV$  till  $B$  is on  $V'B'$ ; the curve will then be shown by the dotted line  $DE$ , and  $E$  may be moved along  $V'B'$  till  $D$  is in  $V'A'$ , when  $A'B'$




FIG. 14.

will be the required curve. Then  $F$  is the point on  $AV$  opposite  $A'$ , and

$$AF = \frac{x + y \cos I}{\sin I},$$

in which  $x$  is positive when tangent through P. T. is moved out,  $y$  is positive when tangent through P. C. is moved in, and  $\cos I$  is negative when  $I$  is greater than  $90^\circ$ . When the tangents are moved in opposite directions, the distances  $x$  and  $y$  are negative, and when  $AF$  is found to be negative it means that  $F$  is on  $VA$  produced.

For example, in Fig. 14 let it be required to transfer the curve  $AB$  to  $A'B'$  when  $y = 3$  feet,  $x = 4.2$  feet,  $I = 95^\circ 22'$ , and  $R = 50$  feet. In this case  $x$  is positive,  $y$  is positive, and  $\cos I$  is negative; therefore

$$AF = \frac{4.2 - 3 \times .0935}{.9956},$$

$$AF = 3.94 \text{ feet,}$$

and  $A'$  is located by measuring forward 3.94 feet and erecting a perpendicular offset of 3 feet at  $F$ .

If, in the above example, the tangent through the P. T. were



moved in,  $x$  would be negative and  $AF = \frac{-4.2 - 8 \times .0035}{.9956} = -4.50$  feet; hence  $F$  would be on  $VA$  produced.

(c) To move the curve to agree with a given change in direction of the tangent through the P. T.—In Fig. 15 let  $BVB'$




FIG. 15.

be the given change in  $I$ ,  $V$  remaining fixed; then

$$VA = R \tan \frac{I}{2},$$

$$VA' = R \tan \frac{I'}{2};$$

hence 
$$AA' = R \left( \tan \frac{I}{2} - \tan \frac{I'}{2} \right).$$

If  $AA'$  becomes negative from the above equation,  $A'$  is on  $VA$  produced.

When the given change in direction is from a different vertex, as shown in Fig. 16.—The change in the position of the P. C. due to the change in  $I$  is, as above,  $R \left( \tan \frac{I}{2} - \tan \frac{I'}{2} \right)$ , and

any change in the position of the vertex will cause an equal change at the P. C. ; hence

$$AA' = R \left( \tan \frac{I}{2} - \tan \frac{I'}{2} \right) + VV',$$

in which the proper algebraic signs must be observed.

For example, let  $R = 60$  feet,  $I = 80^\circ$ ,  $I' = 114^\circ$ , and  $VV' = 6$  feet from  $V$  toward  $A$ . Here  $AA' = 60 (0.83910 - 1.53986) - 6.0 = -48.05$  feet, and hence the curve will begin 48.05 feet from  $A$  on  $VA$  produced.




FIG. 16.




FIG. 17.

(d) To locate the P. C. of a curve of given radius which shall pass through a point at a given distance from the tangent.—In Fig. 17 let  $P$  be the point, distant  $x$  from  $AE$ , through which it is required to pass the curve of radius  $R$ . Then

$$\cos 2EAP = (R - x) / R,$$

$$\text{and} \quad EA = x \cot EAP,$$

which gives the location of the point of curve.

(e) To locate the P. C. of a curve that shall pass at a given distance from a point whose distance from the tangent is known.—In Fig. 17 let it be required to locate a curve tangent to  $AE$  that shall be a distance  $y$  from  $P$  which is  $x$  from  $AE$ .

If a circle of radius  $y$  be drawn with a center at  $P$ , it will be tangent to the required curve; therefore

$$\cos A'OP = (R - x) \div (R + y),$$

$$\text{and} \quad EA' = (R + y) \sin A'OP,$$

$$\text{also} \quad \overline{EA'}^2 = (R + y)^2 - (R - x)^2,$$

which is sufficient to fix the point of curve.

The given distance  $y$  may be between  $P$  and the tangent, in which case

$$\cos A''OP = (R - x) \div (R - y),$$

$$\text{and} \quad EA'' = (R - y) \sin A''OP.$$

It is evident that  $y$  cannot be greater than  $x$  unless the curve is in the opposite direction.

For example, let the line midway between the rails be 18 feet from the curb, to locate the P. C. of a curve of 45 feet radius that shall pass 11 feet from a given curb corner. The curb corner is represented by  $P$  in Fig. 17; then  $\cos A''OP = (45 - 13) \div (45 - 34)$ , or  $A''OP = 37^\circ 26'$ . Then  $EA'' = 34 \sin 37^\circ 26' = 20.67$  feet.

Prob. 14. The middle line of a railroad-track is to be 20 feet from the curb; a curve is to begin opposite a point on the curb 22 feet from the curb corner, which is to be 12.8 feet from the middle line of the curve. Find the radius.

Prob. 15. The middle line of a track is 18 feet from the curb; a curve of 50 feet radius, away from the curb, is to pass 30 feet from a given point on the curb. Find the length of a chord from the P. C. to the part of the curve nearest the given point.

#### ART. 5. COMPOUND CURVES.

The curve  $ACB$ , Fig. 18, is called compound from the fact that it is a combination of curves of different radii, as  $AO$ ,  $CO'$ , and  $DO''$ . The points  $C$  and  $D$  are designated Points of Compound Curvature, P. C. C. The sum of the angles  $AOC$ ,

$CO'D$ , and  $DO''B$  equals the deflection angle at  $V$  and the tangent distances  $VA$  and  $VB$  are of unequal lengths.




FIG. 18.




FIG. 19.

In Fig. 19 the center of the second curve is on the radius of the first produced, and the curves are in opposite directions. Such a condition is a special case of compound curves which is termed *Reverse Curve*. The place where the radius  $AO$  changes to  $RO'$  is called the *Point of Reverse Curvature*, P. R. C. The radii  $OA$  and  $O'R$  may or may not be of equal length, and the difference between the central angles,  $O$  and  $O'$ , is that between  $AV$  and  $BV'$ .




FIG. 20.

(a) To locate a compound curve between two given tangents when

the radii,  $I$ , and one tangent are known.

1st. When the distance from the vertex to the P. C. of the flatter curve is given.—In Fig. 20 it is required to locate a compound curve beginning at  $A$ , distant  $T_1$  from  $V$ , and ending on  $VB$  with radii  $AO_1 = R_1$  and  $CO_2 = R_2$ .

If  $AC$  be produced to  $F$ , making  $AO_1F = I$ , then

$$(R_1 \tan \frac{1}{2}I - T_1) \sin I + R_2 + (R_1 - R_2) \cos O_2 = R_1;$$

$$\cos O_2 = 1 - \frac{(R \tan \frac{1}{2}I - T_1) \sin I}{R_1 - R_2};$$

so 
$$\cos O_2 = \frac{T_1 \sin I + R_1 \cos I - R_2}{R_1 - R_2},$$

in which the algebraic sign of  $\cos I$  must be observed. If  $T$  be larger than  $R_1 \tan \frac{1}{2}I$ , the problem is incapable of solution.

In the triangle  $VHK$ ,  $HK = R_1 \tan \frac{1}{2}O_1 + R_2 \tan \frac{1}{2}O_2$ ;

then 
$$VK = HK \frac{\sin O_1}{\sin I},$$

and 
$$VB = VK + R_2 \tan \frac{1}{2}O_2;$$

otherwise 
$$T_2 = VB = \frac{R_1 - (R_1 - R_2) \cos O_1}{\sin I} - R_2 \cot I,$$

which determines the location of  $B$ .

2d. When the distance  $T_2$  from the vertex to the P. C. of the sharper curve is known.—In Fig. 21,  $BC$  is produced to  $F$ , making  $BO_2F = I$ .

$$T_2 \sin I + R_2 \cos I + (R_1 - R_2) \cos O_2 = R_1;$$

$$\cos O_1 = \frac{R_1 - T_2 \sin I - R_2 \cos I}{R_2 - R_1}.$$

When  $I$  is more than  $90^\circ$  the cosine of  $I$  is negative.




FIG. 21.

The tangent  $VA = T_1$  is found as in the first case.

$$VA = VH + R_1 \tan \frac{1}{2}O_1,$$

also 
$$T_1 = \frac{R_1(\cos O_2 - \cos I) + R_2(1 - \cos O_2)}{\sin I}.$$



2d. When the smaller radius is known.—Let the curve of smaller radius be extended to a tangent parallel to  $T_1$ . Then, as before,

$$\begin{aligned}\cot \frac{O_1}{2} &= \frac{AD}{HD} \\ &= \frac{T_1 - T + (T_2 - T) \cos I}{(T_2 - T) \sin I},\end{aligned}$$

in which  $T$ ,  $T_1$ , and  $T_2$  represent  $HX$ ,  $AV$ , and  $BV$  in Fig. 23.




FIG. 23.

$$\text{Also } R_1 = R_2 + AD + (R_1 - R_2) \cos O_1,$$

$$R_1 = R_2 + (T_2 - T) \frac{\sin I}{1 - \cos O_1},$$

in which  $R_2$  must always be selected smaller than  $T_2 \cot \frac{I}{2}$ , else the curve will become reverse.

For example, let  $I = 119^\circ 04'$ ,  $T_1 = 120$  feet,  $T_2 = 100$  feet, and  $R_2 = 40$  feet. Then  $T = 40 \times 1.69992 = 68$  feet. Since  $I$  is greater than  $90^\circ$  its cosine is negative, and

$$\cot \frac{O_1}{2} = \frac{120 - 68 - 32 \times .48583}{32 \times .87406},$$

$$\text{or } O_1 = 75^\circ 00'. \quad R_1 = 40 + 32 \times \frac{87406}{74118} = 77.7 \text{ feet.}$$

(c) To connect a given curve with a given tangent by another curve of given radius.—This is a case in which the distance between the given tangent and that to the given curve parallel to the first is known, as  $DH$  in Fig. 24, but the angle  $O_1$  is to be determined. In Fig. 24 let  $AC$  be the given curve of radius  $R_1$ , and  $BV$  the given tangent, making the angle  $I$  with  $AV$ . If  $AC$  be produced to  $H$ , making  $HO_1A = I$ ,  $HD = d$ , and if  $R_2$  be assumed,




FIG. 24.





ing the point where the tangent to  $ACB$  is parallel to  $DE$ . Then  $O_2O_1B$  is found from

$$\cos O_2O_1B = \frac{R_1 - R_2 - d}{R_1 + R_2},$$

$$\text{and} \quad AO_1C = I - O_2O_1B,$$

from which the distance to  $C$  from the selected point may be computed. The curve  $CD$  may then be located by any of the usual methods, the total deflection from a tangent at  $C$  to the point  $D$  being  $\frac{1}{2}(180^\circ - O_1)$ .

When the required tangent is outside of the tangent through  $B$ , the formula is

$$\cos CO_1B = \frac{R_1 - R_2 + d}{R_1 + R_2},$$

and the P. R. C. may be fixed by measuring the computed chord  $AC$  with a deflection  $\frac{1}{2}(I - O_1)$  from the tangent at  $A$ .

For example, let it be required to connect a given curve  $ACB$  of radius 50 feet, Fig. 25, with the tangent  $D'E'$  by a curve of radius 100 feet. From any convenient point on  $BCA$ , as  $A$ , a tangent is produced to intersect  $D'E'$  at  $V$ ,  $I$  is found to be  $117^\circ 32'$ , and  $AV = 115.4$  feet. From which

$$d = (115.7 - 50 \tan 58^\circ 46') \sin I = 29.5 \text{ feet.}$$

Then  $\cos O_1 = \frac{50 - 100 + 29.5}{100 + 50} = -.18666$ , or  $O_1 = 97^\circ 51'$ ,

and  $AO_1C = 19^\circ 41'$ ; hence  $AC = 2 \times 50 \times .1709 = 17.09$  feet, and  $VAC = 9^\circ 50'$ , giving the location of the P. C. C., from which the curve may be run by deflection angles from a tangent at  $C$ . The deflection for  $D'$  will be  $\frac{1}{2}(180^\circ - 97^\circ 51') = 41^\circ 04'$ .

(d) To change the position of the P. C. C. so that the curve may end in a parallel tangent a given distance from the first.

1st. When the P. C. of flatter curve is fixed.—In Fig. 26 let  $ACB$  be the given compound curve; it is required to change the position of  $C$  so that the curve may end at  $B_2$  in a tangent parallel to that at  $B$ , and  $d$  feet inside of it. Let the curve  $AC$  be produced to  $H$ , making  $AO_1H = I$ . Then, since the locus

of the intersections of the radii is a circle of radius  $R_1 - R_2$  and center at  $O_1$ , from the figure

$$\cos O_3 = \cos O_2 - \frac{d}{R_1 - R_2}.$$




FIG. 26.

If the curve were to be moved outward the same distance to  $B_4$ , then

$$\cos O_4 = \cos O_2 + \frac{d}{R_1 - R_2},$$

and the new P. C. C. is located from  $A$ , since  $AO_1C_4 = I - O_4$ .

2d. When the P. C. of the sharper curve is fixed.—In Fig. 27,  $ACB$  is the given compound curve ending at  $B$ ; it is required to change the position of  $C$  so that the curve may end in  $B_4$ ,  $d$  feet inside the tangent through  $B$ . Let the curve  $AC$  be produced to  $H$ , making  $HO_1A = I$ ; then

$$\cos O_3 = \cos O_2 + \frac{d}{R_2 - R_1}.$$

$$\cos O_4 = \cos O_2 - \frac{d}{R_2 - R_1}$$


when the required tangent is outside that through  $B$ .

For example, let  $R_1 = 60$  feet,  $R_2 = 40$  feet,  $O_1 = 25^\circ$ , and  $O_2 = 97^\circ 52'$ ; it is required to so change the P. C. C. that the tangent at the end of the sharper curve may be moved out 5 feet. Then  $\cos O_4 = -.13687 + \frac{5}{20}$ , or  $O_4 = 83^\circ 30'$  and

35

$O_1 = 39^\circ 22'$ . The chord from the P. C. to the P. C. C. is  $2 \times 60 \times .3368 = 40.42$  feet.

Prob. 16. Given:  $R_1 = 40$  feet,  $R_2 = 80$  feet,  $O_1 = 30^\circ$ , and  $O_2 = 42^\circ 30'$ . Find the chord from the P. C. to the P. C. C. so that the compound curve shall end in a parallel tangent 4 feet inside the present one.



**FIG. 27.**

Prob. 17. In the last problem compute maximum values for  $+d$  and  $-d$ .

**Problem 18.** Given :  $R_1 = 55$  feet,  $R_2 = 42$  feet,  $I = 64^\circ$ , and  $T_1 = 33$  feet. Find the value of  $T_2$  and the position of the P. C. C.

Prob. 19. Compute maximum and minimum values for the assumed  $T_1$ .

Prob. 20. Given:  $I = 76^\circ$ ,  $T_1 = 40$  feet,  $T_2 = 30$  feet, and  $R_1 = 75$  feet. Make the computations necessary to locate the compound curve.

**Prob. 21.** It is required to connect a curve to the right, of 50 feet radius, with a line which makes an angle of  $75^\circ$  with a tangent to the given curve 65 feet from the point of tangency, by a curve to the left of 40 feet radius.

## CHAPTER II.

## TURNOUTS AND SIDINGS.

## ART. 6. TURNOUTS FROM STRAIGHT TRACK.

The part of the track which is common to the outside rail of the turnout and the inner rail of the main track is called the




FIG. 28.

Frog, as shown by the small shaded triangle at  $F$  in Fig. 28. The distance  $AF$  is the Frog Distance, the length of the frog divided by its breadth is the Number of Frog, as  $\frac{cd}{ab}$  in Fig. 29, and the Frog Angle,  $F$ , is the angle  $acb$  or that between the tangent to the outer rail of the turnout and the main track, being the same as  $AOF$  in Fig. 28. The

Radius of the Turnout is  $AO + \frac{1}{2}G$ , when  $G$  is the gauge of the track or the distance between the rails. The Standard Gauge is 4' 8½".

The Switch, Fig. 30, is the arrangement at  $A$ , Fig. 28, by which a car is deflected from the straight track to the curve.

In the triangle  $AFO$ , Fig. 28, the Frog Distance  $AF$  is

$$AF = \sqrt{2GR},$$

also from  $ABF$   $AF = 2GN$ .

$$\text{Since } 2N = \cot \frac{F}{2} = \cot BFA,$$

$$\text{then } R = 2GN^2 = \frac{1}{2}G \cot^2 \frac{F}{2}.$$




FIG. 29.




FIG. 30.

by combining the two values of  $AF$ ;

$$\text{also } \cos F = \frac{2R - G}{2R + G}.$$

(a) When Two Turnouts of the same radius in Opposite Directions begin at the Same Point.—As shown in Fig. 31, the number,  $N_1$ , of the frog at the intersection of the curves may be stated in terms of that on the straight rail, for in the triangle  $AOF_1$ ,

$$\overline{AF_1}^2 = G \left( R + \frac{G}{4} \right),$$

$$AF_1 = R \tan \frac{1}{2} F_1,$$

$$\text{also } AF_1 = \frac{R}{2N_1};$$

$$\text{hence } N_1 = \sqrt{\frac{4N^2}{8N^2 + 1}},$$

in which  $N_1$  is the number of frog at  $F_1$  and  $N$  is the number of that at  $F$ .

The switch for a case like Fig. 31 must be so designed that a car may be made to take either of three directions, and for this reason it is called a Three throw Switch.

(b) When the Radii of the Turnouts are Unequal.—In the




FIG. 31.




FIG. 32.

triangle  $O_1O_2F_1$ , Fig 32,

$$\tan \frac{1}{2} O_2 = \sqrt{\frac{R_1 G}{R_2(2R_1 + 2R_2 + G)'}}$$

and  $\tan \frac{1}{2} O_2 F_1 O_1 = \sqrt{\frac{4R_1 R_2}{G(2R_1 + 2R_2 + G)}}$ ;

the frog angle  $F_1 = 180^\circ - O_2 F_1 O_1$ ,

and  $N_1 = \frac{1}{2} \cot \frac{1}{2} F_1$ ,

$$AF_1 = \left(R_2 + \frac{G}{2}\right) \sin O_2,$$

$$O_2 A = \left(R_2 + \frac{G}{2}\right) \cos O_2,$$

from which the location of the frog  $F_1$  is established.

For example, let  $R_1 = 50$ ,  $R_2 = 40$ , and the gauge be the standard; then  $\tan \frac{1}{2} O_2 = \sqrt{\frac{235.4}{40(100 + 80 + 4.708)}}$ , or  $O_2 = 20^\circ 14'$ ;  $\tan \frac{1}{2} O_2 F_1 O_1 = \sqrt{\frac{4 \cdot 40 \cdot 50}{4.708(100 + 80 + 4.708)}}$ , or  $O_1 F_1 O_2 = 143^\circ 32'$ , so  $F_1 = 36^\circ 28'$  and  $N_1 = \frac{1}{2} \cot 18^\circ 14' = 1.52$ ;  $AF_1 = 42.35 \times .84584 = 14.65$  feet;  $O_2 A = 42.35 \times .9383 = 39.74$  feet, and the point of the frog  $F_1$  is 14.65 feet from the point of curve and 0.26 feet from the middle line of the track.

(c) When the Opposite Turnouts begin at Different Points.—A case of this kind is shown in Fig. 83. It is required to de-




FIG. 83.

termine the frog angle  $F_1$  and the frog distance  $AF_1$  when  $AP$ , or  $a$ , and either the frog angles  $F_2$  and  $F'$  or the radii of the turnouts are known. When  $F_2$  and  $F'$  are given,

$$R_1 = \frac{G}{2} \cot^2 \frac{F}{2};$$

$$O_1 O_2 = \sqrt{(R_1 + R_2)^2 + a^2}.$$

Then in the triangle  $O_1 F_1 O_2$ , all the sides are known, and

$$\cos O_1 = \frac{\overline{O_1 F_1^2} + \overline{O_1 O_2^2} - \overline{O_2 F_1^2}}{2 O_1 O_2 \cdot O_1 F_1},$$

$$\text{also } \cos O_2 = \frac{\overline{O_2 F_1^2} + \overline{O_1 O_2^2} - \overline{O_1 F_1^2}}{2 O_1 O_2 \cdot O_2 F_1};$$

$$\text{then } F_1 = O_1 + O_2,$$

$$\tan O_2 O_1 A = \frac{a}{R_1 + R_2},$$

$$\text{and } AF_1 = \left(R_1 + \frac{G}{2}\right) \sin F_1 O_1 A.$$

The above expressions are readily solved when numerical values are substituted, but a formula giving  $AF_1$  in terms of  $R_1$ ,  $R_2$ , and  $a$  directly is unwieldy.

(d) When the three Frog Angles are known.—It often happens that the engineer has at his disposal but a limited assortment of frogs. In such a case the turnout may be constructed as a compound curve to fit the given frogs. In Fig. 34 let




FIG. 34.

$F_1$ ,  $F_2$ , and  $F_3$  represent the frog angles that are to be used,  $R_1$ ,  $R_2$  and  $R_3$  the radii of middle line of track having centers

at  $O_1$ ,  $O_2$ , and  $O_3$ . If the frog at  $F_1$  be in the middle of the track,

$$O_1 = \frac{1}{2}F_1;$$

$$\text{then } R_1 = \frac{G \cos \frac{1}{2}F_1}{2(1 - \cos \frac{1}{2}F_1)}.$$

If  $O_2H$  be made parallel to  $O_1A$ ,

$$F_2O_2H = F_2;$$

$$\text{hence } R_2 + \frac{G}{2} = \frac{G}{2(\cos \frac{1}{2}F_1 - \cos F_2)},$$

$$AF_1 = R_1 \tan \frac{1}{2}F_1,$$

$$AF_2 = \left(R_2 + \frac{G}{2}\right) \sin F_2 + (R_1 - R_2) \sin \frac{1}{2}F_1,$$

and the distance  $AF_2$  and radius  $R_2$  may be computed in a similar manner.

$$R_2 + \frac{G}{2} = \frac{G}{2(\cos \frac{1}{2}F_1 - \cos F_2)},$$

$$\text{and } AF_2 = \left(R_2 + \frac{G}{2}\right) \sin F_2 - (R_2 - R_1) \sin \frac{1}{2}F_1.$$

The solution of nearly all problems in compound curves is simplified by continuing one of the curves until its central angle equals the total intersection angle between the tangents to the compound curve.

As an example, let it be required to locate a double turnout in opposite directions, using frog angles  $F_1 = 28^\circ 20'$ ,  $F_2 = 17^\circ$ , and  $F_3 = 21^\circ 17'$ .

$$R_1 = \frac{4.708 \times .96959}{2 \times .03041} = 75 \text{ feet},$$

$$R_2 = \frac{4.708(1 - .96959 + .93180)}{2(.96959 + .93180)} = 60 \text{ feet},$$

$$R_3 = \frac{4.708(1 - .96959 + .95630)}{2(.96959 - .95630)} = 174.8 \text{ feet};$$

$$AF_1 = 75. \times .2524 = 18.93 \text{ feet},$$

$$AF_2 = 62.35 \times .36298 + 15 \times .24474 = 26.32 \text{ feet, and}$$

$$AF_3 = 177.2 \times .29237 - 99.8 \times .24474 = 27.4 \text{ feet}.$$



It is possible to locate such a turnout having  $F_1$ ,  $F_2$ , and  $F_3$  equal, but  $F_1$  must always be less than  $F_2$  plus  $F_3$ .

Prob. 22. What frog number and angle and frog distance are suitable for a turnout from a straight track of "narrow gauge," or 3 feet, when the radius of middle line of turnout is 50 feet?

Prob. 23. In a double turnout in opposite directions  $R_1$  and  $R_2$  are each 75 feet. Find  $F_1$ ,  $F_2$ ,  $AF_1$ , and  $AF_2$ .

Prob. 24. A double turnout in opposite directions is composed of curves of 75 feet and 125 feet. Find frog angles and frog distances.

Prob. 25. Make the necessary computations for locating a double turnout when the three frog angles each are  $17^\circ$ .

Prob. 26. What must be the length of  $R_2$  if  $R_1$  be 100 feet when  $F_1$  and  $F_2$  are equal?

#### ART. 7. TURNOUTS FROM A CURVED TRACK.

(a) To locate a turnout on the Inside of a Curve when the Frog Angle is given.—In Fig. 35,  $R_1$  is the radius of the mid-




FIG. 35.

dle line of the main track,  $R_2$  that of the turnout, and  $F$  the frog angle or  $O_1FO_2$ . In the triangle  $AFO_1$ ,  $FAO_1 = 90^\circ - \frac{1}{2}(F + O_1)$ .

$$\begin{aligned} AO_1 + FO_1 : AO_1 - FO_1 \\ = \tan \frac{1}{2}(AFO_1 + FAO_1) : \tan \frac{1}{2}(AFO_1 - FAO_1), \end{aligned}$$

$$\text{or} \quad \tan \frac{1}{2}O_1 = \frac{G}{2R_1} \cot \frac{1}{2}F,$$

$$\text{also} \quad \tan \frac{1}{2}O_1 = \frac{GN}{R_1},$$

in which  $G$  is the gauge of the track and  $N$  is the number of the frog.

In the triangle  $AFO_2$  the angle at  $O_2$  is  $F + O_1$ ; hence

$$AF = (2R_2 + G) \sin \frac{1}{2} O_2,$$

$$\text{also } EF = (2R_1 - G) \sin \frac{1}{2} O_1,$$

$$\text{and } cd = 2R_2 \sin \frac{1}{2} O_2.$$

From the triangle  $FO_1O_2$ ,

$$R_2 = \left( R_1 - \frac{G}{2} \right) \frac{\sin O_1}{\sin O_2} - \frac{G}{2},$$

and the middle line of the turnout may be staked out in the usual manner.

For example, let the radius of the main track be 125 feet and the frog angle  $17^\circ$ . Then  $\tan \frac{1}{2} O_1 = \frac{4.708}{250} \times 6.6912$ ,  $O_1 = 14^\circ 22'$ , and  $O_2 = 31^\circ 22'$ ;  $EF = (250 - 4.708) .12504 = 30.74$  feet, and  $R_2 = 122.65 \frac{24813}{52051} - 2.35 = 56.15$  feet.

(b) To locate a turnout on the Inside of a Curve when the Radius of the Turnout is given.—In Fig. 85 the three sides of the triangle  $FO_2O_1$  are known; hence

$$\tan \frac{1}{2} F = \sqrt{\left( R_1 - R_2 - \frac{G}{2} \right) \frac{G}{2R_1R_2}}.$$

After  $F$  is determined the other values are found as in the last paragraph (a).

For example, let it be required to select a frog to fit a turnout of 50 feet radius on the inside of a curve of 100 feet radius.

$$\tan \frac{1}{2} F = \sqrt{(100 - 50 - 2.35) \frac{2.35}{5000}}, \text{ and } F = 17^\circ.$$

(c) To locate a turnout on the Outside of a curve when the Frog Angle is given.—The formulas for this case are very similar to those in (a). In Fig. 86,  $FO_1 = R_1 + \frac{G}{2}$ , and

$$AO_1 = R_1 - \frac{G}{2}.$$

Also in the triangle  $AFO_1$ ,

$$AFO_1 = 90^\circ - \frac{F}{2} - \frac{O_1}{2},$$

and  $FAO_1 = 90^\circ + \frac{F}{2} - \frac{O_1}{2};$

hence  $\tan \frac{1}{2}O_1 = \frac{G}{2R_1} \cot \frac{1}{2}F = \frac{GN}{R_1};$

$$O_1 + O_2 = F.$$




FIG. 36.

In the triangle  $AFO_1$ ,

$$AF = (2R_2 + G) \sin \frac{1}{2}O_2.$$

In  $EFO_1$ ,  $EF = (2R_1 + G) \sin \frac{1}{2}O_1,$

In  $O_2FO_1$ ,  $R_2 = \left(R_1 + \frac{G}{2}\right) \frac{\sin O_1}{\sin O_2} - \frac{G}{2}.$

The distance from  $F$  to  $O_2O_1$  was given in the article on double turnouts.

(d) To locate a turnout on the Outside of a curve when the Radius of the Turnout is given.—In Fig. 36 the three sides of the triangle  $O_1FO_2$  are known, and

$$\cos \frac{1}{2}F = \sqrt{\frac{R_1R_2}{\left(R_1 + \frac{G}{2}\right)\left(R_2 + \frac{G}{2}\right)}},$$

since the frog angle is the supplement of  $O_2FO_1$ .

For example, let the radii of the main and turnout curves be 75 and 50 feet respectively; then  $\cos \frac{1}{2}F = \sqrt{\frac{3750}{4049.3}}$ , and

$F = 31^\circ 33'$ ;  $\tan \frac{1}{2}O_1 = \frac{4.708}{150} 3.5398$ , or  $O_1 = 12^\circ 40'$  and  $O_2 = 18^\circ 53'$ ;  $AF = (100 + 4.708) .16405 = 17.17$  feet.

Prob. 27. The radius of the main track is 80 feet, and  $N$  is 3.5. Find the radius of the turnout on the inside, and the chord to the outside rail from the frog to the beginning of the turnout curve.

Prob. 28. The radius of the main track is 75 feet and that of the turnout on the inside is 45 feet. Find the chord  $AF$  from the frog to the P. C. C.

Prob. 29. It is required to determine the length of the chord on the middle line of a turnout of 60 feet radius, on the outside of a curve of 100 feet radius, between a point opposite  $F$  and the P. C. C.

#### ART. 8. SIDINGS AND CROSSOVERS.

(a) To connect a Siding with a Straight Track when the Distance between the tracks and the Frog Angles are given.—The curved track  $AB$  in Fig. 37 is the crossover from the




FIG. 37.

track  $AE$  to the track  $BK$ . The radii  $O_1A$  and  $O_2B$  may or may not be equal and the tangent  $F_1H$  may be omitted, forming a reverse curve, or the curves may be continued beyond  $F_1$  and  $F_2$ . The same form of curve is used in passing from a main track to a siding as shown in Fig. 37 with the straight track  $BK$  removed. In the figure the curves end at the frogs,

so  $AO, F_1$  is the given frog angle, and the distance between the middle lines of the straight track is  $x$ . Then

$$R_1 = R_2 = \frac{G}{2} \cot_2 \frac{1}{2} F_1,$$

or 
$$\left(R_1 + \frac{G}{2}\right) = \frac{G}{1 - \cos F}$$

$$2 R_1(1 - \cos F_1) + F_1 H \sin F_1 = x,$$

and  $(2R_1 + G)(1 - \cos F_1) = 2G;$

hence 
$$F_1 H = \frac{x - G(1 + \cos F_1)}{\sin F_1}.$$

When the crossover is in the form of a reverse curve  $F_1 H$  is zero and

$$x = G(1 + \cos F_1).$$

$$AE = 2R_1 \sin F_1 + F_1 H \cos F_1,$$

from which it is seen that the length of the crossover varies with the radius and with the distance between the tracks.

For example, let it be required to design a crossover in the form of a reverse curve between two tracks which are 4.5 feet between inner rails. In this case  $x = 4.708 + 4.5 = 9.208$  feet.

$\cos F = \frac{4.5}{4.708} = .9558$ , so  $F = 17^\circ 06''$ . Then  $R = 4.708 \div .04421 - 2.354 = 104.1$  feet.

When it is convenient to have  $AE$  as short as possible, still using the given frog angles and distance between tracks, the curves are continued beyond the frogs as shown, and the tangent between the curves may be assumed within certain limits. In Fig. 38 let  $t$  represent the tangent  $LH$  between the curves, and  $P$  the middle point of  $t$ . Then

$$O_1 P = \frac{1}{2} \sqrt{4R^2 + t^2},$$

and 
$$\tan PO_1 L = \frac{t}{2R}.$$

Since  $P$  is midway between the tracks,

$$O_1 P \cos PO_1 A = \frac{2R_1 - x}{2O_1 P},$$

$$\cos PO_1A = \frac{2R_1 - x}{\sqrt{4R_1^2 + t^2}},$$

and

$$O_1 = PO_1A - PO_1L.$$

The tangent  $t$  will be less than  $F_1H$ , Fig. 37, as given above. For example, it is required to locate a crossover between




FIG. 38.

parallel tracks, 12 feet center to center, using  $18^\circ 41'$  frogs and 10 feet of tangent between the curves.  $R_1 = \frac{1}{3} \times 4.708 \times 8.3347^3 = 163.5$  feet;  $\tan PO_1L = 10 \div 327.0 = .03058$ , and  $PO_1L = 1^\circ 45'$ . Then  $\cos PO_1A = (327 - 12.0) \div \sqrt{327^2 + 100} = .96186$ , and  $PO_1A = 15^\circ 53'$ . The angles  $O_1$  and  $O_2$  are  $PO_1A - PO_1L = 14^\circ 08'$ , or  $0^\circ 27'$  beyond the frogs.


(b) When the Radii and Distance between tracks are given. —In this case the method is the same as when the frog angles are known, since the latter may be expressed in terms of the former.

$$\cos F_1 = \frac{2R_1 - G}{2R_1 + G},$$

and the other computations are the same as above.

(c) To locate a Crossover between parallel Curved Tracks when the Frog Angles and Distance between tracks are given. —In Fig. 39 the curves of the turnout are extended beyond

the frogs and connected by a tangent  $LH$ , while the frog angles are unequal. In the triangle  $O_1PO$ ,  $OP = R + \frac{x}{2}$ ,  $O_1O = R_1 + R$ , and  $O_1P = R_1 + \frac{1}{2} \sqrt{4R_1^2 + t^2}$ , when  $R$  is the radius of the inner main track,  $R_1$  that of the curve  $AL$ ,  $x$  the



**FIG. 39.**

distance between tracks, and  $t$  the tangent  $HL$ . The three sides of the triangle are then known, since  $R_1$  is determined from the frog angle ; and letting  $s$  represent the half sum of sides.

$$\cos PO_1O = \frac{2s(s - PO)}{O_1O \cdot O_1P} - 1,$$

$$\cos POO_1 = \frac{2s(s - O_1P)}{O_1O \cdot OP} - 1.$$

$$\text{In } PO_1L, \quad \tan PO_1L = \frac{t}{2R_1},$$

and  $O_1 = P O_1 O - P O_1 L$ .

In the triangle  $PO_2O$ ,  $PO_2 = \frac{1}{2}\sqrt{R^2 + t^2}$ ,  $O_2O = R + x - R_2$ , and  $OP = R + \frac{x}{2}$ ; so the cosine of  $POO_2$  may be written as before,

$$\cos PO_2O = \frac{2s(s - PO)}{OO_2 \cdot PO_2} - 1,$$

and  $\cos POO_2 = \frac{2s(s - PO_2)}{OO_2 \cdot PO_2} - 1.$

Then  $O_2 = 180^\circ - PO_2O - PO_2H$ ,

and  $KB = 2(R+x) \sin \frac{1}{2}(BOP + POO_1)$ .

The crossover may then be run from either  $A$  or  $B$ .

The crossover is very often located in the form of a reverse curve, as shown in Fig. 40. In the triangle  $O_1O_2O$ ,  $O_1O_2 =$




FIG. 40.

$R_1 + R_2$ ,  $O_2O = R + x - R_2$ , and  $O_1O = R + R_1$ . Therefore

$$\cos O_2O_1O = 1 - \frac{x\left(R - R_2 + \frac{x}{2}\right)}{(R + R_1)(R_1 + R_2)},$$

$$\text{also } \cos O_2OO_1 = 1 - \frac{x\left(R_1 + R_2 - \frac{x}{2}\right)}{(R + R_1)(R + x - R_2)}.$$

Then  $PO_2B = O_2 = O_1 + O$ .

The point  $B$  may be located from  $K$  by deflecting  $\frac{1}{2}O$  from the tangent at that point and measuring the chord  $KB = 2(R+x) \sin \frac{1}{2}O_2OO_1$ .

For example,  $F_1 = F_2 = 17^\circ$ ,  $R = 150$  feet, and  $x = 10$  feet. Required to connect the two tracks by a crossover in the form of a compound curve. From Art. 7, (c),  $\tan \frac{1}{2}F_1OO_1 = 4.708 \times 6.691 + 300 = .10500$ , and  $F_1OO_1 = 12^\circ 00'$ .  $FO_1O = 17^\circ - 12^\circ = 5^\circ 00'$ .  $R_1 = 152.85 \frac{2079}{.0872} - 2.85 = 360.9$  feet. From Art. 7, (a),  $\tan \frac{1}{2}F_2OB = 4.708 \times 6.691 \div (150 + 10)2$ , and  $F_2OB = 11^\circ 14'$ ;



$R_2 = (160 - 2.35) \frac{.1948}{.4731} - 2.35 = 62.6$  feet;  $\cos PO_1O =$   
 $1 - \frac{10.150 - 62.6 + 5}{(150 + 360.9)(360.9 + 62.6)}$ , and  $PO_1O = 5^\circ 18'$ ;  $\cos O_2OO_1$   
 $= 1 - \frac{10.360.9 + 62.6 - 5}{(150 + 360.9)(150 + 10 - 62.6)}$ , and  $O_2OO_1 = 23^\circ 40'$ .  
 Then  $KB = 2(150 + 10) = 65.62$  feet.

The crossing shown in Fig. 41 is in common use and avoids




FIG. 41.

the somewhat objectionable reverse curve. The angle of the frog  $F$  is constant for the curve of radius  $AO$ , while that for the frog on the outer track may be assumed between the limits  $O_1F_1O$  and  $O_2F_2O$ ; when  $x$  is nearly  $2G$ ,  $F$  may be used in both places. Then, from Art. 6,

$$\cos F = \frac{2R - G}{2R + G},$$

in which  $R$  is the radius of the inner track.

From Art. 7, (a),

$$\tan \frac{1}{2}BOF_1 = \frac{G}{2R} \cot \frac{1}{2}F_1,$$

and

$$BO_1F_1 = F_1 + BOF_1.$$

Then  $BO_1$  or  $R_2 = \left(R_1 - \frac{G}{2}\right) \frac{\sin BOF_1}{\sin BO_1F_1} - \frac{G}{2}$ .

From Art. 3, (c),

$$\cos BOA = 1 - \frac{x}{R_1 - R_2};$$

$$AH = (R_1 - R_2) \sin BOA,$$

in which  $R_1$  is the radius of the outer track. The point  $B$  may be located by measuring the computed chord  $DB$  deflected  $\frac{1}{2}BOD$  from a tangent at  $D$ .

For example, let the radius of the outer track be 100 feet and  $x$  be 9.21 feet.  $\cos F = \frac{176.876}{186.292} = .9495$ ;  $F = 18^\circ 18'$ ;

$\tan \frac{1}{2}BOF_1 = \frac{4.708}{200} 6.2085$ ,  $BOF_1 = 16^\circ 38'$ , and  $BO_1F_1 = 35^\circ 56'$ . Then  $R_2 = 97.65 \frac{28625}{58684} - 2.35 = 45.28$ ;  $\cos BOA$

$= 1 - \frac{9.21}{54.72} - 2.35 = \cos 33^\circ 44'$ . The distance along the straight track to the point of the connecting curve,  $H$ , is  $AH = 54.72 \times .55533 = 30.37$ , and in this case  $H$  is between the rails of the outer track, but the assumed frog angle is practically correct.

Prob. 30. Given:  $F_1 = F_2 = 10^\circ 00'$ . Find the radius of the turnouts and the length of the connecting tangents.

Prob. 31. When the distance between tracks is 10 feet, find radius and frog angle necessary for a crossover in the form of a reverse curve.

Prob. 32. If the radius of the inner track be 100 feet, the distance between tracks 9.21 feet, and the frog angles  $17^\circ$ , find the distance  $KB$  in Fig. 89.

## CHAPTER III.

## CONSTRUCTION.

## ART. 9. LOCATION.

The preliminary survey of a street railroad consists generally of a series of straight lines, run as nearly as may be to the proposed location of the road, the lengths, azimuths, and profiles of which are determined in the field. The length of the line is the principal factor of the first cost, and the grade is one of the most important items of the operating expenses of the road. The azimuths, or directions of the lines, are necessary for making a map showing the location of the road with reference to street or property lines or other objects upon which the position of the road must depend.

In cities, the streets are usually selected which will afford the largest amount of patronage regardless of other considerations, and the grades on such seldom if ever exceed that over which electric cars may be run. Examples of six per cent grades are numerous, and some of over twelve per cent are in existence. The limiting grade is that down which a car can be made to move under such perfect control of the motorman that a full stop may be effected within less than fifty feet from the place where the brakes are applied. The speed at the top of the grade of course materially affects the distance within which a car may be brought to a standstill, as will also the efficiency of the brakes and the skill of the motorman. Another important consideration in deciding whether or not a hill is suitable for a street-car line is the amount of traffic to be encountered at the base of it. If at the foot of the grade a crowded thoroughfare runs at right angles to the road, the necessity of perfect control is apparent, and the risk from any lack of it is vastly greater than where the danger is confined

to the car itself and its passengers, as is the case in the open country, where a great momentum simply has the effect of propelling the car at a high speed along an unobstructed track.

The cost of construction of a road through the country is materially lessened by allowing the use of heavy grades, since the length is decreased or the amount of excavation and embankment is reduced to a minimum. The economy in first cost is offset by the increased expense of operation, which is due not only to the extra amount of power necessary to raise the car through the given distance, but to the fact that each car must be equipped with powerful motors which are required only on the grades and add so much useless weight to be carried over the remainder of the line, and for which provision must be made in designing the bridges, culverts, and whole substructure. The following formula is given by Dr. Louis Bell as representing the number of horse-power required to drive a car at the rate of eight miles per hour on any grade:

$$H. P. = .43 W(1 + G),$$

in which  $W$  is the weight of car and load in tons, and  $G$  is the per cent of grade. On straight, level track the tractive effort is considered as twenty pounds per ton.

In selecting the curves there are many things to be taken into consideration; the sharper the curves the more nearly the line may be made to conform to the contours, and hence there results but little necessary excavation; on sharp curves each rail has to be bent to the proper form at the mill and shipped in that condition at an increased cost, so it is desirable that the curve be as sharp, and therefore as short, as possible. Rails may be bent to a curve of 1000 feet radius or over by springing one end after the other has been spiked in place, and a portable bender is efficient for heavy rails on curves of radius not less than 300 feet. For sharper curves the 9" girder rails must be run through heavy bending machines. The amount of traction on a curve as compared with that on a tangent is not very definitely known for curves of small radius; the prac-

tice on steam railroads is to reduce the amount of grade per hundred feet by from 0.03 to 0.05 feet for each degree of curvature, or about three inches on a curve of 1000 feet radius. It is stated on good authority that a curve of fifty feet radius doubles the traction and, in unfavorable circumstances, often increases it threefold. The practical effect of curves is to cause more or less discomfort to passengers, to greatly diminish the rate of safe speed, and to effect a wear and tear of track and car far in excess of that on tangent. All of these results are, to a great extent, prevented by the use of a curve of varying radius, as will be explained in a following paragraph.

As a car passes rapidly around a curve it is acted upon by gravity and by centrifugal force. The former causes a vertical pressure upon the rails, and the latter a tendency to horizontal movement of the wheel flange toward the outer rail. The latter motion is counteracted by decreasing the speed or by elevating the outer rail with reference to the inner one, thus causing a horizontal component of the weight to oppose the centrifugal force. In Fig. 42 let  $o$  be the center of




FIG. 42.

gravity of the load  $w$  on the rails  $x$  and  $z$ ; then  $c'$  and  $w'$  are respectively the components of the centrifugal force and of the weight, acting in opposite directions along the inclined plane  $xz$ . From similar triangles,

$$c' : c = xy : xz,$$

$$\text{also } w' : w = zy : xz.$$

Then

$$zy = \frac{c \cdot w' \cdot xy}{c' \cdot w};$$

for equilibrium

$$c' = w'.$$

If  $V$  be the speed in feet per second, and  $R$  the radius of the curve in feet,

$$c = \frac{w V^2}{32.2 R}.$$

After substitution,  $zy = \frac{V^2 \cdot xy}{32.2R}$ .

The distance  $xy$  is very nearly the gauge  $G$  of the track, and  $zy = e$  is the elevation of the outer rail in feet, the expression for which becomes

$$e = \frac{V^2 G}{32.2R}$$

$$\text{or } e = .315 \frac{V^2}{R},$$

when  $V$  is the velocity of the car in miles per hour.

The elevation  $e$  is relative to the inner rail, and not to the middle line of the track, it being the custom to depress the inner and raise the outer rail by half of  $e$ .

For example, let it be required to compute the proper elevation of the outer rail on a curve of 200 feet radius and speed of ten miles per hour. By substitution,  $e = .315 \times 100 \div 200 = 0.16$  feet. For a radius of 50 feet  $e$  would be 0.63 feet, which would be impossible in city streets, where one inch might be the maximum possible; then the speed should be reduced to correspond.  $V^2 = 3.17eR$ , and when  $e$  is one inch the speed should not be above four miles per hour on a curve of 50 feet radius: On sharp curves the rear wheel of the car




FIG. 43.

does not touch the outer rail, owing to the fact that the velocity is always low, and as a result the position of the car is cornerwise, the front outer and rear inner wheels pressing hard against the rails.

The trucks on most street cars are fixed so that the axes are parallel, and hence they cannot be on radii of the curves, but assume a position as shown in Fig. 43.  $a$ ,  $b$ ,  $c$ , and  $d$  represent the part of the flanges of the wheels below the top of the track. As the car moves in the direction indicated by the arrow the flanges of the wheels  $b$  and  $d$  are pressed closely

against the rails, while those of *a* and *c* may not touch at all. Accordingly it is the custom to make the gauge on curves a fraction of an inch wider than on tangent, depending upon the length between axles *ad* of the cars in use for the exact amount, and a guard-rail  $\frac{1}{4}$  inch to  $\frac{1}{2}$  inch higher than the rail is used inside the inner rail of the curve.




FIG. 44.

Another consideration in regard to curves is that concerning the distance between tracks if cars are to be allowed to pass at such points. The position of two cars meeting on a curve is shown in Fig. 44, and the necessity for increasing the distance between the tracks is apparent. The distance between centers should seldom be less than 10 feet on curves of 50 feet radius, and 12 feet is often specified.

Prob. 33. What is the proper elevation of the outer rail of a curve of 500 feet radius and for velocity of 15 miles per hour?

#### ART. 10. TRANSITION CURVES.

The use of spiral instead of circular curves on street railways is properly becoming general, to the advantage of owners as well as of patrons of the road. Some of the reasons for adopting this form of curve have been enumerated, and to these must be added the necessity for elevation of the outer rail. On one side of the point of curve the track is straight, and hence the rails should be of equal elevation; just beyond, the outer rail, being on a curve, should be elevated as shown above, and hence, to fulfill these requirements, there would be an abrupt rise from the tangent to the curve, which is impracticable. The result with circular curves is that the rail must be improperly raised for a short distance back on the tangent, while the first part of the curve is not high enough.

In order that the elevation of the outer rail may be uniformly increasing from zero at the beginning, to the computed amount

at the end of the spiral or transition curve, the radii must diminish in the same ratio, since  $R$  varies inversely as  $e$ . If 300 feet be assumed as the radius at the beginning of the transition curve and five feet the length of the chords, the several radii will be 300 feet into

$$1, \quad \frac{1}{2}, \quad \frac{1}{3}, \quad \frac{1}{4}, \quad \frac{1}{5}, \quad \frac{1}{6}, \quad \frac{1}{7} \dots \frac{1}{n},$$

or 300, 150, 100, 75, 60, 50, 43 feet . . . ,

and the angles at the centers subtended by the chords may be computed.

In Fig. 45, 0, 1, 2, 3, 4, 5, 6, and 7 are stations 5 feet apart on the transition curve, and  $a, b, c, d, e, f,$  and  $g$  are points on the tangent opposite them. If the distances from each of these points from 0 and the offsets  $a1, b2 \dots g7$  be known, the curve may be located from  $0g$ . The computations are made by




FIG. 45.

considering perpendiculars from each point on the curve toward the tangent between the curve and a parallel to the tangent through the preceding station, as  $5-k$  and  $k-4$  in Fig. 45, the angle between the chord and the parallel to the tangent being the sum of the central angles subtended by the preceding chords and half the central angle subtended by the chord itself, or

$$5-4-k = C_0 + C_1 + C_2 + C_3 + \frac{1}{2}C_4;$$

then  $5-k = 5.0 \tan \frac{1}{2} 5-4-k,$

and  $4-k = 5.0 \cot \frac{1}{2} 5-4-k.$

The tangent distances and offsets from the tangent, as  $0e$  and  $5-e$ , are found by continued additions of the distances, just computed as shown in the table.



	Central Angle.	Chord.	Angle with Tangent.	Lat- tude.	Longi- tude.	Tangent Distance.	Tangent Offset.
$C_0$	0° 57'.3	0-1	0° 28'.65	5.00	0.04	5.00	0.04
$C_1$	1 54.6	1-2	1 54.6	5.00	0.17	10.00	0.21
$C_2$	2 51.9	2-3	4 17.8	4.99	0.37	14.98	0.58
$C_3$	3 49.2	3-4	7 38.4	4.96	0.66	19.94	1.25
$C_4$	4 46.6	4-5	11 56.3	4.89	1.08	24.83	2.28
$C_5$	5 43.9	5-6	17 11.5	4.78	1.48	29.61	3.76
$C_6$	6 40	6-7	23 23.5	4.59	1.99	34.20	5.75

The tangent of the deflection at 0 from the tangent to any station may be computed from the last two columns thus :

$$\tan d-0-4 = 1.25 \div 19.94 ;$$

$$\text{angle } d-0-4 = 3^\circ 35'.$$

It often happens that from the P. C. an unobstructed view around the entire curve is impossible, and the deflections from other stations than 0 may be computed from the tangent distances and offsets. The angle between  $k-4$  and  $0-4$  is  $3^\circ 35'$ , and the tangent  $5-4-k = 5-k + k-4$ , so  $5-4-k = 11^\circ 56'$ . Then the deflection from  $0-4$  produced to the chord  $4-5$  will be

$$h-4-5 = (k-4-5) - (d-0-4)$$

$$\text{and} \quad h-4-6 = (k-4-6) - (d-0-4)$$

$$\text{also} \quad \tan (0-4-2) = (d-4) - (b-2) + (0-d) (0-b).$$

In like manner the deflections from each station to every other station on the curve may be computed.

In making the table of deflections for transition curves the same arrangement has been observed as in keeping the notes on simple curves ; that is, the line of sight must always be in such a position that the vernier will indicate zero when the instrument is pointed toward the beginning of the spiral.

As an example of the use of the table let the location of the curve be such that only the first three stations can be seen from station zero. The deflections from the tangent at zero are given in the horizontal line opposite "Instrument at O," and the stations 1, 2, and 3 are located five feet apart. The instrument is then moved to station 3, and the back-sight may be taken on either of the stakes already located, the vernier

TABLE OF DEFLECTION ANGLES FOR A SPIRAL WHEN  
THE CHORD =  $R_1 \div 60$ .

Sta. 0	Sta. 1	Sta. 2	Sta. 3	Sta. 4	Sta. 5	Sta. 6	Sta. 7
	$R = 60C$	$R = 30C$	$R = 20C$	$R = 15C$	$R = 12C$	$R = 10C$	$R = 8.6C$
Ins. at 0	0° 29'	1° 12'	2° 14'	3° 35'	5° 15'	7° 14'	9° 32'
0° 00'	Ins. at 1	1 26	2 38	4 08	5 58	8 07	10 35
0 00	0 43	Ins. at 2	3 06	4 46	6 46	9 04	11 42
0 00	0 58	2 04	Ins. at 3	5 25	7 34	10 02	12 49
0 00	1 02	2 23	4 04	Ins. at 4	8 21	10 59	13 55
0 00	1 12	2 42	4 32	6 41	Ins. at 5	11 56	15 02
0 00	1 21	3 01	5 01	7 20	9 57	Ins. at 6	16 09
0 00	1 31	3 21	5 30	7 58	10 45	13 51	Ins. at 7

being set at the angle in the column for the station where the back-sight is taken and in the line for the instrument at the given station. In this case the vernier should be set at  $2^\circ 04'$ ,  $0^\circ 58'$ , or  $0^\circ 00'$  according as the back-sight is to be at station 2, 1, or zero. Station 4 is fixed by setting the vernier to read  $5^\circ 25'$ , plunging the telescope and measuring five feet from station 3.

If the central curve to which the transition is to be applied be of large radius, the above table applies equally well by increasing the length of the chords; as for example, let the main curve be of 500 feet radius, then the radii of the spiral might be taken at 3000, 1500, 1000, 750, and 600 feet respectively, while the chords would be  $5 \times 10 = 50$  feet, and intermediate points may be fixed by an ordinate to the middle of each chord.




FIG. 46.

The coordinates of the centers are useful in computing the tangent and external distances of the curve, and the method of calculation is readily understood from the figure. Let  $C_0, C_1 \dots C_6$  be the centers of the curves forming the spiral, and  $x_0y_0, x_1y_1 \dots x_6y_6$  be the respective coordinates; also let  $C$  and  $m, n$  represent the center and coordinates

of the center of the main curve of radius  $r$  between the two

transition spirals; then the latter may be computed from the following table:

Center.	Angle with $R_0$ .	Coordinates.	
		$x$	$y$
$C_0$	0° 57' 18"	300.00 feet	0.00 feet
$C_1$	2 51 54	150.00	2.50
$C_2$	5 43 48	100.06	5.00
$C_3$	9 33 00	75.19	7.50
$C_4$	14 19 34	60.41	9.99
$C_5$	20 03 30	50.71	12.46
$C_6$	26 48 28	44.13	14.86

The second column gives the angle that each radius (produced) makes with the first radius  $C_0 - O$ ; in the third and fourth columns are the distances from each center to  $C_0O$  and  $OV$  respectively. Then the coordinates  $m$  and  $n$  are found.

$$m = x - (R - r) \cos \alpha,$$

$$\text{and} \quad n = y + (R - r) \sin \alpha,$$

in which  $x, y$  is the center of the arc of the spiral that joins the middle curve,  $R$  is the radius of the last arc of the spiral,  $r$  is the radius of the main curve, and  $\alpha$  is the inclination of the radius at the end of the spiral to  $R_0$  as given in column two of the above table.

$$\text{Then} \quad T = n + m \tan \frac{1}{2}I,$$

$$\text{and} \quad E = r \operatorname{exsec} \frac{1}{2}I + (m - r) \div \cos \frac{1}{2}I.$$

These values may be found for any intersection angle when  $r$  is known.

For example, let  $I = 88^\circ 30'$  and  $r = 55.0$  feet; then  $C_4$  is the center of the last arc of the spiral, and  $\alpha = 14^\circ 19' 34''$ ;  $m = 60.41 - (60 - 55) \cos 14^\circ 19' 34'' = 55.60$  feet;  $n = 9.99 + 5 \sin 14^\circ 19' 34'' = 11.23$  feet;  $T = 11.23 + 55.6 \tan 44^\circ 15' = 65.40$  feet.

It may often be desired to determine the radius of the central curve to correspond with a given tangent or external distance, and the above formulas may be stated in terms of  $r$ .

$$r = \frac{T - y - R (\sin \alpha - \cos \alpha \tan \frac{1}{2}I) - x \tan \frac{1}{2}I}{\cos \alpha \tan \frac{1}{2}I - \sin \alpha},$$

$$\text{also} \quad r = \frac{E \cos \frac{1}{2}I - x + R \cos \alpha}{\cos \alpha - \cos \frac{1}{2}I},$$

from which  $r$  may be found for assumed values of  $T$  or  $E$ . By finding the radius of a simple curve having the given tangent, some idea may be formed as to the value of  $R$ , which will usually be the one on the spiral next smaller than the computed radius,  $T \cot \frac{1}{2}I$ . When  $R$  has been determined,  $x$ ,  $y$ , and  $\alpha$  are taken from the table and the above equations are solved for  $r$ . If the value of  $r$  thus determined be between the assumed  $R$  and that next smaller in the spiral, the assumption is correct; if not, another value of  $R$  may be chosen and corresponding values of  $x$ ,  $y$ , and  $\alpha$  used.

For example, let  $I$  be  $73^\circ 32'$  and  $T = 50$  feet, to determine the value of the central radius. The radius of the simple curve,  $T \cot \frac{1}{2}I = 66.9$  feet, so  $R$  may be assumed as 60 feet. Then  $\alpha = 14^\circ 20'$ ,  $x = 60.14$  feet, and  $y = 9.99$  feet; then

$$r = \frac{50 - 9.99 - 60(.247 - .969 \times .747) - 60.14 \times .747}{.969 \times .747 - .247},$$

or  $r = 49.71$  feet, which is so near 50 feet that the choice of  $R$  may be considered as correct. If, however, the result had been, say, 45 feet, it would be better to take  $R$  as 50 feet and make another computation for  $r$ .

Another variety of transition curve is that used to connect two grades of very different inclination; in this case the radius of the curve is in a vertical plane, and the curve is called a vertical curve. The object of the curve is to reduce




FIG. 47.

the shock occasioned by the sudden change in rate of grade, which is a cause of wear to track and rolling stock. The proper curve to use in such cases is the parabola. Let  $AV$  and  $VB$  be the profile of two adjoining grades, and  $AOB$  the

proposed parabola; also let  $VC$  be the vertical distance from the apex to the curve, and  $OO_1$  any other vertical offset from the tangent to the curve. Whatever the difference in rate of grade, the horizontal distance between  $A$  and  $V$  is the same as that between  $V$  and  $B$ , since the line is always so measured on the ground. Then, since  $VC$  is an axis of the parabola,

$$VC = CM,$$

and  $OO_1 : VC = \overline{AK}^2 : \overline{AH}^2;$

or, letting  $E_1$ ,  $E_2$ , and  $E_3$  represent the elevations of  $A$ ,  $V$ , and  $B$ , the elevation of  $M$  is  $\frac{1}{2}(E_1 + E_3)$ , and

$$CV = \frac{1}{2}(E_2 - M).$$

If  $CV$  becomes negative, it indicates that the curve is above the tangents.

$$CV = \frac{1}{2}(E_2 - \frac{1}{2}E_1 - \frac{1}{2}E_3),$$

also  $OO_1 = \frac{VC \cdot d^2}{h^2},$  —

in which  $OO_1$  is any vertical offset from the tangent to the curve at a distance  $d$  from  $A$  or  $B$ , and  $h$  is the horizontal distance  $AV$  or  $BV$ .

For example, let it be required to replace the following grade by a vertical parabola. The elevations of stations 5 feet apart are  $A = 100.0$ ;  $1 = 99.5$ ;  $2 = 99.0$ ;  $V = 98.5$ ;  $3 = 98.8$ ;  $4 = 99.1$ ;  $B = 99.4$ . Then  $VC = \frac{1}{2}98.5 - \frac{1}{2} \cdot 100 - \frac{1}{2} \cdot 99.4 = -0.6$  feet. The offsets at 1 and 4 are  $-0.60 \times 5^2 \div 15^2 = -0.07$  feet; at 2 and 3,  $-0.27$  feet, and the elevations on the curve are 100, 99.57, 99.27, 99.10, 99.07, 99.17, and 99.40 feet.

Prob. 34. If  $p$  and  $p'$  represent the rise per horizontal foot of track,  $d$  the distance from the beginning of the curve to any station, and  $h$  half the length of curve, prove the offsets from the tangents to the vertical curve are  $\frac{d^2}{4h}(p - p')$ .

Prob. 35. Given: Elevation of  $A = 100$ ; the rate of fall from  $A$  to  $V = 9 : 100$ ; the rise from  $V$  to  $B = 12 : 100$ . Find elevations on a vertical curve of three stations 5 feet apart on each side of  $V$ .



vation is completed. The points on the lines  $aa$  and  $ac$  should be so fixed that they will not be disturbed, so that all the other lines may be re-established after the first stakes and material in the pit have been removed. The squares, as  $fghk$ , are usually made small enough that the surface may be assumed as a plane without material error; then if the letters on the corners represent the elevations of those points before the ground is disturbed, and  $f'g'k'l'$  the corresponding final elevations, the volume of  $fghk - f'g'k'l'$  will be the product of the area of a right section and the mean of the heights of the corners of the square, or

$$V = \frac{A}{4}(f - f' + g - g' + k - k' + l - l').$$

When  $h \dots hn$  are the various heights and  $A$  is the area of the horizontal section of any prism of  $n$  sides having plane ends, not necessarily parallel to each other,

$$V = \frac{A}{n}(h_1 + h_2 \dots + h_n),$$

in which  $V$  is the volume in the same unit as the linear dimensions and the area. Usually all are in feet, and afterwards the volume is found in yards by dividing by 27.

When several prisms of equal right section adjoin each other the volume of the whole may be computed in one operation, multiplying the height at each corner by the number of entire polygons meeting at that corner, then the sum of these products into the area of a right section of one prism divided by the number of sides of the prism will be the volume, or

$$V = \frac{A}{4}(d_1 + 2d_2 + 3d_3 + 4d_4),$$

in which the prisms are of square section,  $d_1$  is the sum of heights of corners common to one prism,  $d_2$ ,  $d_3$ , and  $d_4$  similarly are the sums of heights of corners common to two, three, and four prisms.

For example, let the corners be designated by the letters on the axes through them, as  $c2$  for  $f$  and  $d3$  for  $k$ . Then let, in Fig. 48, the depths of excavation at  $b1 = 6$ ,  $b2 = 8$ ,  $b3 = 10$ ,

$b_4 = 3$ ,  $c_1 = 5$ ,  $c_2 = 7$ ,  $c_3 = 9$ ,  $c_4 = 2$ ,  $d_1 = 4$ ,  $d_2 = 6$ ,  $d_3 = 8$ ,  $d_4 = 1$ ,  $e_2 = 0$ , and  $e_3 = 2$ . Then  $b_1$ ,  $b_4$ ,  $d_1$ ,  $d_4$ ,  $e_2$ , and  $e_4$  are corners of but one prism each. Also  $b_2$ ,  $b_3$ ,  $c_1$ , and  $c_4$  are common to two,  $d_2$  and  $d_3$  to three, and  $c_2$  and  $c_3$  to four prisms each. The volume will then be, if the squares be ten feet on a side,  $V = \frac{1}{6}[(6 + 3 + 4 + 1 + 0 + 2) \times 1 + (8 + 10 + 5 + 2) \times 2 + (6 + 8) \times 3 + (7 + 9) \times 4] \div 27 = 159.26$  cubic yards.

It is often impossible to so locate the corners of the square that the surface so included will be a plane. However, by considering each square as two triangles the surface may usually be fairly represented by two planes intersecting on diagonals of the rectangles. The computation is the same as above, the height at each apex being taken as many times as there are triangles around that point, and the area being one half of the rectangle. Or if  $A$  be the area of the rectangle and  $n = 3$ , the volume in cubic feet is




FIG. 49.

$$V = \frac{A}{6}(d_1 + d_2 + d_3 + d_4 + d_5 + d_6 + d_7 + d_8).$$

The proper direction of the diagonals is indicated in the note-book from observations in the field as shown in Fig. 49, the figures being the numbers by which the heights would be multiplied for that case.

The areas outside regular polygons are found by measurement in the field, the position of any point, as  $p$ , Fig. 48, being recorded  $b + m$ ,  $4 + n$ , when  $m$  and  $n$  are the distances of  $p$  from  $bb$  and  $44$ , and the volume of each irregular figure is found by taking the mean of the corner heights into the area and dividing by the number of sides. It must be constantly remembered that this rule is true only where the top and bottom surfaces are approximately plane figures.

The excavation or embankment along a line of railroad is computed from cross-sections taken at intervals of one hundred feet or less; the material being thus divided into figures



having parallel ends at the sections, and for sides the road-bed, the side slopes, and the original surface of the ground. The cross-sections are taken so near together that the ground surface may be, without material error, considered as generated by a right line touching the upper edges of the end sections. Such a figure may be divided into pyramids, wedges, and prisms having as a common height the distance between the sections, and is given the name Prismoid.

The Prismoidal Formula is an expression giving, at one operation, the volume of a group of prisms, wedges, or pyramids having a common altitude between parallel ends.

Let  $A$  be the lower base,  $a$  the upper base,  $M$  the area of a section midway between the bases, and  $l$  the distance between the bases ; then the volumes will be

$$\text{Prism} = A \times l = \frac{l}{6}(A + 4M + a).$$

$$\text{Pyramid} = A \times \frac{l}{3} = \frac{l}{6}(A + 4M + a);$$

$$\text{Wedge} = A \times \frac{l}{2} = \frac{l}{6}(A + 4M + a);$$

in which  $A = a$  in the prism and  $a = \text{zero}$  in the wedge and pyramid; also  $M = A$ ,  $\frac{1}{4}A$ , and  $\frac{1}{2}A$  in the prism, pyramid, and wedge respectively.

In railroad work it is usual to compute  $M$  as a section whose linear dimensions are the mean of the corresponding lines at the end sections ; this is correct when the end sections are similar figures, and hence they should be taken at frequent intervals. In Fig. 50,  $ABDE$  represents the finished road-bed,  $AFGE$  and  $BKHD$  the side slopes,  $ABKF$  and  $DEGH$  the end cross-sections, and  $FGHK$  the original ground surface. In the field, at each section, the middle height  $LN$ , the side heights  $Kk$  and  $Ff$ , and the distances of  $F$  and  $K$  from the middle line  $fN$  and  $kN$  are determined by measurement. Then the areas of the cross-sections are

$$A = \frac{1}{2}C(h_1 + h_2) + \frac{1}{2}(d_1 + d_2)b,$$

in which  $C$  is the middle height,  $h_1$  and  $h_2$  horizontal distances from the middle to the side stakes, or  $Nf$  and  $Nk$ , and  $b$  the width of the road-bed. The middle area  $M$  is computed from linear dimensions as

$$Rr = \frac{1}{3}(Hh + Kk)$$

substituted in the above formula, and  $a$  is found from the measured dimensions of  $GEDH$ .




FIG. 50.

The field-work of cross-sectioning consists of setting stakes at points, as  $F$ ,  $L$ , and  $K$  in Fig. 50. The elevation of  $N$  is previously determined from the profile, so  $C$  is known when the elevation of  $L$  is found, and the slopes are usually such that  $3Kk = 2Bk$ , or "one and one-half to one." The side height, as  $Kk$ , is estimated as nearly as possible, and the corresponding distance from the middle line is computed

$$Nk = \frac{1}{3}b + 1\frac{1}{3}Kk.$$

This distance is measured out and the rod held at the assumed point; then if the cut  $Kk$  as determined from that rod reading is the same as that assumed in computing the distance  $Nk$ , the rod is at the proper place for the stake at  $K$ ; if not, the result is a guide for a closer approximation, which should be very near the proper place.

The field-notes are kept as shown, the numerators being the side heights as  $Kk$  and  $Ff$ , positive if cut, and negative if fill, and the denominators being the distances from the side stakes to the middle.

Here the road-bed is, for double track, twenty feet wide in cut and fifteen feet wide in fill, the extra width in cut being

for ditches each side of the track. The slopes are  $1\frac{1}{2}$  to 1, and the volumes may be computed without further data if the distance between the stations, in this instance 100 feet be known.

Station.	Left.	Middle.	Right.
40	$\frac{4.6}{16.9}$	+ 8.2	$+\frac{10.8}{26.2}$
41	$\frac{00}{10.0}$	+ 6.6	$+\frac{7.4}{21.1}$
+ 20	$-\frac{1.2}{9.3}$	0.0	$\frac{3.0}{14.5}$
+ 60	$-\frac{4.6}{14.4}$	- 1.8	$\frac{0.0}{10.0}$
42	$-\frac{6.4}{17.1}$	- 4.2	$-\frac{0.8}{8.7}$

For example, to compute the volume between the sections at stations 40 and 41. Here  $A = \frac{1}{2} \times 8.2(16.9 + 26.2) + \frac{1}{2} \times 20(4.6 + 10.8) = 253.71$  square feet; also  $a = \frac{1}{2} \times 6.6(10.0 + 21.1) + \frac{1}{2} \times 20(00 + 7.4) = 139.63$  square feet. Then  $M = \frac{1}{2} \times 7.4(13.45 + 23.65) + 5(2.3 + 9.1) = 194.27$  square feet. The volume is  $V = \frac{100}{3}(253.71 + 777.08 + 139.63) = 19,507$  cubic feet = 922 5 cubic yards.

When the road-bed passes from cut to fill, as between stations 40 and 42 in the above table, it is necessary to take three cross-sections as shown in Fig. 51, where the middle line and each of the sides of the road-bed pass through the points of no cut and no fill, or at stations  $41 + 00$ ,  $41 + 20$ , and at  $41 + 60$ . The volume of the excavation is then  $ABL-MFK$  and  $MFK-C$ , the latter being a pyramid. Also the filling is composed of two figures, the pyramid  $A-JME$  and  $IDC-JME$ , and sufficient data are given in the notes to enable the engineer to compute the total volumes.




FIG. 51.

A practice which has been very general, and which is recognized by the courts of some States, is to consider the volume as the product of the length and the mean of the two end areas. The result of this method of computation is always too large, if the sections have been taken at proper points, unless the sections are exactly the same. The excuses for the custom are that the discrepancies to which it gives rise are small as compared with other unavoidable ones, such as classification of material into earth, loose and solid rock, and that the contractor should be given the benefit of the doubt.

As an extreme case let it be required to find the error involved in computing the volume of cut between stations  $41 + 20$  and  $41 + 60$  by the method of average end areas. Here  $A = 10 \times 3.0 \times \frac{1}{2} = 15.0$  square feet, and  $a = \text{zero}$ , so  $V' = \frac{1}{2}(15 + 0) \times 40 = 300$  cubic feet. Since the figure is a pyramid the true volume is  $V = 15 \times \frac{1}{3} \times 40 = 200$  cubic feet, and the error is hence fifty per cent. A similar error, but not so marked, will result when one section, although not zero, is considerably smaller than the other, and only when the sections are approximately equal will results sufficiently correct be obtained by this method of computation; and hence the profile as well as the cross-section should determine the frequency with which the latter should be taken.

Prob. 39. Compute the amount of excavation between stations 40 and 41 by average end areas and by the prismoidal formula.

Prob. 40. Compute the amount of excavation between stations 40 and 41 by dividing into pyramids having vertices at the side-slope stakes.

Prob. 41. Given: Two level sections, thirty feet apart, having heights of four and six feet respectively, the road-bed ten feet wide, and slopes one and a half to one; compute the volume by the prismoidal formula and by average end areas.

Prob. 42. In Fig. 49, let the figures represent the amount of excavation in the upper left four squares; compute the volume by rectangles and by triangles.

## ART. 12. ESTIMATE OF COST.

A standard statement of the cost of a street railroad, which will apply to all cases, is of course impossible. The various items only may be enumerated with accuracy since the prices are constantly changing, not only for varying dates, but for different localities, depending upon the prices of labor and upon the accessibility of the place of consumption to the source of supply. For these and other reasons the estimates of cost in this article are intended to serve only as examples giving approximate expense of the items named under given conditions.

The first cost of a line of a street electric railway may be divided properly into the following general items :

Franchise.

Right of Way.

Road-bed.

Overhead Structure.

Power Plant.

Rolling Stock.

The first item is one which, in this country, up to the present time has, at least nominally, usually been given by the people in exchange for the contemplated convenience of rapid transit, and with the provision that the railroad company shall make certain improvements, such as paving or surfacing the streets used by it. It is highly probable that in the near future, as increased skill and knowledge are attained, the operating expenses will be so reduced that interest may be earned on capital invested in electric railroads, even after paying some percentage of the receipts to the cities in return for the privilege of using the streets. When that time is reached the franchise will be salable and city governments will be prompt to take advantage of the fact.

The right of way through city streets is included in the franchise if the latter is bought. Through farming land the property must be bought outright, and near large towns and cities

the price may be from one hundred dollars to a thousand dollars per acre. The area of a mile of right of way is 0.1212 acres for each foot of width, or 1 acre for each width of 8 $\frac{1}{2}$  feet; so at \$500 per acre and right of way 25 feet wide, the expense of this item would be \$1515. Damages to abutting property not actually occupied must be considered in determining the location of the line, and reduced as much as possible by changes in grade or alignment.

In the item of road-bed are included the excavation and embankment and ballast, also the ties, rails, and fastenings. The excavation may cost from 15c. in soft loam or gravel to a dollar in rock or in broken-stone roads. Ties are worth from 80c. to 75c., and are placed approximately two feet apart. The following bill of material is for a mile of single-track road, and is taken from *The Street Railway Journal* for December 1893, since which time prices have decreased somewhat. It will be noted that 70-pound rails are quoted, whereas the present practice is to use much heavier, and oak or chestnut ties might be substituted for those of spruce.

110 tons 70-lb. rails (including freight, inspection, and hauling) @ \$37.50.....	\$4125.00
18,000 pounds of angle-bars (360 pairs, 50 lbs. each @ \$2.01 per 100 pounds).....	361.80
1700 track-bolts ( $\frac{1}{2}$ " $\times$ 3 $\frac{1}{2}$ ") @ \$3.01 per 100 pounds..	51.17
6050 spikes (5" $\times$ $\frac{1}{4}$ ") @ \$2.46 per 100 pounds.....	148.83
1 $\frac{1}{2}$ M nut locks @ \$6.50 per M.....	8.12
3017 spruce ties @ 55c.....	1659 35
360 bonds @ 25c .....	90.00
1320 tie-rods @ 20c .....	264.00
2347 cubic yards excavation (8' $\times$ 18" deep) hauled off @ 30c.....	704.10
Track-laying @ \$1.59 per linear foot.....	1000.00
Total.....	\$8412.87

In many places along the side of country roads where the excavation is only to the depth of about one foot, a good substantial railroad may be built for about one dollar per linear foot.

The bill given below is from *The Street Railway Journal* of March 26, 1896, for a mile of double-track street railway in a paved street in Chicago:

283 L. tons 9' 90-pound rails @ \$33.....	\$9839
4224 white-oak ties 5" × 8" × 7' @ 38c.....	1605
352 cast welded joints @ \$3.50... ..	1232
1760 tie-rods @ 15c.....	264
33,792 spikes $\frac{1}{2}$ " × $\frac{1}{2}$ " × 4 $\frac{1}{2}$ " @ 1c.....	338
42,240 feet wood-filler.....	2112
Labor at \$1 per linear foot.....	5280
10,560 square yards cedar blocks @ 30c.....	3168
146 square yards sand @ \$1.25.....	183
445 cubic yards broken stone @ \$1.50.....	668
10,560 square yards gravel and dressing @ 8c.....	845
10,560 square yards 2" hemlock boards @ 8c. per square yard.....	845
Total.....	\$25,879

If stone be substituted for wooden pavement, the expense will be \$12,708 instead of \$3168 and the total \$35,419.

The poles in the overhead system are spaced about ninety to the mile. The price of wooden poles varies from \$2.50 to \$3.50 each, while those of iron are from \$18 to \$27 apiece; the cost of setting them is from \$2 to \$2.50 each. Sawn poles with arms may be estimated at \$600 per mile. The wiring may be stated as follows: trolley wire \$700; feed wire \$1000; and return wire \$600. The total cost of the overhead system for a mile of single track may then be given in round numbers as \$3000 for wooden poles and \$5000 for iron poles.

The cost of power and equipment for an electric railroad varies approximately as the number of cars operated, and the following round numbers will serve as rough checks on an estimate in a given case:

Number Cars.	Capacity.		Cost.		
	H. P.	K. W.	Steam Plant.	Electrical Equipment	Cars and Equipment
1	20	15	\$1000	\$700	\$3300

The cost for a small number of cars is, in general, somewhat larger than for many. The necessary number of cars per mile is governed by the rate of speed and the interval of time between them. Thus let the cars pass a given point in the same direction every 5 minutes, and let the average speed be 6 miles per hour; then each car must be half a mile ahead of the succeeding one; and if the same number pass in the opposite direction, the number per mile of road must be four.

Prob. 43. Make estimate of required capacity and probable cost of a power house for a single-track road over which it is proposed to run cars every 10 minutes each way at a rate of 8 miles per hour.


Prob. 44. Compute the cost per mile of excavating for an electric railway which is to follow the grade of a broken-stone street, the depth of excavation being 20 inches and the width 8 feet.

Prob. 45. Compute the cost of paving, with stone blocks, a mile of street, 30 feet between the curbs.

Prob. 46. Show that the number of gross tons of rails per mile of single track is eleven sevenths of the number of pounds per yard of rail.

### ART. 13. SUPERINTENDENCE OF CONSTRUCTION.

Before any excavation is begun the line should be staked



out, and at the angles all intersection-points should be carefully referenced by measurements to firm points, or by intersecting lines, so that they may be readily replaced. On long curves the points of curve and of tangency, and also points at frequent intervals on tangent, should be preserved by reference. In city streets the most convenient way to do this is to use the curb as a reference, then the foreman may measure offsets from the same points to line off the edge of the excavation. In Fig. 52




FIG. 52.

are shown methods of locating a point so that it may be fixed



at any subsequent time. Let  $P$  be the given point, then from  $P$  the straight lines  $ab$  and  $cd$  are located outside the area to be excavated. Then at any time  $P$  may be relocated by finding, with the transit, the intersection of the lines  $ab$  and  $cd$ . Otherwise the same result may be attained by measuring accurately  $Pa$  and  $Pc$ ; then  $P$  may be fixed by intersecting arcs of circles of radii  $Pa$  and  $Pc$ .

The bottom of the trench is called the subgrade of the road, and the material upon which the ties rest is the ballast. The preparation of the subgrade is an important factor in regulating the cost of future repairs. The use of the ground under the surface of the streets as a place for laying gas, sewer, water, and other pipes makes the work of securing a subgrade of uniform compactness very difficult. The trenches for the pipes should be wet and well tamped and the whole subgrade thoroughly rolled with a heavy roller to a grade very nearly parallel to the finished grade. It is usual on well-constructed roads to make the excavation about 22 inches deep, which depth leaves about seven inches of ballast under a 9-inch girder-rail and a tie six inches deep.

The best material for ballast is broken trap-rock of such size that it will just pass through a two-inch ring; this variety of stone breaks into very hard, sharp-edged fragments which do not readily wear smooth, and for this reason may be made very compact by rolling. The ballast is spread in layers in the trench, and each layer is rolled separately, preferably with a roller having a corrugated surface.

The ties may be of white oak or chestnut for best results, but yellow pine and hackmatack will often outlast the rails above them; the harder woods are preferred from the fact that they hold the spikes better. The standard size of ties is six inches deep, eight inches wide, and seven or, seldom, eight feet long; they may be either sawed or hewn with the grain, but the top and under surfaces should be nearly parallel. The ties are spaced according to the load, strength of the rail, and the width of the lower flange; the usual distance is three feet between centers, and in some cities the spacing is not uniform but the ties are placed nearer together at the rail-joints than

the middle of the rail. On the People's Traction Company's line in Philadelphia the ties are spaced as shown in Fig. 53, one being placed directly under the joint. The ties are of




FIG. 53.

Georgia pine, seven feet long, and, except as shown in the figure, are evenly spaced, fourteen to each rail. On some roads the upper surface of the tie is protected from the rail by cast-iron tie-plates about six by ten inches in size and weighing about fifteen pounds each.

The weight and depth of rails have been constantly increasing since electricity has superseded horses as motive power on street railroads. The rail probably now most used is the ninety pound, nine-inch girder-rail, which is deep enough to allow ballast and paving over the ties. The custom of leaving a small space between rails to allow for expansion is no longer followed, but the ends are cleaned with care and laid closely together. The rails are fastened together by plates about thirty-six inches long, as shown in Fig. 53, having twelve one-inch holes. The bolts should be oiled and very firmly screwed into place, since the joint is the vulnerable point of the track. Continuous rails, made by welding after they have been laid, have been tried with considerable success, the riding qualities have been improved, and the cost of repairs lessened. There seems little doubt but this will be the practice in the future. The rails are tied together by rods every five feet, and the gauge should be kept perfect by testing at each tie as the spikes are being driven.

After the rails are spiked the final alignment and grade should be given, and the rails shifted accordingly; the tamping may be done with gravel or with broken stone, the latter material being more durable. The rails on tangent should be made the same height transversely, to prevent a rocking motion of the car, and any final error, in this respect, of more than a

hundredth of a foot should be corrected; after the bonding has been completed the remainder of the ballast is put in place and rammed or rolled till it is compact, when the paving may be begun.

The form as well as the weight of the rail is to be considered, both for its effect upon the paving of the street and as a tramway for vehicles. In order to preserve the surface of adjacent pavement, it is important that the lower flange shall not interfere with the proper setting of the paving-blocks; this is properly accomplished by using a deep rail, as shown in Fig. 54, where the lower edge of the block is above the lower flange, and there is no necessity for the bad but common




Fig. 54.

practice of chipping the corner next to the rail, as illustrated in Fig. 55. This arrangement causes the stone to be easily tipped over or forced down further than the rest, owing to the wedge shape. When a rail is selected that is of less depth than the paving-blocks, the upper and lower flanges should be of nearly equal width, so that a



Fig. 55.

square block will touch both. In the case of asphalt pavement a T rail is quite satisfactory; the asphalt is laid close up to both sides of the rail, and before it is completely set a car is run over the track, which makes a groove of just the proper size.

The best form for the upper flange of the rail is a subject of debate, but main points are three in number: that form may be adopted that allows carriage-wheels to enter and leave the grooves with little danger of injury, as in Fig. 56;




Fig. 56.

or the groove may be of more nearly perpendicular sides, but so narrow that no ordinary tire will enter it, as shown in Fig. 57; again, the design may be such that it will not acco

moderate vehicles at all, as is the case with the tee rail. These are three examples of common practice, and the best for any particular case will be determined by local considerations.




FIG. 57.

Prob. 47. Read articles on General Track Construction in the *Street Railway Journal* for October 1895, page 664; November 1895, page 736; and December 1895, page 803; also November 1896, page 697. Write an abstract of each paper.

Prob. 48. State briefly the arguments in favor of suspended rail-joints.

Prob. 49. Make a brief summary of paper and discussion of "Influence of Rails on Pavements," in *Trans. Am. Soc. C. E.*, vol. XXXVII.


## TABLES.

**TABLE I.—TRIGONOMETRIC FORMULÆ.**

## TRIGONOMETRIC FUNCTIONS.

Let  $A$  (Fig. 107) = angle  $BAC$  = arc  $BF$ , and let the radius  $AF = AB = AH = 1$ .

**We then have**

$$\begin{array}{ll} \sin A & = BO \\ \cos A & = AO \\ \tan A & = DF \\ \cot A & = HG \\ \sec A & = AD \\ \operatorname{cosec} A & = AG \\ \operatorname{versin} A & = CF = BE \\ \operatorname{covers} A & = BK = HL \\ \operatorname{exsec} A & = BD \\ \operatorname{coexsec} A & = BG \\ \operatorname{chord} A & = BF \\ \operatorname{chord} 2A & = BI = 2BC \end{array}$$


**FIG. 107.**

**In the right-angled triangle  $ABC$  (Fig. 107)**

Let  $AB = c$ ,  $AC = b$ , and  $BC = a$ .

**We then have :**

$$\begin{array}{ll}
 1. \sin A = \frac{a}{c} = \cos B & 11. a = c \sin A = b \tan A \\
 2. \cos A = \frac{b}{c} = \sin B & 12. b = c \cos A = a \cot A \\
 3. \tan A = \frac{a}{b} = \cot B & 13. c = \frac{a}{\sin A} = \frac{b}{\cos A} \\
 4. \cot A = \frac{b}{a} = \tan B & 14. a = c \cos B = b \cot B \\
 5. \sec A = \frac{c}{b} = \operatorname{cosec} B & 15. b = c \sin B = a \tan B \\
 6. \operatorname{cosec} A = \frac{c}{a} = \sec B & 16. c = \frac{a}{\cos B} = \frac{b}{\sin B} \\
 7. \operatorname{vers} A = \frac{c-b}{c} = \operatorname{covers} B & 17. a = \sqrt{(c+b)(c-b)} \\
 8. \operatorname{exsec} A = \frac{c-b}{b} = \operatorname{coexsec} B & 18. b = \sqrt{(c+a)(c-a)} \\
 9. \operatorname{covers} A = \frac{c-a}{c} = \operatorname{versin} B & 19. c = \sqrt{a^2 + b^2} \\
 10. \operatorname{coexsec} A = \frac{c-a}{a} = \operatorname{exsec} B & 20. C = 90^\circ = A + B
 \end{array}$$

$$21. \text{ area} = \frac{ab}{2}$$

TABLE I.—TRIGONOMETRIC FORMULÆ.

## SOLUTION OF OBLIQUE TRIANGLES.




FIG. 108.

	GIVEN.	BOUGHT.	FORMULÆ.
22	$A, B, a$	$C, b, c$	$C = 180^\circ - (A + B), \quad b = \frac{a}{\sin A} \cdot \sin B,$ $c = \frac{a}{\sin A} \sin (A + B)$
23	$A, a, b$	$B, C, c$	$\sin B = \frac{\sin A}{a} \cdot b, \quad C = 180^\circ - (A + B),$ $c = \frac{a}{\sin A} \cdot \sin C.$
24	$C, a, b$	$\frac{1}{2}(A + B)$	$\frac{1}{2}(A + B) = 90^\circ - \frac{1}{2}C$
25		$\frac{1}{2}(A - B)$	$\tan \frac{1}{2}(A - B) = \frac{a - b}{a + b} \tan \frac{1}{2}(A + B)$
26		$A, B$	$A = \frac{1}{2}(A + B) + \frac{1}{2}(A - B),$ $B = \frac{1}{2}(A + B) - \frac{1}{2}(A - B)$
27		$c$	$c = (a + b) \frac{\cos \frac{1}{2}(A + B)}{\cos \frac{1}{2}(A - B)} = (a - b) \frac{\sin \frac{1}{2}(A + B)}{\sin \frac{1}{2}(A - B)}$
28		area	$K = \frac{1}{2} a b \sin C.$
29	$a, b, c$	$A$	Let $s = \frac{1}{2}(a + b + c); \sin \frac{1}{2}A = \sqrt{\frac{(s-b)(s-c)}{bc}}$
30			$\cos \frac{1}{2}A = \sqrt{\frac{s(s-a)}{bc}}; \tan \frac{1}{2}A = \sqrt{\frac{(s-b)(s-c)}{s(s-a)}}$
31			$\sin A = \frac{2\sqrt{s(s-a)(s-b)(s-c)}}{bc};$ $\text{vers } A = \frac{2(s-b)(s-c)}{bc}$
32		area	$K = \sqrt{s(s-a)(s-b)(s-c)}$
33	$A, B, C, a$	area	$K = \frac{a^2 \sin B \cdot \sin C}{2 \sin A}$

TABLE I.—TRIGONOMETRIC FORMULÆ.

GENERAL FORMULÆ.	
34	$\sin A = \frac{1}{\operatorname{cosec} A} = \sqrt{1 - \cos^2 A} = \tan A \cos A$
35	$\sin A = 2 \sin \frac{1}{2} A \cos \frac{1}{2} A = \operatorname{vers} A \cot \frac{1}{2} A$
36	$\sin A = \sqrt{\frac{1}{2} \operatorname{vers} 2 A} = \sqrt{\frac{1}{2} (1 - \cos 2 A)}$
37	$\cos A = \frac{1}{\sec A} = \sqrt{1 - \sin^2 A} = \cot A \sin A$
38	$\cos A = 1 - \operatorname{vers} A = 2 \cos^2 \frac{1}{2} A - 1 = 1 - 2 \sin^2 \frac{1}{2} A$
39	$\cos A = \cos^2 \frac{1}{2} A - \sin^2 \frac{1}{2} A = \sqrt{\frac{1}{2} + \frac{1}{2} \cos 2 A}$
40	$\tan A = \frac{1}{\cot A} = \frac{\sin A}{\cos A} = \sqrt{\sec^2 A - 1}$
41	$\tan A = \sqrt{\frac{1}{\cos^2 A} - 1} = \frac{\sqrt{1 - \cos^2 A}}{\cos A} = \frac{\sin 2 A}{1 + \cos 2 A}$
42	$\tan A = \frac{1 - \cos 2 A}{\sin 2 A} = \frac{\operatorname{vers} 2 A}{\sin 2 A} = \operatorname{exsec} A \cot \frac{1}{2} A$
43	$\cot A = \frac{1}{\tan A} = \frac{\cos A}{\sin A} = \sqrt{\operatorname{cosec}^2 A - 1}$
44	$\cot A = \frac{\sin 2 A}{1 - \cos 2 A} = \frac{\sin 2 A}{\operatorname{vers} 2 A} = \frac{1 + \cos 2 A}{\sin 2 A}$
45	$\cot A = \frac{\tan \frac{1}{2} A}{\operatorname{exsec} A}$
46	$\operatorname{vers} A = 1 - \cos A = \sin A \tan \frac{1}{2} A = 2 \sin^2 \frac{1}{2} A$
47	$\operatorname{vers} A = \operatorname{exsec} A \cos A$
48	$\operatorname{exsec} A = \sec A - 1 = \tan A \tan \frac{1}{2} A = \frac{\operatorname{vers} A}{\cos A}$
49	$\sin \frac{1}{2} A = \sqrt{\frac{1 - \cos A}{2}} = \sqrt{\frac{\operatorname{vers} A}{2}}$
50	$\sin 2 A = 2 \sin A \cos A$
51	$\cos \frac{1}{2} A = \sqrt{\frac{1 + \cos A}{2}}$
52	$\cos 2 A = 2 \cos^2 A - 1 = \cos^2 A - \sin^2 A = 1 - 2 \sin^2 A$



# TABLE I.—TRIGONOMETRIC FORMULÆ.

## GENERAL FORMULÆ.

$$53. \tan \frac{1}{2} A = \frac{\tan A}{1 + \sec A} = \operatorname{cosec} A - \cot A = \frac{1 - \cos A}{\sin A} = \sqrt{\frac{1 - \cos A}{1 + \cos A}}$$

$$54. \tan 2 A = \frac{2 \tan A}{1 - \tan^2 A}$$

$$55. \cot \frac{1}{2} A = \frac{\sin A}{\operatorname{vers} A} = \frac{1 + \cos A}{\sin A} = \frac{1}{\operatorname{cosec} A - \cot A}$$

$$56. \cot 2 A = \frac{\cot^2 A - 1}{2 \cot A}$$

$$57. \operatorname{vers} \frac{1}{2} A = \frac{\frac{1}{2} \operatorname{vers} A}{1 + \sqrt{1 - \frac{1}{2} \operatorname{vers} A}} = \frac{1 - \cos A}{2 + \sqrt{2}(1 + \cos A)}$$

$$58. \operatorname{vers} 2 A = 2 \sin^2 A = 2 \sin A \cos A \tan A$$

$$59. \operatorname{exsec} \frac{1}{2} A = \frac{1 - \cos A}{(1 + \cos A) + \sqrt{2}(1 + \cos A)}$$

$$60. \operatorname{exsec} 2 A = \frac{2 \tan^2 A}{1 - \tan^2 A}$$

$$61. \sin (A \pm B) = \sin A \cdot \cos B \pm \sin B \cdot \cos A$$

$$62. \cos (A \pm B) = \cos A \cdot \cos B \mp \sin A \cdot \sin B$$

$$63. \sin A + \sin B = 2 \sin \frac{1}{2} (A + B) \cos \frac{1}{2} (A - B)$$

$$64. \sin A - \sin B = 2 \cos \frac{1}{2} (A + B) \sin \frac{1}{2} (A - B)$$

$$65. \cos A + \cos B = 2 \cos \frac{1}{2} (A + B) \cos \frac{1}{2} (A - B)$$

$$66. \cos B - \cos A = 2 \sin \frac{1}{2} (A + B) \sin \frac{1}{2} (A - B)$$

$$67. \sin^2 A - \sin^2 B = \cos^2 B - \cos^2 A = \sin (A + B) \sin (A - B)$$

$$68. \cos^2 A - \sin^2 B = \cos (A + B) \cos (A - B)$$

$$69. \tan A + \tan B = \frac{\sin (A + B)}{\cos A \cdot \cos B}$$

$$70. \tan A - \tan B = \frac{\sin (A - B)}{\cos A \cdot \cos B}$$

TABLE II.—NATURAL SINES AND COSINES.

	0°		1°		2°		3°		4°		
	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	
0	.00000	One.	.01745	.99985	.03490	.99939	.05234	.99863	.06976	.99756	60
1	.00029	One.	.01774	.99984	.03519	.99938	.05263	.99861	.07005	.99754	59
2	.00058	One.	.01803	.99984	.03548	.99937	.05292	.99860	.07034	.99752	58
3	.00087	One.	.01832	.99983	.03577	.99936	.05321	.99858	.07063	.99750	57
4	.00116	One.	.01862	.99983	.03606	.99935	.05350	.99857	.07092	.99748	56
5	.00145	One.	.01891	.99982	.03635	.99934	.05379	.99855	.07121	.99746	55
6	.00175	One.	.01920	.99982	.03664	.99933	.05408	.99854	.07150	.99744	54
7	.00204	One.	.01949	.99981	.03693	.99932	.05437	.99852	.07179	.99742	53
8	.00233	One.	.01978	.99980	.03722	.99931	.05466	.99851	.07208	.99740	52
9	.00262	One.	.02007	.99980	.03752	.99930	.05495	.99849	.07237	.99738	51
10	.00291	One.	.02036	.99979	.03781	.99929	.05524	.99847	.07266	.99736	50
11	.00320	.99999	.02065	.99979	.03810	.99927	.05553	.99846	.07295	.99734	49
12	.00349	.99999	.02094	.99978	.03839	.99926	.05582	.99844	.07324	.99731	48
13	.00378	.99999	.02123	.99977	.03868	.99925	.05611	.99842	.07353	.99729	47
14	.00407	.99999	.02152	.99977	.03897	.99924	.05640	.99841	.07382	.99727	46
15	.00436	.99999	.02181	.99976	.03926	.99923	.05669	.99839	.07411	.99725	45
16	.00465	.99999	.02211	.99976	.03955	.99922	.05698	.99838	.07440	.99723	44
17	.00495	.99999	.02240	.99975	.03984	.99921	.05727	.99836	.07469	.99721	43
18	.00524	.99999	.02269	.99974	.04013	.99919	.05756	.99834	.07498	.99719	42
19	.00553	.99998	.02298	.99974	.04042	.99918	.05785	.99833	.07527	.99716	41
20	.00582	.99998	.02327	.99973	.04071	.99917	.05814	.99831	.07556	.99714	40
21	.00611	.99998	.02356	.99973	.04100	.99916	.05844	.99829	.07585	.99712	39
22	.00640	.99998	.02385	.99972	.04129	.99915	.05873	.99827	.07614	.99710	38
23	.00669	.99998	.02414	.99971	.04159	.99913	.05902	.99826	.07643	.99708	37
24	.00698	.99998	.02443	.99970	.04188	.99912	.05931	.99824	.07672	.99705	36
25	.00727	.99997	.02472	.99969	.04217	.99911	.05960	.99822	.07701	.99703	35
26	.00756	.99997	.02501	.99969	.04246	.99910	.05989	.99821	.07730	.99701	34
27	.00785	.99997	.02530	.99968	.04275	.99909	.06018	.99819	.07759	.99699	33
28	.00814	.99997	.02560	.99967	.04304	.99907	.06047	.99817	.07788	.99696	32
29	.00844	.99996	.02589	.99966	.04333	.99906	.06076	.99815	.07817	.99694	31
30	.00873	.99996	.02618	.99966	.04362	.99905	.06105	.99813	.07846	.99692	30
31	.00902	.99996	.02647	.99965	.04391	.99904	.06134	.99812	.07875	.99689	29
32	.00931	.99996	.02676	.99964	.04420	.99902	.06163	.99810	.07904	.99687	28
33	.00960	.99995	.02705	.99963	.04449	.99901	.06192	.99808	.07933	.99685	27
34	.00989	.99995	.02734	.99963	.04478	.99900	.06221	.99806	.07962	.99683	26
35	.01018	.99995	.02763	.99962	.04507	.99898	.06250	.99804	.07991	.99680	25
36	.01047	.99995	.02792	.99961	.04536	.99897	.06279	.99803	.08020	.99678	24
37	.01076	.99994	.02821	.99960	.04565	.99896	.06308	.99801	.08049	.99676	23
38	.01105	.99994	.02850	.99959	.04594	.99894	.06337	.99799	.08078	.99673	22
39	.01134	.99994	.02879	.99959	.04623	.99893	.06366	.99797	.08107	.99671	21
40	.01164	.99993	.02908	.99958	.04653	.99892	.06395	.99795	.08136	.99668	20
41	.01193	.99993	.02938	.99957	.04682	.99890	.06424	.99793	.08165	.99666	19
42	.01222	.99993	.02967	.99956	.04711	.99889	.06453	.99792	.08194	.99664	18
43	.01251	.99992	.02996	.99955	.04740	.99888	.06482	.99790	.08223	.99661	17
44	.01280	.99992	.03025	.99954	.04769	.99886	.06511	.99788	.08252	.99659	16
45	.01309	.99991	.03054	.99953	.04798	.99885	.06540	.99786	.08281	.99657	15
46	.01338	.99991	.03083	.99952	.04827	.99883	.06569	.99784	.08310	.99654	14
47	.01367	.99991	.03112	.99952	.04856	.99882	.06598	.99782	.08339	.99652	13
48	.01396	.99990	.03141	.99951	.04885	.99881	.06627	.99780	.08368	.99649	12
49	.01425	.99990	.03170	.99950	.04914	.99879	.06656	.99778	.08397	.99647	11
50	.01454	.99989	.03199	.99949	.04943	.99878	.06685	.99776	.08426	.99644	10
51	.01483	.99989	.03228	.99948	.04972	.99876	.06714	.99774	.08455	.99642	9
52	.01513	.99989	.03257	.99947	.05001	.99875	.06743	.99772	.08484	.99639	8
53	.01542	.99988	.03286	.99946	.05030	.99873	.06772	.99770	.08513	.99637	7
54	.01571	.99988	.03316	.99945	.05059	.99872	.06802	.99768	.08542	.99635	6
55	.01600	.99987	.03345	.99944	.05088	.99870	.06831	.99766	.08571	.99632	5
56	.01629	.99987	.03374	.99943	.05117	.99869	.06860	.99764	.08600	.99630	4
57	.01658	.99986	.03403	.99942	.05146	.99867	.06889	.99762	.08629	.99627	3
58	.01687	.99986	.03432	.99941	.05175	.99866	.06918	.99760	.08658	.99625	2
59	.01716	.99985	.03461	.99940	.05205	.99864	.06947	.99758	.08687	.99622	1
60	.01745	.99985	.03490	.99939	.05234	.99863	.06976	.99756	.08716	.99619	0
	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	
	89°		88°		87°		86°		85°		

TABLE II.—NATURAL SINES AND COSINES.

	5°		6°		7°		8°		9°		
	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	
0	.08716	.99619	.10458	.99452	.12187	.99255	.13917	.99027	.15643	.98769	60
1	.08745	.99617	.10482	.99449	.12216	.99251	.13946	.99023	.15672	.98764	59
2	.08774	.99614	.10511	.99446	.12245	.99248	.13975	.99019	.15701	.98760	58
3	.08803	.99612	.10540	.99443	.12274	.99244	.14004	.99015	.15730	.98755	57
4	.08831	.99609	.10569	.99440	.12302	.99240	.14033	.99011	.15758	.98751	56
5	.08860	.99607	.10597	.99437	.12331	.99237	.14061	.99006	.15787	.98746	55
6	.08889	.99604	.10626	.99434	.12360	.99233	.14090	.99002	.15816	.98741	54
7	.08918	.99602	.10655	.99431	.12389	.99230	.14119	.98998	.15845	.98737	53
8	.08947	.99599	.10684	.99428	.12418	.99226	.14148	.98994	.15873	.98732	52
9	.08976	.99596	.10713	.99424	.12447	.99222	.14177	.98990	.15902	.98728	51
10	.09005	.99594	.10742	.99421	.12476	.99219	.14205	.98986	.15931	.98723	50
11	.09034	.99591	.10771	.99418	.12504	.99215	.14234	.98982	.15959	.98718	49
12	.09063	.99588	.10800	.99415	.12533	.99211	.14263	.98978	.15988	.98714	48
13	.09092	.99586	.10829	.99412	.12562	.99208	.14292	.98973	.16017	.98709	47
14	.09121	.99583	.10858	.99409	.12591	.99204	.14320	.98969	.16046	.98704	46
15	.09150	.99580	.10887	.99406	.12620	.99200	.14349	.98965	.16074	.98700	45
16	.09179	.99578	.10916	.99402	.12649	.99197	.14378	.98961	.16103	.98695	44
17	.09208	.99575	.10945	.99399	.12678	.99193	.14407	.98957	.16132	.98690	43
18	.09237	.99572	.10973	.99396	.12706	.99189	.14436	.98953	.16160	.98686	42
19	.09266	.99570	.11002	.99393	.12735	.99186	.14464	.98949	.16189	.98681	41
20	.09295	.99567	.11031	.99390	.12764	.99182	.14493	.98944	.16218	.98676	40
21	.09324	.99564	.11060	.99386	.12793	.99178	.14522	.98940	.16246	.98671	39
22	.09353	.99562	.11089	.99383	.12822	.99175	.14551	.98936	.16275	.98667	38
23	.09382	.99559	.11118	.99380	.12851	.99171	.14580	.98931	.16304	.98662	37
24	.09411	.99556	.11147	.99377	.12880	.99167	.14608	.98927	.16333	.98657	36
25	.09440	.99553	.11176	.99374	.12908	.99163	.14637	.98923	.16361	.98652	35
26	.09469	.99551	.11205	.99370	.12937	.99160	.14666	.98919	.16390	.98648	34
27	.09498	.99548	.11234	.99367	.12966	.99156	.14695	.98914	.16419	.98643	33
28	.09527	.99545	.11263	.99364	.12995	.99152	.14723	.98910	.16447	.98638	32
29	.09556	.99542	.11291	.99360	.13024	.99148	.14752	.98906	.16476	.98633	31
30	.09585	.99540	.11320	.99357	.13053	.99144	.14781	.98902	.16505	.98629	30
31	.09614	.99537	.11349	.99354	.13081	.99141	.14810	.98897	.16533	.98624	29
32	.09642	.99534	.11378	.99351	.13110	.99137	.14838	.98893	.16562	.98619	28
33	.09671	.99531	.11407	.99347	.13139	.99133	.14867	.98889	.16591	.98614	27
34	.09700	.99528	.11436	.99344	.13168	.99129	.14896	.98884	.16620	.98609	26
35	.09729	.99526	.11465	.99341	.13197	.99125	.14925	.98880	.16648	.98604	25
36	.09758	.99523	.11494	.99337	.13226	.99122	.14954	.98876	.16677	.98600	24
37	.09787	.99520	.11523	.99334	.13254	.99118	.14982	.98871	.16706	.98595	23
38	.09816	.99517	.11552	.99331	.13283	.99114	.15011	.98867	.16734	.98590	22
39	.09845	.99514	.11580	.99327	.13312	.99110	.15040	.98863	.16763	.98585	21
40	.09874	.99511	.11609	.99324	.13341	.99106	.15069	.98858	.16792	.98580	20
41	.09903	.99508	.11638	.99320	.13370	.99102	.15097	.98854	.16820	.98575	19
42	.09932	.99506	.11667	.99317	.13399	.99098	.15126	.98849	.16849	.98570	18
43	.09961	.99503	.11696	.99314	.13427	.99094	.15155	.98845	.16878	.98565	17
44	.09990	.99500	.11725	.99310	.13456	.99091	.15184	.98841	.16906	.98561	16
45	.10019	.99497	.11754	.99307	.13485	.99087	.15212	.98836	.16935	.98556	15
46	.10048	.99494	.11783	.99303	.13514	.99083	.15241	.98832	.16964	.98551	14
47	.10077	.99491	.11812	.99300	.13543	.99079	.15270	.98827	.16992	.98546	13
48	.10106	.99488	.11840	.99297	.13572	.99075	.15299	.98823	.17021	.98541	12
49	.10135	.99485	.11869	.99293	.13600	.99071	.15327	.98818	.17050	.98536	11
50	.10164	.99482	.11898	.99290	.13629	.99067	.15356	.98814	.17078	.98531	10
51	.10192	.99479	.11927	.99286	.13658	.99063	.15385	.98809	.17107	.98526	9
52	.10221	.99476	.11956	.99283	.13687	.99059	.15414	.98805	.17136	.98521	8
53	.10250	.99473	.11985	.99279	.13716	.99055	.15442	.98800	.17164	.98516	7
54	.10279	.99470	.12014	.99276	.13744	.99051	.15471	.98796	.17193	.98511	6
55	.10308	.99467	.12043	.99272	.13773	.99047	.15500	.98791	.17222	.98506	5
56	.10337	.99464	.12071	.99269	.13802	.99043	.15529	.98787	.17250	.98501	4
57	.10366	.99461	.12100	.99265	.13831	.99039	.15557	.98782	.17279	.98496	3
58	.10395	.99458	.12129	.99262	.13860	.99035	.15586	.98778	.17308	.98491	2
59	.10424	.99455	.12158	.99258	.13889	.99031	.15615	.98773	.17336	.98486	1
60	.10453	.99452	.12187	.99255	.13917	.99027	.15643	.98769	.17365	.98481	0
	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	
	84°		83°		82°		81°		80°		

TABLE II.—NATURAL SINES AND COSINES.

	10°		11°		12°		13°		14°		
	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	
0	.17365	.98481	.19081	.98163	.20791	.97815	.22495	.97437	.24192	.97030	60
1	.17393	.98476	.19109	.98157	.20820	.97809	.22523	.97430	.24220	.97023	59
2	.17422	.98471	.19138	.98152	.20848	.97803	.22552	.97424	.24249	.97015	58
3	.17451	.98466	.19167	.98146	.20877	.97797	.22580	.97417	.24277	.97008	57
4	.17479	.98461	.19195	.98140	.20905	.97791	.22608	.97411	.24305	.97001	56
5	.17508	.98455	.19224	.98135	.20933	.97784	.22637	.97404	.24333	.96994	55
6	.17537	.98450	.19252	.98129	.20962	.97778	.22665	.97398	.24362	.96987	54
7	.17565	.98445	.19281	.98124	.20990	.97772	.22693	.97391	.24390	.96980	53
8	.17594	.98440	.19309	.98118	.21019	.97766	.22722	.97384	.24418	.96973	52
9	.17623	.98435	.19338	.98112	.21047	.97760	.22750	.97378	.24446	.96966	51
10	.17651	.98430	.19366	.98107	.21076	.97754	.22778	.97371	.24474	.96959	50
11	.17680	.98425	.19395	.98101	.21104	.97748	.22807	.97365	.24503	.96952	49
12	.17708	.98420	.19423	.98096	.21132	.97742	.22835	.97358	.24531	.96945	48
13	.17737	.98414	.19452	.98090	.21161	.97735	.22863	.97351	.24559	.96937	47
14	.17766	.98409	.19481	.98084	.21189	.97729	.22892	.97345	.24587	.96930	46
15	.17794	.98404	.19509	.98079	.21218	.97723	.22920	.97338	.24615	.96923	45
16	.17823	.98399	.19538	.98073	.21246	.97717	.22948	.97331	.24644	.96916	44
17	.17852	.98394	.19566	.98067	.21275	.97711	.22977	.97325	.24672	.96909	43
18	.17880	.98389	.19595	.98061	.21303	.97705	.23005	.97318	.24700	.96902	42
19	.17909	.98383	.19623	.98056	.21331	.97698	.23033	.97311	.24728	.96894	41
20	.17937	.98378	.19652	.98050	.21360	.97692	.23062	.97304	.24756	.96887	40
21	.17966	.98373	.19680	.98044	.21388	.97686	.23090	.97298	.24784	.96880	39
22	.17995	.98368	.19709	.98039	.21417	.97680	.23118	.97291	.24813	.96873	38
23	.18023	.98362	.19737	.98033	.21445	.97673	.23146	.97284	.24841	.96866	37
24	.18052	.98357	.19766	.98027	.21474	.97667	.23175	.97278	.24869	.96858	36
25	.18081	.98352	.19794	.98021	.21502	.97661	.23203	.97271	.24897	.96851	35
26	.18109	.98347	.19823	.98016	.21530	.97655	.23231	.97264	.24925	.96844	34
27	.18138	.98341	.19851	.98010	.21559	.97648	.23260	.97257	.24954	.96837	33
28	.18166	.98336	.19880	.98004	.21587	.97642	.23288	.97251	.24982	.96829	32
29	.18195	.98331	.19908	.97998	.21616	.97636	.23316	.97244	.25010	.96823	31
30	.18224	.98325	.19937	.97992	.21644	.97630	.23345	.97237	.25038	.96815	30
31	.18252	.98320	.19965	.97987	.21672	.97623	.23373	.97230	.25066	.96807	29
32	.18281	.98315	.19994	.97981	.21701	.97617	.23401	.97223	.25094	.96800	28
33	.18309	.98310	.20022	.97975	.21729	.97611	.23429	.97217	.25122	.96793	27
34	.18338	.98304	.20051	.97969	.21758	.97604	.23458	.97210	.25151	.96786	26
35	.18367	.98299	.20079	.97963	.21786	.97598	.23486	.97203	.25179	.96778	25
36	.18395	.98294	.20108	.97958	.21814	.97592	.23514	.97196	.25207	.96771	24
37	.18424	.98288	.20136	.97952	.21843	.97585	.23542	.97189	.25235	.96764	23
38	.18452	.98283	.20165	.97946	.21871	.97579	.23571	.97182	.25263	.96756	22
39	.18481	.98277	.20193	.97940	.21899	.97573	.23599	.97176	.25291	.96749	21
40	.18509	.98272	.20222	.97934	.21928	.97566	.23627	.97169	.25320	.96742	20
41	.18538	.98267	.20250	.97928	.21956	.97560	.23655	.97162	.25348	.96734	19
42	.18567	.98261	.20279	.97922	.21985	.97553	.23684	.97155	.25376	.96727	18
43	.18595	.98256	.20307	.97916	.22013	.97547	.23712	.97148	.25404	.96719	17
44	.18624	.98250	.20336	.97910	.22041	.97541	.23740	.97141	.25432	.96712	16
45	.18652	.98245	.20364	.97905	.22070	.97534	.23769	.97134	.25460	.96705	15
46	.18681	.98240	.20393	.97899	.22098	.97528	.23797	.97127	.25488	.96697	14
47	.18710	.98234	.20421	.97893	.22126	.97521	.23825	.97120	.25516	.96690	13
48	.18738	.98229	.20450	.97887	.22155	.97515	.23853	.97113	.25545	.96682	12
49	.18767	.98223	.20478	.97881	.22183	.97508	.23882	.97106	.25573	.96675	11
50	.18795	.98218	.20507	.97875	.22212	.97502	.23910	.97100	.25601	.96667	10
51	.18824	.98212	.20535	.97869	.22240	.97496	.23938	.97093	.25629	.96660	9
52	.18852	.98207	.20563	.97863	.22268	.97489	.23966	.97086	.25657	.96653	8
53	.18881	.98201	.20592	.97857	.22297	.97483	.23995	.97079	.25685	.96645	7
54	.18910	.98196	.20620	.97851	.22325	.97476	.24023	.97072	.25713	.96638	6
55	.18938	.98190	.20649	.97845	.22353	.97470	.24051	.97065	.25741	.96630	5
56	.18967	.98185	.20677	.97839	.22382	.97463	.24079	.97058	.25769	.96623	4
57	.18995	.98179	.20706	.97833	.22410	.97457	.24108	.97051	.25798	.96615	3
58	.19024	.98174	.20734	.97827	.22438	.97450	.24136	.97044	.25826	.96608	2
59	.19052	.98168	.20763	.97821	.22467	.97444	.24164	.97037	.25854	.96600	1
60	.19081	.98163	.20791	.97815	.22495	.97437	.24192	.97030	.25882	.96593	0
	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	
	79°		78°		77°		76°		75°		

TABLE II.—NATURAL SINES AND COSINES.

	15°		16°		17°		18°		19°		
	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	
0	.25682	.96593	.27564	.96196	.29287	.95699	.30908	.95106	.32537	.94552	60
1	.25610	.96585	.27592	.96118	.29265	.95622	.30929	.95007	.32584	.94542	59
2	.25688	.96578	.27620	.96110	.29293	.95613	.30957	.95008	.32612	.94533	58
3	.25696	.96570	.27648	.96102	.29321	.95605	.30985	.95079	.32639	.94523	57
4	.25694	.96562	.27676	.96094	.29348	.95596	.31012	.95070	.32667	.94514	56
5	.26022	.96555	.27704	.96086	.29376	.95588	.31040	.95061	.32694	.94504	55
6	.26050	.96547	.27731	.96078	.29404	.95579	.31068	.95052	.32722	.94495	54
7	.26079	.96540	.27759	.96070	.29432	.95571	.31095	.95043	.32749	.94485	53
8	.26107	.96532	.27787	.96062	.29460	.95562	.31123	.95033	.32777	.94476	52
9	.26135	.96524	.27815	.96054	.29487	.95554	.31151	.95024	.32804	.94466	51
10	.26163	.96517	.27843	.96046	.29515	.95545	.31178	.95015	.32832	.94457	50
11	.26191	.96509	.27871	.96037	.29543	.95536	.31206	.95006	.32859	.94447	49
12	.26219	.96502	.27899	.96029	.29571	.95528	.31233	.94997	.32887	.94438	48
13	.26247	.96494	.27927	.96021	.29599	.95519	.31261	.94988	.32914	.94428	47
14	.26275	.96486	.27955	.96013	.29626	.95511	.31289	.94979	.32942	.94418	46
15	.26303	.96479	.27983	.96005	.29654	.95502	.31316	.94970	.32969	.94409	45
16	.26331	.96471	.28011	.95997	.29682	.95493	.31344	.94961	.32997	.94399	44
17	.26359	.96463	.28039	.95989	.29710	.95485	.31372	.94952	.33024	.94390	43
18	.26387	.96455	.28067	.95981	.29737	.95476	.31399	.94943	.33051	.94380	42
19	.26415	.96448	.28095	.95972	.29765	.95467	.31427	.94933	.33079	.94370	41
20	.26443	.96440	.28123	.95964	.29793	.95459	.31454	.94924	.33106	.94361	40
21	.26471	.96433	.28150	.95956	.29821	.95450	.31482	.94915	.33134	.94351	39
22	.26500	.96425	.28178	.95948	.29849	.95441	.31510	.94906	.33161	.94342	38
23	.26528	.96417	.28206	.95940	.29876	.95433	.31537	.94897	.33189	.94332	37
24	.26556	.96410	.28234	.95931	.29904	.95424	.31565	.94888	.33216	.94322	36
25	.26584	.96402	.28262	.95923	.29932	.95415	.31593	.94879	.33244	.94313	35
26	.26612	.96394	.28290	.95915	.29960	.95407	.31620	.94869	.33271	.94303	34
27	.26640	.96386	.28318	.95907	.29987	.95398	.31648	.94860	.33298	.94293	33
28	.26668	.96379	.28346	.95898	.30015	.95389	.31675	.94851	.33326	.94284	32
29	.26696	.96371	.28374	.95890	.30043	.95380	.31703	.94842	.33353	.94274	31
30	.26724	.96363	.28402	.95882	.30071	.95372	.31730	.94833	.33381	.94264	30
31	.26752	.96355	.28429	.95874	.30098	.95363	.31758	.94823	.33408	.94254	29
32	.26780	.96347	.28457	.95865	.30126	.95354	.31786	.94814	.33436	.94245	28
33	.26808	.96340	.28485	.95857	.30154	.95345	.31813	.94805	.33463	.94235	27
34	.26836	.96332	.28513	.95849	.30182	.95337	.31841	.94795	.33490	.94225	26
35	.26864	.96324	.28541	.95841	.30209	.95328	.31868	.94786	.33518	.94215	25
36	.26892	.96316	.28569	.95832	.30237	.95319	.31896	.94777	.33545	.94206	24
37	.26920	.96308	.28597	.95824	.30265	.95310	.31923	.94768	.33573	.94196	23
38	.26948	.96301	.28625	.95816	.30293	.95301	.31951	.94758	.33600	.94186	22
39	.26976	.96293	.28653	.95807	.30320	.95293	.31979	.94749	.33627	.94176	21
40	.27004	.96285	.28680	.95799	.30348	.95284	.32006	.94740	.33655	.94167	20
41	.27032	.96277	.28708	.95791	.30376	.95275	.32034	.94730	.33682	.94157	19
42	.27060	.96269	.28736	.95782	.30403	.95266	.32061	.94721	.33710	.94147	18
43	.27088	.96261	.28764	.95774	.30431	.95257	.32089	.94712	.33737	.94137	17
44	.27116	.96253	.28792	.95766	.30459	.95248	.32116	.94702	.33764	.94127	16
45	.27144	.96246	.28820	.95757	.30486	.95240	.32144	.94693	.33792	.94118	15
46	.27172	.96238	.28847	.95749	.30514	.95231	.32171	.94684	.33819	.94108	14
47	.27200	.96230	.28875	.95740	.30542	.95222	.32199	.94674	.33846	.94098	13
48	.27228	.96222	.28903	.95732	.30570	.95213	.32227	.94665	.33874	.94088	12
49	.27256	.96214	.28931	.95724	.30597	.95204	.32254	.94656	.33901	.94078	11
50	.27284	.96206	.28959	.95715	.30625	.95195	.32282	.94646	.33929	.94068	10
51	.27312	.96198	.28987	.95707	.30653	.95186	.32309	.94637	.33956	.94058	9
52	.27340	.96190	.29015	.95698	.30680	.95177	.32337	.94627	.33983	.94049	8
53	.27368	.96182	.29042	.95690	.30708	.95168	.32364	.94618	.34011	.94039	7
54	.27396	.96174	.29070	.95681	.30736	.95159	.32392	.94609	.34038	.94029	6
55	.27424	.96166	.29098	.95673	.30763	.95150	.32419	.94599	.34065	.94019	5
56	.27452	.96158	.29126	.95664	.30791	.95142	.32447	.94590	.34093	.94009	4
57	.27480	.96150	.29154	.95656	.30819	.95133	.32474	.94580	.34120	.93999	3
58	.27508	.96142	.29182	.95647	.30846	.95124	.32502	.94571	.34147	.93989	2
59	.27536	.96134	.29209	.95639	.30874	.95115	.32529	.94561	.34175	.93979	1
60	.27564	.96126	.29237	.95630	.30902	.95106	.32557	.94552	.34202	.93969	0
	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	
	74°		73°		72°		71°		70°		

TABLE II.—NATURAL SINES AND COSINES.

	20°		21°		22°		23°		24°		
	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	
0	.34202	.93969	.35837	.93358	.37461	.92718	.39078	.92050	.40674	.91855	60
1	.34229	.93959	.35864	.93348	.37488	.92707	.39100	.92039	.40700	.91843	59
2	.34257	.93949	.35891	.93337	.37515	.92697	.39127	.92028	.40727	.91831	58
3	.34284	.93939	.35918	.93327	.37542	.92686	.39153	.92016	.40753	.91819	57
4	.34311	.93929	.35945	.93316	.37569	.92675	.39180	.92005	.40780	.91807	56
5	.34339	.93919	.35973	.93306	.37596	.92664	.39207	.91994	.40806	.91795	55
6	.34366	.93909	.36000	.93295	.37622	.92653	.39234	.91982	.40833	.91783	54
7	.34393	.93899	.36027	.93285	.37649	.92642	.39260	.91971	.40860	.91772	53
8	.34421	.93889	.36054	.93274	.37676	.92631	.39287	.91959	.40886	.91760	52
9	.34448	.93879	.36081	.93264	.37703	.92620	.39314	.91948	.40913	.91748	51
10	.34475	.93869	.36108	.93253	.37730	.92609	.39341	.91936	.40939	.91736	50
11	.34503	.93859	.36135	.93243	.37757	.92598	.39367	.91925	.40966	.91724	49
12	.34530	.93849	.36162	.93232	.37784	.92587	.39394	.91914	.40992	.91712	48
13	.34557	.93839	.36190	.93222	.37811	.92576	.39421	.91902	.41019	.91700	47
14	.34584	.93829	.36217	.93211	.37838	.92565	.39448	.91891	.41045	.91688	46
15	.34612	.93819	.36244	.93201	.37865	.92554	.39474	.91879	.41072	.91676	45
16	.34639	.93809	.36271	.93190	.37892	.92543	.39501	.91868	.41098	.91664	44
17	.34666	.93799	.36298	.93180	.37919	.92532	.39528	.91856	.41125	.91652	43
18	.34694	.93789	.36325	.93169	.37946	.92521	.39555	.91845	.41151	.91640	42
19	.34721	.93779	.36352	.93159	.37973	.92510	.39581	.91833	.41178	.91628	41
20	.34748	.93769	.36379	.93148	.37999	.92499	.39608	.91822	.41204	.91616	40
21	.34775	.93759	.36406	.93137	.38026	.92488	.39635	.91810	.41231	.91604	39
22	.34803	.93748	.36434	.93127	.38053	.92477	.39661	.91799	.41257	.91592	38
23	.34830	.93738	.36461	.93116	.38080	.92466	.39688	.91787	.41284	.91580	37
24	.34857	.93728	.36488	.93106	.38107	.92455	.39715	.91775	.41310	.91568	36
25	.34884	.93718	.36515	.93095	.38134	.92444	.39741	.91764	.41337	.91556	35
26	.34912	.93708	.36542	.93084	.38161	.92432	.39768	.91752	.41363	.91544	34
27	.34939	.93698	.36569	.93074	.38188	.92421	.39795	.91741	.41390	.91532	33
28	.34966	.93688	.36596	.93063	.38215	.92410	.39822	.91729	.41416	.91520	32
29	.34993	.93677	.36623	.93052	.38241	.92399	.39848	.91718	.41443	.91508	31
30	.35021	.93667	.36650	.93042	.38268	.92388	.39875	.91706	.41469	.91496	30
31	.35048	.93657	.36677	.93031	.38295	.92377	.39902	.91694	.41496	.91484	29
32	.35075	.93647	.36704	.93020	.38322	.92366	.39928	.91683	.41522	.91472	28
33	.35102	.93637	.36731	.93010	.38349	.92355	.39955	.91671	.41549	.91460	27
34	.35130	.93626	.36758	.92999	.38376	.92343	.39982	.91660	.41575	.91448	26
35	.35157	.93616	.36785	.92988	.38403	.92332	.40008	.91648	.41602	.91436	25
36	.35184	.93606	.36812	.92978	.38430	.92321	.40035	.91636	.41628	.91424	24
37	.35211	.93596	.36839	.92967	.38456	.92310	.40062	.91625	.41655	.91412	23
38	.35239	.93585	.36867	.92956	.38483	.92299	.40088	.91613	.41681	.91400	22
39	.35266	.93575	.36894	.92945	.38510	.92287	.40115	.91601	.41707	.91388	21
40	.35293	.93565	.36921	.92935	.38537	.92276	.40141	.91590	.41734	.91376	20
41	.35320	.93555	.36948	.92924	.38564	.92265	.40168	.91578	.41760	.91364	19
42	.35347	.93544	.36975	.92913	.38591	.92254	.40195	.91566	.41787	.91352	18
43	.35375	.93534	.37002	.92902	.38617	.92243	.40221	.91555	.41813	.91340	17
44	.35402	.93524	.37029	.92892	.38644	.92231	.40248	.91543	.41840	.91328	16
45	.35429	.93514	.37056	.92881	.38671	.92220	.40275	.91531	.41866	.91316	15
46	.35456	.93503	.37083	.92870	.38698	.92209	.40301	.91519	.41892	.91304	14
47	.35484	.93493	.37110	.92859	.38725	.92198	.40328	.91508	.41919	.91292	13
48	.35511	.93483	.37137	.92849	.38752	.92186	.40355	.91496	.41945	.91280	12
49	.35538	.93472	.37164	.92838	.38778	.92175	.40381	.91484	.41972	.91268	11
50	.35565	.93462	.37191	.92827	.38805	.92164	.40408	.91472	.41998	.91256	10
51	.35592	.93452	.37218	.92816	.38832	.92152	.40434	.91461	.42024	.91244	9
52	.35619	.93441	.37245	.92805	.38859	.92141	.40461	.91449	.42051	.91232	8
53	.35647	.93431	.37272	.92794	.38886	.92130	.40488	.91437	.42077	.91220	7
54	.35674	.93420	.37299	.92784	.38912	.92119	.40514	.91425	.42104	.91208	6
55	.35701	.93410	.37326	.92773	.38939	.92107	.40541	.91414	.42130	.91196	5
56	.35728	.93400	.37353	.92762	.38966	.92096	.40567	.91402	.42156	.91184	4
57	.35755	.93389	.37380	.92751	.38993	.92085	.40594	.91390	.42183	.91172	3
58	.35782	.93379	.37407	.92740	.39020	.92073	.40621	.91378	.42209	.91160	2
59	.35810	.93368	.37434	.92729	.39046	.92062	.40647	.91366	.42235	.91148	1
60	.35837	.93358	.37461	.92718	.39073	.92050	.40674	.91355	.42262	.91136	0
	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	
	69°		68°		67°		66°		65°		

TABLE II.—NATURAL SINES AND COSINES.

	25°		26°		27°		28°		29°		
	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	
0	.42262	.90631	.43837	.89879	.45399	.89101	.46947	.88295	.48481	.87462	60
1	.42288	.90618	.43863	.89867	.45425	.89087	.46973	.88281	.48506	.87448	59
2	.42315	.90606	.43889	.89854	.45451	.89074	.46999	.88267	.48532	.87434	58
3	.42341	.90594	.43916	.89841	.45477	.89061	.47024	.88254	.48557	.87420	57
4	.42367	.90582	.43942	.89828	.45503	.89048	.47050	.88240	.48583	.87406	56
5	.42394	.90569	.43968	.89816	.45529	.89035	.47076	.88226	.48608	.87391	55
6	.42420	.90557	.43994	.89803	.45554	.89021	.47101	.88213	.48634	.87377	54
7	.42446	.90545	.44020	.89790	.45580	.89008	.47127	.88199	.48659	.87363	53
8	.42473	.90532	.44046	.89777	.45606	.88995	.47153	.88185	.48684	.87349	52
9	.42499	.90520	.44072	.89764	.45632	.88981	.47178	.88172	.48710	.87335	51
10	.42525	.90507	.44098	.89752	.45658	.88968	.47204	.88158	.48735	.87321	50
11	.42552	.90495	.44124	.89739	.45684	.88955	.47229	.88144	.48761	.87306	49
12	.42578	.90483	.44151	.89726	.45710	.88942	.47255	.88130	.48786	.87292	48
13	.42604	.90470	.44177	.89713	.45736	.88928	.47281	.88117	.48811	.87278	47
14	.42631	.90458	.44203	.89700	.45762	.88915	.47306	.88103	.48837	.87264	46
15	.42657	.90446	.44229	.89687	.45787	.88902	.47332	.88089	.48862	.87250	45
16	.42683	.90433	.44255	.89674	.45813	.88888	.47358	.88075	.48888	.87235	44
17	.42709	.90421	.44281	.89662	.45839	.88875	.47383	.88062	.48913	.87221	43
18	.42736	.90408	.44307	.89649	.45865	.88862	.47409	.88048	.48938	.87207	42
19	.42762	.90396	.44333	.89636	.45891	.88848	.47434	.88034	.48964	.87193	41
20	.42788	.90383	.44359	.89623	.45917	.88835	.47460	.88020	.48989	.87178	40
21	.42815	.90371	.44385	.89610	.45942	.88822	.47486	.88006	.49014	.87164	39
22	.42841	.90358	.44411	.89597	.45968	.88808	.47511	.87993	.49040	.87150	38
23	.42867	.90346	.44437	.89584	.45994	.88795	.47537	.87979	.49065	.87136	37
24	.42894	.90334	.44464	.89571	.46020	.88782	.47562	.87965	.49090	.87121	36
25	.42920	.90321	.44490	.89558	.46046	.88768	.47588	.87951	.49116	.87107	35
26	.42946	.90309	.44516	.89545	.46072	.88755	.47614	.87937	.49141	.87093	34
27	.42972	.90296	.44542	.89532	.46097	.88741	.47639	.87923	.49166	.87079	33
28	.42999	.90284	.44568	.89519	.46123	.88728	.47665	.87909	.49192	.87064	32
29	.43025	.90271	.44594	.89506	.46149	.88715	.47690	.87896	.49217	.87050	31
30	.43051	.90259	.44620	.89493	.46175	.88701	.47716	.87882	.49242	.87036	30
31	.43077	.90246	.44646	.89480	.46201	.88688	.47741	.87868	.49268	.87021	29
32	.43104	.90233	.44672	.89467	.46226	.88674	.47767	.87854	.49293	.87007	28
33	.43130	.90221	.44698	.89454	.46252	.88661	.47793	.87840	.49318	.86993	27
34	.43156	.90208	.44724	.89441	.46278	.88647	.47818	.87826	.49344	.86978	26
35	.43182	.90196	.44750	.89428	.46304	.88634	.47844	.87812	.49369	.86964	25
36	.43209	.90183	.44776	.89415	.46330	.88620	.47869	.87798	.49394	.86949	24
37	.43235	.90171	.44802	.89402	.46355	.88607	.47895	.87784	.49419	.86935	23
38	.43261	.90158	.44828	.89389	.46381	.88593	.47920	.87770	.49445	.86921	22
39	.43287	.90146	.44854	.89376	.46407	.88580	.47946	.87756	.49470	.86906	21
40	.43313	.90133	.44880	.89363	.46433	.88566	.47971	.87743	.49495	.86892	20
41	.43340	.90120	.44906	.89350	.46458	.88553	.47997	.87729	.49521	.86878	19
42	.43366	.90108	.44932	.89337	.46484	.88539	.48022	.87715	.49546	.86863	18
43	.43392	.90095	.44958	.89324	.46510	.88526	.48048	.87701	.49571	.86849	17
44	.43418	.90082	.44984	.89311	.46536	.88512	.48073	.87687	.49596	.86834	16
45	.43445	.90070	.45010	.89298	.46561	.88499	.48099	.87673	.49622	.86820	15
46	.43471	.90057	.45036	.89285	.46587	.88485	.48124	.87659	.49647	.86805	14
47	.43497	.90045	.45062	.89272	.46613	.88472	.48150	.87645	.49672	.86791	13
48	.43523	.90032	.45088	.89259	.46639	.88458	.48175	.87631	.49697	.86777	12
49	.43549	.90019	.45114	.89245	.46664	.88445	.48201	.87617	.49723	.86762	11
50	.43575	.90007	.45140	.89232	.46690	.88431	.48226	.87603	.49748	.86748	10
51	.43602	.89994	.45166	.89219	.46716	.88417	.48252	.87589	.49773	.86733	9
52	.43628	.89981	.45192	.89206	.46742	.88404	.48277	.87575	.49798	.86719	8
53	.43654	.89968	.45218	.89193	.46767	.88390	.48303	.87561	.49824	.86704	7
54	.43680	.89956	.45243	.89180	.46793	.88377	.48328	.87546	.49849	.86690	6
55	.43706	.89943	.45269	.89167	.46819	.88363	.48354	.87532	.49874	.86675	5
56	.43733	.89930	.45295	.89153	.46844	.88349	.48379	.87518	.49899	.86661	4
57	.43759	.89918	.45321	.89140	.46870	.88336	.48405	.87504	.49924	.86646	3
58	.43785	.89905	.45347	.89127	.46896	.88322	.48430	.87490	.49950	.86632	2
59	.43811	.89892	.45373	.89114	.46921	.88308	.48456	.87476	.49975	.86617	1
60	.43837	.89879	.45399	.89101	.46947	.88295	.48481	.87462	.50000	.86603	0
	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	
	64°		63°		62°		61°		60°		

TABLE II.—NATURAL SINES AND COSINES.

	30°		31°		32°		33°		34°		
	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	
0	.50000	.86603	.51504	.85717	.52992	.84905	.54484	.83867	.55919	.82904	60
1	.50025	.86588	.51529	.85702	.53017	.84789	.54488	.83851	.55943	.82887	59
2	.50050	.86573	.51554	.85687	.53041	.84774	.54513	.83835	.55968	.82871	58
3	.50076	.86559	.51579	.85672	.53066	.84759	.54537	.83819	.55992	.82855	57
4	.50101	.86544	.51604	.85657	.53091	.84743	.54561	.83804	.56016	.82839	56
5	.50126	.86530	.51628	.85642	.53115	.84728	.54586	.83788	.56040	.82822	55
6	.50151	.86515	.51653	.85627	.53140	.84712	.54610	.83772	.56064	.82806	54
7	.50176	.86501	.51678	.85612	.53164	.84697	.54635	.83756	.56088	.82790	53
8	.50201	.86486	.51703	.85597	.53189	.84681	.54659	.83740	.56112	.82773	52
9	.50227	.86471	.51728	.85582	.53214	.84666	.54683	.83724	.56136	.82757	51
10	.50252	.86457	.51753	.85567	.53238	.84650	.54708	.83708	.56160	.82741	50
11	.50277	.86442	.51778	.85551	.53263	.84635	.54732	.83692	.56184	.82724	49
12	.50302	.86427	.51803	.85536	.53288	.84619	.54756	.83676	.56208	.82708	48
13	.50327	.86413	.51828	.85521	.53312	.84604	.54781	.83660	.56232	.82692	47
14	.50352	.86398	.51852	.85506	.53337	.84588	.54805	.83645	.56256	.82675	46
15	.50377	.86384	.51877	.85491	.53361	.84573	.54829	.83629	.56280	.82659	45
16	.50403	.86369	.51902	.85476	.53386	.84557	.54854	.83613	.56305	.82643	44
17	.50428	.86354	.51927	.85461	.53411	.84542	.54878	.83597	.56329	.82626	43
18	.50453	.86340	.51952	.85446	.53435	.84526	.54902	.83581	.56353	.82610	42
19	.50478	.86325	.51977	.85431	.53460	.84511	.54927	.83565	.56377	.82593	41
20	.50503	.86310	.52002	.85416	.53484	.84495	.54951	.83549	.56401	.82577	40
21	.50528	.86295	.52026	.85401	.53509	.84480	.54975	.83533	.56425	.82561	39
22	.50553	.86281	.52051	.85385	.53534	.84464	.54999	.83517	.56449	.82544	38
23	.50578	.86266	.52076	.85370	.53558	.84448	.55024	.83501	.56473	.82528	37
24	.50603	.86251	.52101	.85355	.53583	.84433	.55048	.83485	.56497	.82511	36
25	.50628	.86237	.52126	.85340	.53607	.84417	.55072	.83469	.56521	.82495	35
26	.50653	.86222	.52151	.85325	.53632	.84402	.55097	.83453	.56545	.82478	34
27	.50678	.86207	.52175	.85310	.53656	.84386	.55121	.83437	.56569	.82462	33
28	.50704	.86192	.52200	.85294	.53681	.84370	.55145	.83421	.56593	.82446	32
29	.50729	.86178	.52225	.85279	.53705	.84355	.55169	.83405	.56617	.82429	31
30	.50754	.86163	.52250	.85264	.53730	.84339	.55194	.83389	.56641	.82413	30
31	.50779	.86148	.52275	.85249	.53754	.84324	.55218	.83373	.56665	.82396	29
32	.50804	.86133	.52299	.85234	.53779	.84308	.55242	.83357	.56689	.82380	28
33	.50829	.86119	.52324	.85218	.53804	.84292	.55266	.83340	.56713	.82363	27
34	.50854	.86104	.52349	.85203	.53828	.84277	.55291	.83324	.56736	.82347	26
35	.50879	.86089	.52374	.85188	.53853	.84261	.55315	.83308	.56760	.82330	25
36	.50904	.86074	.52399	.85173	.53877	.84245	.55339	.83292	.56784	.82314	24
37	.50929	.86059	.52423	.85157	.53902	.84230	.55363	.83276	.56808	.82297	23
38	.50954	.86045	.52448	.85142	.53926	.84214	.55388	.83260	.56832	.82281	22
39	.50979	.86030	.52473	.85127	.53951	.84198	.55412	.83244	.56856	.82264	21
40	.51004	.86015	.52498	.85112	.53975	.84182	.55436	.83228	.56880	.82248	20
41	.51029	.86000	.52522	.85096	.54000	.84167	.55460	.83212	.56904	.82231	19
42	.51054	.85985	.52547	.85081	.54024	.84151	.55484	.83195	.56928	.82214	18
43	.51079	.85970	.52572	.85066	.54049	.84135	.55509	.83179	.56952	.82198	17
44	.51104	.85956	.52597	.85051	.54073	.84120	.55533	.83163	.56976	.82181	16
45	.51129	.85941	.52621	.85035	.54097	.84104	.55557	.83147	.57000	.82165	15
46	.51154	.85926	.52646	.85020	.54122	.84088	.55581	.83131	.57024	.82148	14
47	.51179	.85911	.52671	.85005	.54146	.84072	.55605	.83115	.57047	.82132	13
48	.51204	.85896	.52696	.84989	.54171	.84057	.55630	.83098	.57071	.82115	12
49	.51229	.85881	.52720	.84974	.54195	.84041	.55654	.83082	.57095	.82098	11
50	.51254	.85866	.52745	.84959	.54220	.84025	.55678	.83066	.57119	.82082	10
51	.51279	.85851	.52770	.84943	.54244	.84009	.55702	.83050	.57143	.82065	9
52	.51304	.85836	.52794	.84928	.54269	.83994	.55726	.83034	.57167	.82048	8
53	.51329	.85821	.52819	.84913	.54293	.83978	.55750	.83017	.57191	.82032	7
54	.51354	.85806	.52844	.84897	.54317	.83962	.55775	.83001	.57215	.82015	6
55	.51379	.85792	.52869	.84882	.54342	.83946	.55799	.82985	.57238	.81999	5
56	.51404	.85777	.52893	.84866	.54366	.83930	.55823	.82969	.57262	.81982	4
57	.51429	.85762	.52918	.84851	.54391	.83915	.55847	.82953	.57286	.81965	3
58	.51454	.85747	.52943	.84836	.54415	.83899	.55871	.82936	.57310	.81949	2
59	.51479	.85732	.52967	.84820	.54440	.83883	.55895	.82920	.57334	.81932	1
60	.51504	.85717	.52992	.84805	.54464	.83867	.55919	.82904	.57358	.81915	0
	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	
	59°		58°		57°		56°		55°		



TABLE II.—NATURAL SINES AND COSINES.

	35°		36°		37°		38°		39°		
	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	
0	.57358	.81915	.58779	.80902	.60182	.79864	.61566	.78801	.62932	.77715	60
1	.57381	.81899	.58802	.80885	.60205	.79846	.61589	.78783	.62955	.77696	59
2	.57405	.81882	.58826	.80867	.60228	.79829	.61612	.78765	.62977	.77678	58
3	.57429	.81865	.58849	.80850	.60251	.79811	.61635	.78747	.63000	.77660	57
4	.57453	.81848	.58873	.80833	.60274	.79793	.61658	.78729	.63022	.77641	56
5	.57477	.81832	.58896	.80816	.60298	.79776	.61681	.78711	.63045	.77623	55
6	.57501	.81815	.58920	.80799	.60321	.79758	.61704	.78694	.63068	.77605	54
7	.57524	.81798	.58943	.80782	.60344	.79741	.61726	.78676	.63090	.77586	53
8	.57548	.81782	.58967	.80765	.60367	.79723	.61749	.78658	.63113	.77568	52
9	.57572	.81765	.58990	.80748	.60390	.79706	.61772	.78640	.63135	.77550	51
10	.57596	.81748	.59014	.80730	.60414	.79688	.61795	.78622	.63158	.77531	50
11	.57619	.81731	.59037	.80713	.60437	.79671	.61818	.78604	.63180	.77513	49
12	.57643	.81714	.59061	.80696	.60460	.79653	.61841	.78586	.63203	.77494	48
13	.57667	.81698	.59084	.80679	.60483	.79635	.61864	.78568	.63225	.77476	47
14	.57691	.81681	.59108	.80662	.60506	.79618	.61887	.78550	.63248	.77458	46
15	.57715	.81664	.59131	.80644	.60529	.79600	.61909	.78532	.63271	.77439	45
16	.57738	.81647	.59154	.80627	.60553	.79583	.61932	.78514	.63293	.77421	44
17	.57762	.81631	.59178	.80610	.60576	.79565	.61955	.78496	.63316	.77402	43
18	.57786	.81614	.59201	.80593	.60599	.79547	.61978	.78478	.63338	.77384	42
19	.57810	.81597	.59225	.80576	.60622	.79530	.62001	.78460	.63361	.77366	41
20	.57833	.81580	.59248	.80558	.60645	.79512	.62024	.78442	.63383	.77347	40
21	.57857	.81563	.59272	.80541	.60668	.79494	.62046	.78424	.63406	.77329	39
22	.57881	.81546	.59295	.80524	.60691	.79477	.62069	.78405	.63428	.77310	38
23	.57904	.81530	.59318	.80507	.60714	.79459	.62092	.78387	.63451	.77292	37
24	.57928	.81513	.59342	.80489	.60738	.79441	.62115	.78369	.63473	.77273	36
25	.57952	.81496	.59365	.80472	.60761	.79424	.62138	.78351	.63496	.77255	35
26	.57976	.81479	.59389	.80455	.60784	.79406	.62160	.78333	.63518	.77236	34
27	.57999	.81462	.59412	.80438	.60807	.79388	.62183	.78315	.63540	.77218	33
28	.58023	.81445	.59436	.80420	.60830	.79371	.62206	.78297	.63563	.77199	32
29	.58047	.81428	.59459	.80403	.60853	.79353	.62229	.78279	.63585	.77181	31
30	.58070	.81412	.59482	.80386	.60876	.79335	.62251	.78261	.63608	.77162	30
31	.58094	.81395	.59506	.80368	.60899	.79318	.62274	.78243	.63630	.77144	29
32	.58118	.81378	.59529	.80351	.60922	.79300	.62297	.78225	.63653	.77125	28
33	.58141	.81361	.59552	.80334	.60945	.79282	.62320	.78206	.63675	.77107	27
34	.58165	.81344	.59576	.80316	.60968	.79264	.62342	.78188	.63698	.77088	26
35	.58189	.81327	.59599	.80299	.60991	.79247	.62365	.78170	.63720	.77070	25
36	.58212	.81310	.59622	.80282	.61015	.79229	.62388	.78152	.63742	.77051	24
37	.58236	.81293	.59646	.80264	.61038	.79211	.62411	.78134	.63765	.77033	23
38	.58260	.81276	.59669	.80247	.61061	.79193	.62433	.78116	.63787	.77014	22
39	.58283	.81259	.59693	.80230	.61084	.79176	.62456	.78098	.63810	.76996	21
40	.58307	.81242	.59716	.80212	.61107	.79158	.62479	.78079	.63832	.76977	20
41	.58330	.81225	.59739	.80195	.61130	.79140	.62502	.78061	.63854	.76959	19
42	.58354	.81208	.59763	.80178	.61153	.79122	.62524	.78043	.63877	.76940	18
43	.58378	.81191	.59786	.80160	.61176	.79105	.62547	.78025	.63899	.76921	17
44	.58401	.81174	.59809	.80143	.61199	.79087	.62570	.78007	.63922	.76903	16
45	.58425	.81157	.59832	.80125	.61222	.79069	.62592	.77988	.63944	.76884	15
46	.58449	.81140	.59856	.80108	.61245	.79051	.62615	.77970	.63966	.76866	14
47	.58472	.81123	.59879	.80091	.61268	.79033	.62638	.77952	.63989	.76847	13
48	.58496	.81106	.59902	.80073	.61291	.79016	.62660	.77934	.64011	.76828	12
49	.58519	.81089	.59926	.80056	.61314	.78998	.62683	.77916	.64033	.76810	11
50	.58543	.81072	.59949	.80038	.61337	.78980	.62706	.77897	.64056	.76791	10
51	.58567	.81055	.59972	.80021	.61360	.78962	.62728	.77879	.64078	.76772	9
52	.58590	.81038	.59995	.80003	.61383	.78944	.62751	.77861	.64100	.76754	8
53	.58614	.81021	.60019	.79986	.61406	.78926	.62774	.77843	.64123	.76735	7
54	.58637	.81004	.60042	.79968	.61429	.78908	.62796	.77824	.64145	.76717	6
55	.58661	.80987	.60065	.79951	.61451	.78891	.62819	.77806	.64167	.76698	5
56	.58684	.80970	.60089	.79934	.61474	.78873	.62842	.77788	.64190	.76679	4
57	.58708	.80953	.60112	.79916	.61497	.78855	.62864	.77769	.64212	.76661	3
58	.58731	.80936	.60135	.79899	.61520	.78837	.62887	.77751	.64234	.76642	2
59	.58755	.80919	.60158	.79881	.61543	.78819	.62909	.77733	.64256	.76623	1
60	.58779	.80902	.60182	.79864	.61566	.78801	.62932	.77715	.64279	.76604	0
	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	Cosin	Sine	
	54°		53°		52°		51°		50°		

TABLE II.—NATURAL SINES AND COSINES.

	40°		41°		42°		43°		44°		
	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	
0	.64279	.76604	.65606	.75471	.66913	.74314	.68200	.73135	.69466	.71934	60
1	.64301	.76586	.65628	.75452	.66935	.74295	.68221	.73116	.69487	.71914	59
2	.64323	.76567	.65650	.75433	.66956	.74276	.68242	.73096	.69508	.71894	58
3	.64346	.76548	.65672	.75414	.66978	.74256	.68264	.73076	.69529	.71873	57
4	.64368	.76530	.65694	.75395	.66999	.74237	.68285	.73056	.69549	.71853	56
5	.64390	.76511	.65716	.75375	.67021	.74217	.68306	.73036	.69570	.71833	55
6	.64412	.76492	.65738	.75356	.67043	.74198	.68327	.73016	.69591	.71813	54
7	.64435	.76473	.65759	.75337	.67064	.74178	.68349	.72996	.69612	.71792	53
8	.64457	.76455	.65781	.75318	.67086	.74159	.68370	.72976	.69633	.71772	52
9	.64479	.76436	.65803	.75299	.67107	.74139	.68391	.72957	.69654	.71752	51
10	.64501	.76417	.65825	.75280	.67129	.74120	.68412	.72937	.69675	.71732	50
11	.64524	.76398	.65847	.75261	.67151	.74100	.68434	.72917	.69696	.71711	49
12	.64546	.76380	.65869	.75241	.67172	.74080	.68455	.72897	.69717	.71691	48
13	.64568	.76361	.65891	.75222	.67194	.74061	.68476	.72877	.69737	.71671	47
14	.64590	.76342	.65913	.75203	.67215	.74041	.68497	.72857	.69758	.71650	46
15	.64612	.76323	.65935	.75184	.67237	.74022	.68518	.72837	.69779	.71630	45
16	.64635	.76304	.65956	.75165	.67258	.74002	.68539	.72817	.69800	.71610	44
17	.64657	.76286	.65978	.75146	.67280	.73983	.68561	.72797	.69821	.71590	43
18	.64679	.76267	.66000	.75126	.67301	.73963	.68582	.72777	.69842	.71569	42
19	.64701	.76248	.66022	.75107	.67323	.73944	.68603	.72757	.69862	.71549	41
20	.64723	.76229	.66044	.75088	.67344	.73924	.68624	.72737	.69883	.71529	40
21	.64746	.76210	.66066	.75069	.67366	.73904	.68645	.72717	.69904	.71508	39
22	.64768	.76192	.66088	.75050	.67387	.73885	.68666	.72697	.69925	.71488	38
23	.64790	.76173	.66109	.75030	.67409	.73865	.68688	.72677	.69946	.71468	37
24	.64812	.76154	.66131	.75011	.67430	.73846	.68709	.72657	.69966	.71447	36
25	.64834	.76135	.66153	.74992	.67452	.73826	.68730	.72637	.69987	.71427	35
26	.64856	.76116	.66175	.74973	.67473	.73806	.68751	.72617	.70008	.71407	34
27	.64878	.76097	.66197	.74953	.67495	.73787	.68772	.72597	.70029	.71386	33
28	.64901	.76078	.66218	.74934	.67516	.73767	.68793	.72577	.70049	.71366	32
29	.64923	.76059	.66240	.74915	.67538	.73747	.68814	.72557	.70070	.71345	31
30	.64945	.76041	.66262	.74896	.67559	.73728	.68835	.72537	.70091	.71325	30
31	.64967	.76022	.66284	.74876	.67580	.73708	.68857	.72517	.70112	.71305	29
32	.64989	.76003	.66306	.74857	.67602	.73683	.68878	.72497	.70132	.71284	28
33	.65011	.75984	.66327	.74838	.67623	.73663	.68899	.72477	.70153	.71264	27
34	.65033	.75965	.66349	.74818	.67645	.73644	.68920	.72457	.70174	.71243	26
35	.65055	.75946	.66371	.74799	.67666	.73624	.68941	.72437	.70195	.71223	25
36	.65077	.75927	.66393	.74780	.67688	.73604	.68962	.72417	.70215	.71203	24
37	.65100	.75908	.66414	.74760	.67709	.73584	.68983	.72397	.70236	.71182	23
38	.65122	.75889	.66436	.74741	.67730	.73564	.69004	.72377	.70257	.71162	22
39	.65144	.75870	.66458	.74722	.67752	.73545	.69025	.72357	.70277	.71141	21
40	.65166	.75851	.66480	.74703	.67773	.73525	.69046	.72337	.70298	.71121	20
41	.65188	.75832	.66501	.74683	.67795	.73511	.69067	.72317	.70319	.71100	19
42	.65210	.75813	.66523	.74664	.67816	.73491	.69088	.72297	.70339	.71080	18
43	.65232	.75794	.66545	.74644	.67837	.73472	.69109	.72277	.70360	.71059	17
44	.65254	.75775	.66566	.74625	.67859	.73452	.69130	.72257	.70381	.71039	16
45	.65276	.75756	.66588	.74606	.67880	.73432	.69151	.72236	.70401	.71019	15
46	.65298	.75737	.66610	.74586	.67901	.73413	.69172	.72216	.70422	.70998	14
47	.65320	.75719	.66632	.74567	.67923	.73393	.69193	.72196	.70443	.70978	13
48	.65342	.75700	.66653	.74548	.67944	.73373	.69214	.72176	.70463	.70957	12
49	.65364	.75680	.66675	.74528	.67965	.73353	.69235	.72156	.70484	.70937	11
50	.65386	.75661	.66697	.74509	.67987	.73333	.69256	.72136	.70505	.70916	10
51	.65408	.75642	.66718	.74489	.68008	.73314	.69277	.72116	.70525	.70896	9
52	.65430	.75623	.66740	.74470	.68029	.73294	.69298	.72095	.70546	.70875	8
53	.65452	.75604	.66762	.74451	.68051	.73274	.69319	.72075	.70567	.70855	7
54	.65474	.75585	.66783	.74431	.68072	.73254	.69340	.72055	.70587	.70834	6
55	.65496	.75566	.66805	.74412	.68093	.73234	.69361	.72035	.70608	.70813	5
56	.65518	.75547	.66827	.74392	.68115	.73215	.69382	.72015	.70628	.70793	4
57	.65540	.75528	.66848	.74373	.68136	.73195	.69403	.71995	.70649	.70773	3
58	.65562	.75509	.66870	.74352	.68157	.73175	.69424	.71974	.70670	.70752	2
59	.65584	.75490	.66891	.74333	.68179	.73155	.69445	.71954	.70690	.70731	1
60	.65606	.75471	.66913	.74314	.68200	.73135	.69466	.71934	.70711	.70711	0
	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	
	49°		48°		47°		46°		45°		

TABLE III.—NATURAL TANGENTS AND COTANGENTS.

	0°		1°		2°		3°		
	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	
0	.00000	Infinite.	.01746	57.2900	.03492	28.6368	.05241	19.0811	60
1	.00029	3437.75	.01775	56.3506	.03521	28.3994	.05270	18.9755	59
2	.00058	1718.87	.01804	55.4415	.03550	28.1604	.05299	18.8711	58
3	.00087	1145.92	.01833	54.5613	.03579	27.9372	.05328	18.7678	57
4	.00116	859.436	.01862	53.7086	.03609	27.7117	.05357	18.6656	56
5	.00145	687.549	.01891	52.8821	.03638	27.4899	.05387	18.5645	55
6	.00175	572.957	.01920	52.0807	.03667	27.2715	.05416	18.4645	54
7	.00204	491.106	.01949	51.3032	.03696	27.0566	.05445	18.3655	53
8	.00233	429.718	.01978	50.5485	.03725	26.8450	.05474	18.2677	52
9	.00262	381.971	.02007	49.8157	.03754	26.6367	.05503	18.1708	51
10	.00291	343.774	.02036	49.1089	.03783	26.4316	.05532	18.0750	50
11	.00320	312.521	.02065	48.4121	.03812	26.2296	.05561	17.9802	49
12	.00349	286.478	.02095	47.7395	.03842	26.0307	.05591	17.8863	48
13	.00378	264.441	.02124	47.0853	.03871	25.8348	.05620	17.7934	47
14	.00407	245.552	.02153	46.4489	.03900	25.6418	.05649	17.7015	46
15	.00436	229.182	.02182	45.8294	.03929	25.4517	.05678	17.6106	45
16	.00465	214.858	.02211	45.2261	.03958	25.2644	.05707	17.5205	44
17	.00494	202.219	.02240	44.6386	.03987	25.0798	.05737	17.4314	43
18	.00524	190.984	.02269	44.0661	.04016	24.8978	.05766	17.3432	42
19	.00553	180.932	.02298	43.5081	.04046	24.7185	.05795	17.2558	41
20	.00582	171.885	.02328	42.9641	.04075	24.5418	.05824	17.1698	40
21	.00611	163.700	.02357	42.4335	.04104	24.3675	.05854	17.0837	39
22	.00640	156.259	.02386	41.9158	.04133	24.1957	.05883	16.9990	38
23	.00669	149.465	.02415	41.4106	.04162	24.0263	.05912	16.9150	37
24	.00698	143.237	.02444	40.9174	.04191	23.8593	.05941	16.8319	36
25	.00727	137.507	.02473	40.4358	.04220	23.6945	.05970	16.7496	35
26	.00756	132.219	.02502	39.9655	.04250	23.5321	.05999	16.6681	34
27	.00785	127.321	.02531	39.5059	.04279	23.3718	.06029	16.5874	33
28	.00815	122.774	.02560	39.0568	.04308	23.2137	.06058	16.5075	32
29	.00844	118.540	.02589	38.6177	.04337	23.0577	.06087	16.4288	31
30	.00873	114.589	.02619	38.1885	.04366	22.9038	.06116	16.3499	30
31	.00902	110.892	.02648	37.7686	.04395	22.7519	.06145	16.2722	29
32	.00931	107.426	.02677	37.3579	.04424	22.6020	.06175	16.1952	28
33	.00960	104.171	.02706	36.9560	.04453	22.4541	.06204	16.1190	27
34	.00989	101.107	.02735	36.5627	.04483	22.3081	.06233	16.0435	26
35	.01018	98.2179	.02764	36.1776	.04512	22.1640	.06262	15.9687	25
36	.01047	95.4895	.02793	35.8006	.04541	22.0217	.06291	15.8945	24
37	.01076	92.9085	.02822	35.4313	.04570	21.8813	.06321	15.8211	23
38	.01105	90.4683	.02851	35.0695	.04599	21.7426	.06350	15.7483	22
39	.01134	88.1436	.02881	34.7151	.04628	21.6056	.06379	15.6762	21
40	.01164	85.9396	.02910	34.3678	.04658	21.4704	.06408	15.6048	20
41	.01193	83.8435	.02939	34.0273	.04687	21.3369	.06437	15.5340	19
42	.01222	81.8470	.02968	33.6935	.04716	21.2049	.06467	15.4638	18
43	.01251	79.9434	.02997	33.3662	.04745	21.0747	.06496	15.3943	17
44	.01280	78.1263	.03026	33.0452	.04774	20.9460	.06525	15.3254	16
45	.01309	76.3900	.03055	32.7303	.04803	20.8188	.06554	15.2571	15
46	.01338	74.7292	.03084	32.4213	.04832	20.6932	.06584	15.1893	14
47	.01367	73.1390	.03114	32.1181	.04862	20.5691	.06613	15.1222	13
48	.01396	71.6151	.03143	31.8205	.04891	20.4465	.06642	15.0557	12
49	.01425	70.1533	.03172	31.5284	.04920	20.3253	.06671	14.9898	11
50	.01454	68.7501	.03201	31.2416	.04949	20.2056	.06700	14.9244	10
51	.01484	67.4019	.03230	30.9599	.04978	20.0872	.06730	14.8596	9
52	.01513	66.1055	.03259	30.6833	.05007	19.9702	.06759	14.7954	8
53	.01542	64.8580	.03288	30.4116	.05037	19.8546	.06788	14.7317	7
54	.01571	63.6567	.03317	30.1446	.05066	19.7403	.06817	14.6685	6
55	.01600	62.4992	.03346	29.8823	.05095	19.6273	.06847	14.6059	5
56	.01629	61.3829	.03376	29.6245	.05124	19.5156	.06876	14.5438	4
57	.01658	60.3068	.03405	29.3711	.05153	19.4051	.06905	14.4823	3
58	.01687	59.2659	.03434	29.1220	.05182	19.2959	.06934	14.4212	2
59	.01716	58.2612	.03463	28.8771	.05212	19.1879	.06963	14.3607	1
60	.01746	57.2900	.03492	28.6368	.05241	19.0811	.06993	14.3007	0
	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	
	89°		88°		87°		86°		

TABLE III.—NATURAL TANGENTS AND COTANGENTS.

	4°		5°		6°		7°		
	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	
0	.06993	14.3007	.08749	11.4301	.10510	9.51436	.12278	8.14435	60
1	.07022	14.2411	.08778	11.3919	.10540	9.48781	.12308	8.12481	59
2	.07051	14.1821	.08807	11.3540	.10569	9.46141	.12338	8.10536	58
3	.07080	14.1235	.08837	11.3163	.10599	9.43515	.12367	8.08600	57
4	.07110	14.0655	.08866	11.2789	.10628	9.40904	.12397	8.06674	56
5	.07139	14.0079	.08895	11.2417	.10657	9.38307	.12426	8.04756	55
6	.07168	13.9507	.08925	11.2048	.10687	9.35724	.12456	8.02848	54
7	.07197	13.8940	.08954	11.1681	.10716	9.33155	.12485	8.00948	53
8	.07227	13.8378	.08983	11.1316	.10746	9.30599	.12515	7.99058	52
9	.07256	13.7821	.09013	11.0954	.10775	9.28058	.12544	7.97176	51
10	.07285	13.7267	.09043	11.0594	.10805	9.25530	.12574	7.95302	50
11	.07314	13.6719	.09071	11.0237	.10834	9.23016	.12603	7.93438	49
12	.07344	13.6174	.09101	10.9882	.10863	9.20516	.12633	7.91582	48
13	.07373	13.5634	.09130	10.9529	.10893	9.18028	.12663	7.89734	47
14	.07402	13.5098	.09159	10.9178	.10922	9.15554	.12692	7.87895	46
15	.07431	13.4566	.09189	10.8829	.10952	9.13093	.12722	7.86064	45
16	.07461	13.4039	.09218	10.8483	.10981	9.10646	.12751	7.84242	44
17	.07490	13.3515	.09247	10.8139	.11011	9.08211	.12781	7.82428	43
18	.07519	13.2996	.09277	10.7797	.11040	9.05789	.12810	7.80622	42
19	.07548	13.2480	.09306	10.7457	.11070	9.03379	.12840	7.78825	41
20	.07578	13.1969	.09335	10.7119	.11099	9.00983	.12869	7.77035	40
21	.07607	13.1461	.09365	10.6783	.11128	8.98598	.12899	7.75254	39
22	.07636	13.0958	.09394	10.6450	.11158	8.96227	.12929	7.73480	38
23	.07665	13.0458	.09423	10.6118	.11187	8.93867	.12958	7.71715	37
24	.07695	12.9963	.09453	10.5789	.11217	8.91520	.12988	7.69957	36
25	.07724	12.9469	.09482	10.5462	.11246	8.89185	.13017	7.68208	35
26	.07753	12.8981	.09511	10.5136	.11276	8.86862	.13047	7.66466	34
27	.07782	12.8496	.09541	10.4813	.11305	8.84551	.13076	7.64732	33
28	.07812	12.8014	.09570	10.4491	.11335	8.82252	.13106	7.63005	32
29	.07841	12.7536	.09600	10.4172	.11364	8.79964	.13136	7.61287	31
30	.07870	12.7062	.09629	10.3854	.11394	8.77689	.13165	7.59575	30
31	.07899	12.6591	.09658	10.3538	.11423	8.75425	.13195	7.57872	29
32	.07929	12.6124	.09688	10.3224	.11452	8.73172	.13224	7.56178	28
33	.07958	12.5660	.09717	10.2913	.11482	8.70931	.13254	7.54487	27
34	.07987	12.5199	.09746	10.2602	.11511	8.68701	.13284	7.52806	26
35	.08017	12.4742	.09776	10.2294	.11541	8.66482	.13313	7.51132	25
36	.08046	12.4288	.09805	10.1988	.11570	8.64275	.13343	7.49465	24
37	.08075	12.3838	.09834	10.1683	.11600	8.62078	.13372	7.47806	23
38	.08104	12.3390	.09864	10.1381	.11629	8.59893	.13402	7.46154	22
39	.08134	12.2946	.09893	10.1080	.11659	8.57718	.13432	7.44509	21
40	.08163	12.2505	.09923	10.0780	.11688	8.55555	.13461	7.42871	20
41	.08192	12.2067	.09952	10.0483	.11718	8.53402	.13491	7.41240	19
42	.08221	12.1632	.09981	10.0187	.11747	8.51259	.13521	7.39616	18
43	.08251	12.1201	.10011	9.98931	.11777	8.49128	.13550	7.37999	17
44	.08280	12.0772	.10040	9.96007	.11806	8.47007	.13580	7.36389	16
45	.08309	12.0346	.10069	9.93101	.11836	8.44896	.13609	7.34786	15
46	.08339	11.9923	.10099	9.90211	.11865	8.42795	.13639	7.33190	14
47	.08368	11.9504	.10128	9.87338	.11895	8.40705	.13669	7.31600	13
48	.08397	11.9087	.10158	9.84482	.11924	8.38625	.13698	7.30018	12
49	.08427	11.8673	.10187	9.81641	.11954	8.36555	.13728	7.28442	11
50	.08456	11.8262	.10216	9.78817	.11983	8.34496	.13758	7.26873	10
51	.08485	11.7853	.10246	9.76009	.12013	8.32446	.13787	7.25310	9
52	.08514	11.7448	.10275	9.73217	.12042	8.30406	.13817	7.23754	8
53	.08544	11.7045	.10305	9.70441	.12072	8.28376	.13846	7.22204	7
54	.08573	11.6645	.10334	9.67680	.12101	8.26355	.13876	7.20661	6
55	.08602	11.6248	.10363	9.64935	.12131	8.24345	.13906	7.19125	5
56	.08632	11.5853	.10393	9.62205	.12160	8.22344	.13935	7.17594	4
57	.08661	11.5461	.10422	9.59490	.12190	8.20352	.13965	7.16071	3
58	.08690	11.5072	.10452	9.56791	.12219	8.18370	.13995	7.14553	2
59	.08720	11.4685	.10481	9.54106	.12249	8.16398	.14024	7.13042	1
60	.08749	11.4301	.10510	9.51436	.12278	8.14435	.14054	7.11537	0
	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	
	85°		84°		83°		82°		

TABLE III.—NATURAL TANGENTS AND COTANGENTS.

	8°		9°		10°		11°		
	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	
0	.14054	7.11537	.15888	6.31875	.17633	5.67128	.19435	5.14455	60
1	.14064	7.10038	.15968	6.30180	.17663	5.66165	.19468	5.13658	59
2	.14118	7.08546	.15988	6.29007	.17693	5.65305	.19498	5.12862	58
3	.14143	7.07059	.15928	6.27829	.17723	5.64248	.19529	5.12069	57
4	.14173	7.05579	.15958	6.26655	.17753	5.63295	.19559	5.11279	56
5	.14202	7.04105	.15988	6.25486	.17783	5.62344	.19589	5.10490	55
6	.14232	7.02637	.16017	6.24321	.17813	5.61397	.19619	5.09704	54
7	.14263	7.01174	.16047	6.23160	.17843	5.60452	.19649	5.08921	53
8	.14291	6.99718	.16077	6.22003	.17873	5.59511	.19680	5.08139	52
9	.14321	6.98268	.16107	6.20851	.17903	5.58573	.19710	5.07360	51
10	.14351	6.96823	.16137	6.19703	.17933	5.57638	.19740	5.06584	50
11	.14381	6.95385	.16167	6.18559	.17963	5.56706	.19770	5.05809	49
12	.14410	6.93952	.16196	6.17419	.17993	5.55777	.19801	5.05037	48
13	.14440	6.92525	.16226	6.16283	.18023	5.54851	.19831	5.04267	47
14	.14470	6.91104	.16256	6.15151	.18053	5.53927	.19861	5.03499	46
15	.14499	6.89688	.16286	6.14023	.18083	5.53007	.19891	5.02734	45
16	.14529	6.88278	.16316	6.12899	.18113	5.52090	.19921	5.01971	44
17	.14559	6.86874	.16346	6.11779	.18143	5.51176	.19951	5.01210	43
18	.14588	6.85475	.16376	6.10664	.18173	5.50264	.19981	5.00451	42
19	.14618	6.84082	.16405	6.09552	.18203	5.49356	.20012	4.99695	41
20	.14648	6.82694	.16435	6.08444	.18233	5.48451	.20042	4.98940	40
21	.14678	6.81312	.16465	6.07340	.18263	5.47548	.20073	4.98188	39
22	.14707	6.79936	.16495	6.06240	.18293	5.46648	.20103	4.97438	38
23	.14737	6.78564	.16525	6.05143	.18323	5.45751	.20133	4.96689	37
24	.14767	6.77199	.16555	6.04051	.18353	5.44857	.20164	4.95945	36
25	.14796	6.75838	.16585	6.02962	.18384	5.43966	.20194	4.95201	35
26	.14826	6.74483	.16615	6.01878	.18414	5.43077	.20224	4.94460	34
27	.14856	6.73133	.16645	6.00797	.18444	5.42192	.20254	4.93721	33
28	.14886	6.71789	.16674	5.99720	.18474	5.41309	.20285	4.92984	32
29	.14915	6.70450	.16704	5.98648	.18504	5.40429	.20315	4.92249	31
30	.14945	6.69116	.16734	5.97576	.18534	5.39552	.20345	4.91516	30
31	.14975	6.67787	.16764	5.96510	.18564	5.38677	.20376	4.90785	29
32	.15005	6.66463	.16794	5.95448	.18594	5.37805	.20406	4.90056	28
33	.15034	6.65144	.16824	5.94390	.18624	5.36936	.20436	4.89330	27
34	.15064	6.63831	.16854	5.93335	.18654	5.36070	.20466	4.88605	26
35	.15094	6.62523	.16884	5.92283	.18684	5.35206	.20497	4.87882	25
36	.15124	6.61219	.16914	5.91236	.18714	5.34345	.20527	4.87162	24
37	.15153	6.59921	.16944	5.90191	.18745	5.33487	.20557	4.86444	23
38	.15183	6.58627	.16974	5.89151	.18775	5.32631	.20588	4.85727	22
39	.15213	6.57339	.17004	5.88114	.18805	5.31778	.20618	4.85013	21
40	.15243	6.56055	.17033	5.87080	.18835	5.30928	.20648	4.84300	20
41	.15272	6.54777	.17063	5.86051	.18865	5.30080	.20679	4.83590	19
42	.15302	6.53503	.17093	5.85024	.18895	5.29232	.20709	4.82883	18
43	.15332	6.52234	.17123	5.84001	.18925	5.28383	.20739	4.82175	17
44	.15362	6.50970	.17153	5.82983	.18955	5.27538	.20770	4.81471	16
45	.15391	6.49710	.17183	5.81968	.18986	5.26715	.20800	4.80769	15
46	.15421	6.48456	.17213	5.80953	.19016	5.25890	.20830	4.80068	14
47	.15451	6.47206	.17243	5.79944	.19046	5.25048	.20861	4.79370	13
48	.15481	6.45961	.17273	5.78938	.19076	5.24218	.20891	4.78673	12
49	.15511	6.44720	.17303	5.77936	.19106	5.23391	.20921	4.77978	11
50	.15540	6.43484	.17333	5.76937	.19136	5.22566	.20952	4.77286	10
51	.15570	6.42253	.17363	5.75941	.19166	5.21744	.20982	4.76595	9
52	.15600	6.41026	.17393	5.74949	.19197	5.20925	.21013	4.75906	8
53	.15630	6.39804	.17423	5.73960	.19227	5.20107	.21043	4.75219	7
54	.15660	6.38587	.17453	5.72974	.19257	5.19293	.21073	4.74534	6
55	.15690	6.37374	.17483	5.71992	.19287	5.18480	.21104	4.73851	5
56	.15719	6.36165	.17513	5.71013	.19317	5.17671	.21134	4.73170	4
57	.15749	6.34961	.17543	5.70037	.19347	5.16863	.21164	4.72490	3
58	.15779	6.33761	.17573	5.69064	.19378	5.16058	.21195	4.71813	2
59	.15809	6.32566	.17603	5.68094	.19408	5.15256	.21225	4.71137	1
60	.15838	6.31375	.17633	5.67128	.19438	5.14455	.21256	4.70463	0
	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	
	81°		80°		79°		78°		

TABLE III.—NATURAL TANGENTS AND COTANGENTS.

	12°		13°		14°		15°		
	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	
0	.21256	4.70463	.23087	4.33148	.24933	4.01078	.26795	3.78205	60
1	.21296	4.69791	.23117	4.33573	.24964	4.00682	.26826	3.72771	59
2	.21316	4.69121	.23148	4.33001	.24995	4.00286	.26857	3.72338	58
3	.21347	4.68453	.23179	4.31430	.25026	3.99892	.26888	3.71907	57
4	.21377	4.67786	.23209	4.30860	.25056	3.99499	.26920	3.71476	56
5	.21408	4.67121	.23240	4.30291	.25087	3.99107	.26951	3.71046	55
6	.21438	4.66458	.23271	4.29724	.25118	3.98717	.26983	3.70616	54
7	.21469	4.65797	.23301	4.29159	.25149	3.98327	.27013	3.70188	53
8	.21499	4.65138	.23332	4.28595	.25180	3.97939	.27044	3.69761	52
9	.21530	4.64480	.23363	4.28032	.25211	3.97551	.27076	3.69335	51
10	.21560	4.63825	.23393	4.27471	.25242	3.97165	.27107	3.68909	50
11	.21590	4.63171	.23424	4.26911	.25273	3.96780	.27138	3.68485	49
12	.21621	4.62518	.23455	4.26352	.25304	3.96396	.27169	3.68061	48
13	.21651	4.61868	.23485	4.25795	.25335	3.96013	.27201	3.67638	47
14	.21682	4.61219	.23516	4.25239	.25366	3.95632	.27232	3.67217	46
15	.21712	4.60572	.23547	4.24685	.25397	3.95251	.27263	3.66796	45
16	.21743	4.59927	.23578	4.24132	.25428	3.94871	.27294	3.66376	44
17	.21773	4.59283	.23608	4.23580	.25459	3.94492	.27325	3.65957	43
18	.21804	4.58641	.23639	4.23030	.25490	3.94113	.27357	3.65538	42
19	.21834	4.58001	.23670	4.22481	.25521	3.93735	.27388	3.65121	41
20	.21864	4.57363	.23700	4.21933	.25552	3.93358	.27419	3.64705	40
21	.21895	4.56726	.23731	4.21387	.25583	3.92980	.27451	3.64289	39
22	.21925	4.56091	.23762	4.20842	.25614	3.92604	.27482	3.63874	38
23	.21956	4.55458	.23793	4.20298	.25645	3.92229	.27513	3.63461	37
24	.21986	4.54826	.23823	4.19756	.25676	3.91854	.27545	3.63048	36
25	.22017	4.54196	.23854	4.19215	.25707	3.91480	.27576	3.62636	35
26	.22047	4.53568	.23885	4.18675	.25738	3.91106	.27607	3.62224	34
27	.22078	4.52941	.23916	4.18137	.25769	3.90733	.27638	3.61814	33
28	.22108	4.52316	.23946	4.17600	.25800	3.90361	.27670	3.61405	32
29	.22139	4.51693	.23977	4.17064	.25831	3.89989	.27701	3.60996	31
30	.22169	4.51071	.24008	4.16530	.25862	3.89618	.27732	3.60588	30
31	.22200	4.50451	.24039	4.15997	.25893	3.89248	.27764	3.60181	29
32	.22231	4.49832	.24069	4.15465	.25924	3.88878	.27795	3.59775	28
33	.22261	4.49215	.24100	4.14934	.25955	3.88508	.27826	3.59370	27
34	.22292	4.48600	.24131	4.14405	.25986	3.88139	.27858	3.58966	26
35	.22323	4.47986	.24162	4.13877	.26017	3.87770	.27889	3.58562	25
36	.22353	4.47374	.24193	4.13350	.26048	3.87402	.27921	3.58160	24
37	.22383	4.46764	.24223	4.12825	.26079	3.87034	.27952	3.57758	23
38	.22414	4.46155	.24254	4.12301	.26110	3.86666	.27983	3.57357	22
39	.22444	4.45548	.24285	4.11778	.26141	3.86298	.28015	3.56957	21
40	.22475	4.44943	.24316	4.11256	.26172	3.85930	.28046	3.56557	20
41	.22505	4.44338	.24347	4.10736	.26203	3.85563	.28077	3.56159	19
42	.22536	4.43735	.24377	4.10216	.26235	3.85197	.28109	3.55761	18
43	.22567	4.43134	.24408	4.09699	.26266	3.84832	.28140	3.55364	17
44	.22597	4.42534	.24439	4.09182	.26297	3.84467	.28172	3.54968	16
45	.22628	4.41936	.24470	4.08666	.26328	3.84102	.28203	3.54573	15
46	.22658	4.41340	.24501	4.08152	.26359	3.83737	.28234	3.54179	14
47	.22689	4.40745	.24532	4.07639	.26390	3.83372	.28266	3.53785	13
48	.22719	4.40152	.24563	4.07127	.26421	3.83007	.28297	3.53393	12
49	.22750	4.39560	.24593	4.06616	.26452	3.82642	.28329	3.53001	11
50	.22781	4.38969	.24624	4.06107	.26483	3.82277	.28360	3.52609	10
51	.22811	4.38381	.24655	4.05599	.26515	3.81912	.28391	3.52219	9
52	.22842	4.37793	.24686	4.05092	.26546	3.81547	.28422	3.51829	8
53	.22872	4.37207	.24717	4.04586	.26577	3.81182	.28454	3.51441	7
54	.22903	4.36623	.24747	4.04081	.26608	3.80817	.28486	3.51053	6
55	.22934	4.36040	.24778	4.03578	.26639	3.80452	.28517	3.50666	5
56	.22964	4.35459	.24809	4.03076	.26670	3.80087	.28549	3.50279	4
57	.22995	4.34879	.24840	4.02574	.26701	3.79722	.28580	3.49894	3
58	.23026	4.34300	.24871	4.02074	.26732	3.79357	.28612	3.49509	2
59	.23056	4.33723	.24902	4.01576	.26764	3.78992	.28643	3.49125	1
60	.23087	4.33148	.24933	4.01078	.26795	3.78627	.28675	3.48741	0
	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	
	77°		76°		75°		74°		

TABLE III.—NATURAL TANGENTS AND COTANGENTS.

	16°		17°		18°		19°		
	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	
0	.28675	3.48741	.30578	3.27085	.32492	3.07768	.34433	2.90421	60
1	.28706	3.48369	.30605	3.26745	.32524	3.07464	.34465	2.90147	59
2	.28738	3.47977	.30637	3.26406	.32556	3.07160	.34498	2.89878	58
3	.28769	3.47586	.30669	3.26067	.32588	3.06857	.34530	2.89600	57
4	.28800	3.47216	.30700	3.25729	.32621	3.06554	.34563	2.89327	56
5	.28832	3.46837	.30732	3.25392	.32653	3.06252	.34596	2.89055	55
6	.28864	3.46458	.30764	3.25055	.32685	3.05950	.34628	2.88783	54
7	.28895	3.46080	.30796	3.24719	.32717	3.05649	.34661	2.88511	53
8	.28927	3.45703	.30828	3.24383	.32749	3.05349	.34693	2.88240	52
9	.28958	3.45327	.30860	3.24049	.32782	3.05049	.34726	2.87970	51
10	.28990	3.44951	.30891	3.23714	.32814	3.04749	.34758	2.87700	50
11	.29021	3.44576	.30923	3.23381	.32846	3.04450	.34791	2.87430	49
12	.29053	3.44202	.30955	3.23048	.32878	3.04152	.34824	2.87161	48
13	.29084	3.43829	.30987	3.22715	.32911	3.03854	.34856	2.86892	47
14	.29116	3.43456	.31019	3.22384	.32943	3.03556	.34889	2.86624	46
15	.29147	3.43084	.31051	3.22053	.32975	3.03260	.34922	2.86356	45
16	.29179	3.42713	.31083	3.21722	.33007	3.02963	.34954	2.86089	44
17	.29210	3.42343	.31115	3.21392	.33040	3.02667	.34987	2.85822	43
18	.29242	3.41973	.31147	3.21063	.33072	3.02372	.35020	2.85555	42
19	.29274	3.41604	.31178	3.20734	.33104	3.02077	.35052	2.85289	41
20	.29305	3.41236	.31210	3.20406	.33136	3.01783	.35085	2.85023	40
21	.29337	3.40869	.31242	3.20079	.33169	3.01489	.35118	2.84758	39
22	.29368	3.40502	.31274	3.19752	.33201	3.01196	.35150	2.84494	38
23	.29400	3.40136	.31306	3.19426	.33233	3.00903	.35183	2.84229	37
24	.29432	3.39771	.31338	3.19100	.33266	3.00611	.35216	2.83967	36
25	.29463	3.39406	.31370	3.18775	.33298	3.00319	.35248	2.83702	35
26	.29495	3.39043	.31402	3.18451	.33330	3.00028	.35281	2.83439	34
27	.29526	3.38679	.31434	3.18127	.33363	2.99738	.35314	2.83176	33
28	.29558	3.38317	.31466	3.17804	.33395	2.99447	.35346	2.82914	32
29	.29590	3.37955	.31498	3.17481	.33427	2.99156	.35379	2.82653	31
30	.29621	3.37594	.31530	3.17159	.33460	2.98868	.35412	2.82391	30
31	.29653	3.37234	.31562	3.16838	.33492	2.98580	.35445	2.82130	29
32	.29685	3.36875	.31594	3.16517	.33524	2.98292	.35477	2.81870	28
33	.29716	3.36516	.31626	3.16197	.33557	2.98004	.35510	2.81610	27
34	.29748	3.36158	.31658	3.15877	.33589	2.97717	.35543	2.81350	26
35	.29780	3.35800	.31690	3.15558	.33621	2.97430	.35576	2.81091	25
36	.29811	3.35443	.31722	3.15240	.33654	2.97144	.35608	2.80833	24
37	.29843	3.35087	.31754	3.14923	.33686	2.96858	.35641	2.80574	23
38	.29875	3.34732	.31786	3.14606	.33718	2.96573	.35674	2.80316	22
39	.29906	3.34377	.31818	3.14288	.33751	2.96288	.35707	2.80059	21
40	.29938	3.34023	.31850	3.13972	.33783	2.96004	.35740	2.79802	20
41	.29970	3.33670	.31882	3.13656	.33816	2.95721	.35772	2.79545	19
42	.30001	3.33317	.31914	3.13341	.33848	2.95437	.35805	2.79289	18
43	.30033	3.32965	.31946	3.13027	.33881	2.95155	.35838	2.79033	17
44	.30065	3.32614	.31978	3.12713	.33913	2.94872	.35871	2.78778	16
45	.30097	3.32264	.32010	3.12400	.33945	2.94591	.35904	2.78523	15
46	.30128	3.31914	.32042	3.12087	.33978	2.94309	.35937	2.78269	14
47	.30160	3.31565	.32074	3.11775	.34010	2.94028	.35969	2.78014	13
48	.30192	3.31216	.32106	3.11464	.34043	2.93748	.36002	2.77761	12
49	.30224	3.30868	.32138	3.11153	.34075	2.93468	.36035	2.77507	11
50	.30255	3.30521	.32171	3.10843	.34108	2.93189	.36068	2.77254	10
51	.30287	3.30174	.32203	3.10532	.34140	2.92910	.36101	2.77002	9
52	.30319	3.29829	.32235	3.10223	.34173	2.92632	.36134	2.76750	8
53	.30351	3.29483	.32267	3.09914	.34205	2.92354	.36167	2.76498	7
54	.30382	3.29139	.32299	3.09606	.34238	2.92076	.36199	2.76247	6
55	.30414	3.28795	.32331	3.09298	.34270	2.91799	.36232	2.75996	5
56	.30446	3.28452	.32363	3.08991	.34303	2.91523	.36265	2.75746	4
57	.30478	3.28109	.32396	3.08685	.34335	2.91246	.36298	2.75496	3
58	.30509	3.27767	.32428	3.08379	.34368	2.90971	.36331	2.75246	2
59	.30541	3.27426	.32460	3.08073	.34400	2.90696	.36364	2.74997	1
60	.30573	3.27085	.32492	3.07768	.34433	2.90421	.36397	2.74748	0

Cotang

Tang

Cotang

Tang

Cotang

Tang

Cotang

Tang

73°

72°

71°

70°

TABLE III.—NATURAL TANGENTS AND COTANGENTS.

	20°		21°		22°		23°		
	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	
0	.36397	2.74748	.36398	2.60509	.40403	2.47509	.42447	2.35585	60
1	.36430	2.74499	.36430	2.60283	.40436	2.47302	.42482	2.35395	59
2	.36463	2.74251	.36453	2.60057	.40470	2.47095	.42516	2.35205	58
3	.36496	2.74004	.36487	2.59831	.40504	2.46888	.42551	2.35015	57
4	.36529	2.73756	.36520	2.59606	.40538	2.46682	.42585	2.34825	56
5	.36562	2.73509	.36553	2.59381	.40572	2.46476	.42619	2.34636	55
6	.36595	2.73263	.36587	2.59156	.40606	2.46270	.42654	2.34447	54
7	.36628	2.73017	.36620	2.58932	.40640	2.46065	.42688	2.34258	53
8	.36661	2.72771	.36654	2.58708	.40674	2.45860	.42722	2.34069	52
9	.36694	2.72526	.36687	2.58484	.40707	2.45655	.42757	2.33881	51
10	.36727	2.72281	.36721	2.58261	.40741	2.45451	.42791	2.33693	50
11	.36760	2.72036	.36754	2.58038	.40775	2.45246	.42826	2.33505	49
12	.36793	2.71792	.36787	2.57815	.40809	2.45043	.42860	2.33317	48
13	.36826	2.71548	.36821	2.57593	.40843	2.44839	.42894	2.33130	47
14	.36859	2.71305	.36854	2.57371	.40877	2.44636	.42929	2.32943	46
15	.36892	2.71062	.36888	2.57150	.40911	2.44433	.42963	2.32756	45
16	.36925	2.70819	.36921	2.56928	.40945	2.44230	.42998	2.32570	44
17	.36958	2.70577	.36955	2.56707	.40979	2.44027	.43032	2.32383	43
18	.36991	2.70335	.36988	2.56487	.41013	2.43825	.43067	2.32197	42
19	.37024	2.70094	.37022	2.56266	.41047	2.43623	.43101	2.32012	41
20	.37057	2.69853	.37055	2.56046	.41081	2.43422	.43136	2.31826	40
21	.37090	2.69612	.37089	2.55827	.41115	2.43220	.43170	2.31641	39
22	.37123	2.69371	.37123	2.55608	.41149	2.43019	.43205	2.31456	38
23	.37156	2.69131	.37156	2.55389	.41183	2.42819	.43239	2.31271	37
24	.37190	2.68892	.37190	2.55170	.41217	2.42618	.43274	2.31086	36
25	.37223	2.68653	.37223	2.54952	.41251	2.42418	.43308	2.30902	35
26	.37256	2.68414	.37257	2.54734	.41285	2.42218	.43343	2.30718	34
27	.37289	2.68175	.37290	2.54516	.41319	2.42019	.43378	2.30534	33
28	.37322	2.67937	.37324	2.54299	.41353	2.41819	.43412	2.30351	32
29	.37355	2.67700	.37357	2.54082	.41387	2.41620	.43447	2.30167	31
30	.37388	2.67462	.37391	2.53865	.41421	2.41421	.43481	2.29984	30
31	.37422	2.67225	.37425	2.53648	.41455	2.41223	.43516	2.29801	29
32	.37455	2.66989	.37458	2.53432	.41490	2.41025	.43550	2.29619	28
33	.37488	2.66752	.37492	2.53217	.41524	2.40827	.43585	2.29437	27
34	.37521	2.66516	.37526	2.53001	.41558	2.40629	.43620	2.29254	26
35	.37554	2.66281	.37559	2.52786	.41592	2.40432	.43654	2.29073	25
36	.37588	2.66046	.37593	2.52571	.41626	2.40235	.43689	2.28891	24
37	.37621	2.65811	.37626	2.52357	.41660	2.40038	.43724	2.28710	23
38	.37654	2.65576	.37660	2.52143	.41694	2.39841	.43758	2.28528	22
39	.37687	2.65342	.37694	2.519 9	.41728	2.39645	.43793	2.28348	21
40	.37720	2.65109	.37727	2.51715	.41763	2.39449	.43828	2.28167	20
41	.37754	2.64875	.37761	2.51502	.41797	2.39253	.43862	2.27987	19
42	.37787	2.64642	.37795	2.51289	.41831	2.39058	.43897	2.27806	18
43	.37820	2.64410	.37829	2.51076	.41865	2.38863	.43932	2.27626	17
44	.37853	2.64177	.37863	2.50864	.41899	2.38668	.43966	2.27447	16
45	.37887	2.63945	.37896	2.50652	.41933	2.38473	.44001	2.27267	15
46	.37920	2.63714	.37930	2.50440	.41968	2.38279	.44036	2.27088	14
47	.37953	2.63483	.37963	2.50229	.42002	2.38084	.44071	2.26909	13
48	.37986	2.63252	.37997	2.50018	.42036	2.37891	.44105	2.26730	12
49	.38020	2.63021	.40031	2.49807	.42070	2.37697	.44140	2.26552	11
50	.38053	2.62791	.40065	2.49597	.42105	2.37504	.44175	2.26374	10
51	.38086	2.62561	.40098	2.49386	.42139	2.37311	.44210	2.26196	9
52	.38120	2.62332	.40132	2.49177	.42173	2.37118	.44244	2.26018	8
53	.38153	2.62103	.40166	2.48967	.42207	2.36925	.44279	2.25840	7
54	.38186	2.61874	.40200	2.48758	.42242	2.36733	.44314	2.25663	6
55	.38220	2.61646	.40234	2.48549	.42276	2.36541	.44349	2.25486	5
56	.38253	2.61418	.40267	2.48340	.42310	2.36349	.44384	2.25309	4
57	.38286	2.61190	.40301	2.48132	.42345	2.36158	.44418	2.25133	3
58	.38320	2.60963	.40335	2.47924	.42379	2.35967	.44453	2.24956	2
59	.38353	2.60736	.40369	2.47716	.42413	2.35776	.44488	2.24780	1
60	.38386	2.60509	.40403	2.47509	.42447	2.35585	.44523	2.24604	0
	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	
	69°		68°		67°		66°		



TABLE III.—NATURAL TANGENTS AND COTANGENTS.

	24°		25°		26°		27°		
	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	
0	.44528	2.24604	.46631	2.14451	.48778	2.05080	.50953	1.96261	60
1	.44558	2.24428	.46666	2.14288	.48809	2.04879	.50989	1.96120	59
2	.44593	2.24252	.46702	2.14125	.48845	2.04728	.51026	1.95979	58
3	.44627	2.24077	.46737	2.13963	.48881	2.04577	.51063	1.95838	57
4	.44662	2.23902	.46772	2.13801	.48917	2.04426	.51099	1.95698	56
5	.44697	2.23727	.46808	2.13639	.48953	2.04276	.51136	1.95557	55
6	.44732	2.23553	.46843	2.13477	.48989	2.04125	.51173	1.95417	54
7	.44767	2.23378	.46879	2.13316	.49026	2.03975	.51209	1.95277	53
8	.44802	2.23204	.46914	2.13154	.49062	2.03825	.51246	1.95137	52
9	.44837	2.23030	.46950	2.12993	.49098	2.03675	.51283	1.94997	51
10	.44872	2.22857	.46985	2.12832	.49134	2.03526	.51319	1.94858	50
11	.44907	2.22683	.47021	2.12671	.49170	2.03376	.51356	1.94718	49
12	.44942	2.22510	.47056	2.12511	.49206	2.03227	.51393	1.94579	48
13	.44977	2.22337	.47092	2.12350	.49242	2.03078	.51430	1.94440	47
14	.45012	2.22164	.47128	2.12190	.49278	2.02929	.51467	1.94301	46
15	.45047	2.21992	.47163	2.12030	.49315	2.02780	.51503	1.94162	45
16	.45082	2.21819	.47199	2.11871	.49351	2.02631	.51540	1.94023	44
17	.45117	2.21647	.47234	2.11711	.49387	2.02483	.51577	1.93885	43
18	.45152	2.21475	.47270	2.11552	.49423	2.02335	.51614	1.93746	42
19	.45187	2.21304	.47305	2.11392	.49459	2.02187	.51651	1.93608	41
20	.45222	2.21132	.47341	2.11233	.49495	2.02039	.51688	1.93470	40
21	.45257	2.20961	.47377	2.11075	.49532	2.01891	.51724	1.93332	39
22	.45292	2.20790	.47412	2.10916	.49568	2.01743	.51761	1.93195	38
23	.45327	2.20619	.47448	2.10758	.49604	2.01596	.51798	1.93057	37
24	.45362	2.20449	.47483	2.10600	.49640	2.01449	.51835	1.92920	36
25	.45397	2.20278	.47519	2.10442	.49677	2.01302	.51872	1.92782	35
26	.45432	2.20108	.47555	2.10284	.49713	2.01155	.51909	1.92645	34
27	.45467	2.19938	.47590	2.10126	.49749	2.01008	.51946	1.92508	33
28	.45502	2.19769	.47626	2.09969	.49786	2.00862	.51983	1.92371	32
29	.45538	2.19599	.47662	2.09811	.49822	2.00715	.52020	1.92235	31
30	.45573	2.19430	.47698	2.09654	.49858	2.00569	.52057	1.92098	30
31	.45608	2.19261	.47733	2.09498	.49894	2.00423	.52094	1.91962	29
32	.45643	2.19092	.47769	2.09341	.49931	2.00277	.52131	1.91826	28
33	.45678	2.18923	.47805	2.09184	.49967	2.00131	.52168	1.91690	27
34	.45713	2.18755	.47840	2.09028	.50004	1.99986	.52205	1.91554	26
35	.45748	2.18587	.47876	2.08872	.50040	1.99841	.52242	1.91418	25
36	.45784	2.18419	.47912	2.08716	.50076	1.99695	.52279	1.91282	24
37	.45819	2.18251	.47948	2.08560	.50113	1.99550	.52316	1.91147	23
38	.45854	2.18084	.47984	2.08405	.50149	1.99406	.52353	1.91012	22
39	.45889	2.17916	.48019	2.08250	.50185	1.99261	.52390	1.90876	21
40	.45924	2.17749	.48055	2.08094	.50222	1.99116	.52427	1.90741	20
41	.45960	2.17582	.48091	2.07939	.50258	1.98972	.52464	1.90607	19
42	.45995	2.17416	.48127	2.07785	.50295	1.98828	.52501	1.90472	18
43	.46030	2.17249	.48163	2.07630	.50331	1.98684	.52538	1.90337	17
44	.46065	2.17083	.48198	2.07476	.50368	1.98540	.52575	1.90203	16
45	.46101	2.16917	.48234	2.07321	.50404	1.98396	.52613	1.90069	15
46	.46136	2.16751	.48270	2.07167	.50441	1.98253	.52650	1.89935	14
47	.46171	2.16585	.48306	2.07014	.50477	1.98110	.52687	1.89801	13
48	.46206	2.16420	.48342	2.06860	.50514	1.97966	.52724	1.89667	12
49	.46242	2.16255	.48378	2.06706	.50550	1.97823	.52761	1.89533	11
50	.46277	2.16090	.48414	2.06553	.50587	1.97681	.52798	1.89400	10
51	.46312	2.15925	.48450	2.06400	.50623	1.97538	.52836	1.89266	9
52	.46348	2.15760	.48486	2.06247	.50660	1.97395	.52873	1.89133	8
53	.46383	2.15596	.48521	2.06094	.50696	1.97253	.52910	1.89000	7
54	.46418	2.15432	.48557	2.05942	.50733	1.97111	.52947	1.88867	6
55	.46454	2.15268	.48593	2.05790	.50769	1.96969	.52985	1.88734	5
56	.46489	2.15104	.48629	2.05637	.50806	1.96827	.53022	1.88602	4
57	.46525	2.14940	.48665	2.05485	.50843	1.96685	.53059	1.88469	3
58	.46560	2.14777	.48701	2.05333	.50879	1.96544	.53096	1.88337	2
59	.46595	2.14614	.48737	2.05182	.50916	1.96402	.53134	1.88205	1
60	.46631	2.14451	.48773	2.05030	.50953	1.96261	.53171	1.88073	0
	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	
	65°		64°		63°		62°		

TABLE III.—NATURAL TANGENTS AND COTANGENTS.

	28°		29°		30°		31°		
	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	
0	.53171	1.88073	.55431	1.80405	.57735	1.73205	.60086	1.66428	60
1	.53208	1.87941	.55469	1.80281	.57774	1.73069	.60126	1.66318	59
2	.53246	1.87809	.55507	1.80158	.57813	1.72973	.60165	1.66209	58
3	.53283	1.87677	.55545	1.80034	.57851	1.72857	.60205	1.66099	57
4	.53320	1.87546	.55583	1.79911	.57890	1.72741	.60245	1.65990	56
5	.53358	1.87415	.55621	1.79788	.57929	1.72625	.60284	1.65881	55
6	.53395	1.87283	.55659	1.79665	.57968	1.72509	.60324	1.65772	54
7	.53432	1.87152	.55697	1.79542	.58007	1.72393	.60364	1.65663	53
8	.53470	1.87021	.55736	1.79419	.58046	1.72278	.60403	1.65554	52
9	.53507	1.86891	.55774	1.79296	.58085	1.72163	.60443	1.65445	51
10	.53545	1.86760	.55812	1.79174	.58124	1.72047	.60483	1.65337	50
11	.53582	1.86630	.55850	1.79051	.58163	1.71932	.60522	1.65228	49
12	.53620	1.86499	.55888	1.78929	.58201	1.71817	.60562	1.65120	48
13	.53657	1.86369	.55926	1.78807	.58240	1.71702	.60602	1.65011	47
14	.53694	1.86239	.55964	1.78685	.58279	1.71588	.60642	1.64903	46
15	.53732	1.86109	.56003	1.78563	.58318	1.71473	.60681	1.64795	45
16	.53769	1.85979	.56041	1.78441	.58357	1.71358	.60721	1.64687	44
17	.53807	1.85850	.56079	1.78319	.58396	1.71244	.60761	1.64579	43
18	.53844	1.85720	.56117	1.78198	.58435	1.71129	.60801	1.64471	42
19	.53882	1.85591	.56156	1.78077	.58474	1.71015	.60841	1.64363	41
20	.53920	1.85462	.56194	1.77955	.58513	1.70901	.60881	1.64256	40
21	.53957	1.85333	.56232	1.77834	.58552	1.70787	.60921	1.64148	39
22	.53995	1.85204	.56270	1.77713	.58591	1.70673	.60960	1.64041	38
23	.54032	1.85075	.56309	1.77592	.58631	1.70560	.61000	1.63934	37
24	.54070	1.84946	.56347	1.77471	.58670	1.70446	.61040	1.63826	36
25	.54107	1.84818	.56385	1.77351	.58709	1.70332	.61080	1.63719	35
26	.54145	1.84689	.56424	1.77230	.58748	1.70219	.61120	1.63612	34
27	.54183	1.84561	.56462	1.77110	.58787	1.70106	.61160	1.63505	33
28	.54220	1.84433	.56501	1.76990	.58826	1.69992	.61200	1.63398	32
29	.54258	1.84305	.56539	1.76869	.58865	1.69879	.61240	1.63292	31
30	.54296	1.84177	.56577	1.76749	.58905	1.69766	.61280	1.63185	30
31	.54333	1.84049	.56616	1.76629	.58944	1.69653	.61320	1.63079	29
32	.54371	1.83922	.56654	1.76510	.58983	1.69541	.61360	1.62972	28
33	.54409	1.83794	.56693	1.76390	.59022	1.69428	.61400	1.62866	27
34	.54446	1.83667	.56731	1.76271	.59061	1.69316	.61440	1.62760	26
35	.54484	1.83540	.56769	1.76151	.59101	1.69203	.61480	1.62654	25
36	.54522	1.83413	.56808	1.76032	.59140	1.69091	.61520	1.62548	24
37	.54560	1.83286	.56846	1.75913	.59179	1.68979	.61561	1.62442	23
38	.54597	1.83159	.56885	1.75794	.59218	1.68866	.61601	1.62336	22
39	.54635	1.83033	.56923	1.75675	.59258	1.68754	.61641	1.62230	21
40	.54673	1.82906	.56962	1.75556	.59297	1.68643	.61681	1.62125	20
41	.54711	1.82780	.57000	1.75437	.59336	1.68531	.61721	1.62019	19
42	.54748	1.82654	.57039	1.75319	.59376	1.68419	.61761	1.61914	18
43	.54786	1.82528	.57078	1.75200	.59415	1.68308	.61801	1.61808	17
44	.54824	1.82402	.57116	1.75082	.59454	1.68196	.61842	1.61703	16
45	.54862	1.82276	.57155	1.74964	.59494	1.68085	.61882	1.61598	15
46	.54900	1.82150	.57193	1.74846	.59533	1.67974	.61922	1.61493	14
47	.54938	1.82025	.57232	1.74728	.59573	1.67863	.61962	1.61388	13
48	.54975	1.81899	.57271	1.74610	.59612	1.67752	.62003	1.61283	12
49	.55013	1.81774	.57309	1.74492	.59651	1.67641	.62043	1.61179	11
50	.55051	1.81649	.57348	1.74375	.59691	1.67530	.62083	1.61074	10
51	.55089	1.81524	.57386	1.74257	.59730	1.67419	.62124	1.60970	9
52	.55127	1.81399	.57425	1.74140	.59770	1.67309	.62164	1.60865	8
53	.55165	1.81274	.57464	1.74022	.59809	1.67198	.62204	1.60761	7
54	.55203	1.81150	.57503	1.73905	.59849	1.67088	.62245	1.60657	6
55	.55241	1.81025	.57541	1.73788	.59888	1.66978	.62285	1.60553	5
56	.55279	1.80901	.57580	1.73671	.59928	1.66867	.62325	1.60449	4
57	.55317	1.80777	.57619	1.73555	.59967	1.66757	.62366	1.60345	3
58	.55355	1.80653	.57657	1.73438	.60007	1.66647	.62406	1.60241	2
59	.55393	1.80529	.57696	1.73321	.60046	1.66538	.62446	1.60137	1
60	.55431	1.80405	.57735	1.73205	.60086	1.66428	.62487	1.60033	0
	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	
	61°		60°		59°		58°		

TABLE III.—NATURAL TANGENTS AND COTANGENTS.

32°		33°		34°		35°					
Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang				
0	.62487	1.60083	.64941	1.53986	.67451	1.48256	.70021	1.42815	60		
1	.62527	1.59930	.64982	1.53888	.67493	1.48163	.70064	1.42726	59		
2	.62568	1.59826	.65024	1.53791	.67536	1.48070	.70107	1.42638	58		
3	.62608	1.59723	.65065	1.53693	.67578	1.47977	.70151	1.42550	57		
4	.62649	1.59620	.65106	1.53595	.67620	1.47885	.70194	1.42462	56		
5	.62689	1.59517	.65148	1.53497	.67663	1.47792	.70238	1.42374	55		
6	.62730	1.59414	.65189	1.53400	.67705	1.47699	.70281	1.42286	54		
7	.62770	1.59311	.65231	1.53302	.67748	1.47607	.70325	1.42198	53		
8	.62811	1.59208	.65272	1.53205	.67790	1.47514	.70368	1.42110	52		
9	.62852	1.59105	.65314	1.53107	.67832	1.47422	.70412	1.42022	51		
10	.62892	1.59002	.65355	1.53010	.67875	1.47330	.70455	1.41934	50		
11	.62933	1.58900	.65397	1.52913	.67917	1.47238	.70499	1.41847	49		
12	.62973	1.58797	.65438	1.52816	.67960	1.47146	.70542	1.41759	48		
13	.63014	1.58695	.65480	1.52719	.68002	1.47053	.70586	1.41672	47		
14	.63055	1.58593	.65521	1.52622	.68045	1.46962	.70629	1.41584	46		
15	.63095	1.58490	.65563	1.52525	.68088	1.46870	.70673	1.41497	45		
16	.63136	1.58388	.65604	1.52429	.68130	1.46778	.70717	1.41409	44		
17	.63177	1.58286	.65646	1.52332	.68173	1.46686	.70760	1.41322	43		
18	.63217	1.58184	.65688	1.52235	.68215	1.46595	.70804	1.41235	42		
19	.63258	1.58083	.65729	1.52139	.68258	1.46503	.70848	1.41148	41		
20	.63299	1.57981	.65771	1.52043	.68301	1.46411	.70891	1.41061	40		
21	.63340	1.57879	.65813	1.51946	.68343	1.46320	.70935	1.40974	39		
22	.63380	1.57778	.65854	1.51850	.68386	1.46229	.70979	1.40887	38		
23	.63421	1.57676	.65896	1.51754	.68429	1.46137	.71023	1.40800	37		
24	.63462	1.57575	.65938	1.51658	.68471	1.46046	.71066	1.40713	36		
25	.63503	1.57474	.65980	1.51562	.68514	1.45955	.71110	1.40627	35		
26	.63544	1.57372	.66021	1.51466	.68557	1.45864	.71154	1.40540	34		
27	.63584	1.57271	.66063	1.51370	.68600	1.45773	.71198	1.40454	33		
28	.63625	1.57170	.66105	1.51275	.68642	1.45682	.71242	1.40367	32		
29	.63666	1.57069	.66147	1.51179	.68685	1.45592	.71285	1.40281	31		
30	.63707	1.56969	.66189	1.51084	.68728	1.45501	.71329	1.40195	30		
31	.63748	1.56868	.66230	1.50988	.68771	1.45410	.71373	1.40109	29		
32	.63789	1.56767	.66272	1.50893	.68814	1.45320	.71417	1.40022	28		
33	.63830	1.56667	.66314	1.50797	.68857	1.45229	.71461	1.39936	27		
34	.63871	1.56566	.66356	1.50702	.68900	1.45139	.71505	1.39850	26		
35	.63912	1.56466	.66398	1.50607	.68942	1.45049	.71549	1.39764	25		
36	.63953	1.56366	.66440	1.50512	.68985	1.44958	.71593	1.39679	24		
37	.63994	1.56265	.66482	1.50417	.69028	1.44868	.71637	1.39593	23		
38	.64035	1.56165	.66524	1.50322	.69071	1.44778	.71681	1.39507	22		
39	.64076	1.56065	.66566	1.50228	.69114	1.44688	.71725	1.39421	21		
40	.64117	1.55966	.66608	1.50133	.69157	1.44598	.71769	1.39336	20		
41	.64158	1.55866	.66650	1.50038	.69200	1.44508	.71813	1.39250	19		
42	.64199	1.55766	.66692	1.49944	.69243	1.44418	.71857	1.39165	18		
43	.64240	1.55666	.66734	1.49849	.69286	1.44329	.71901	1.39079	17		
44	.64281	1.55567	.66776	1.49755	.69329	1.44239	.71946	1.38994	16		
45	.64322	1.55467	.66818	1.49661	.69372	1.44149	.71990	1.38909	15		
46	.64363	1.55368	.66860	1.49566	.69416	1.44060	.72034	1.38824	14		
47	.64404	1.55269	.66902	1.49472	.69459	1.43970	.72078	1.38738	13		
48	.64446	1.55170	.66944	1.49378	.69502	1.43881	.72122	1.38653	12		
49	.64487	1.55071	.66986	1.49284	.69545	1.43792	.72167	1.38568	11		
50	.64528	1.54972	.67028	1.49190	.69588	1.43703	.72211	1.38484	10		
51	.64569	1.54873	.67071	1.49097	.69631	1.43614	.72255	1.38399	9		
52	.64610	1.54774	.67113	1.49003	.69675	1.43525	.72299	1.38314	8		
53	.64652	1.54675	.67155	1.48909	.69718	1.43436	.72344	1.38229	7		
54	.64693	1.54576	.67197	1.48816	.69761	1.43347	.72388	1.38145	6		
55	.64734	1.54478	.67239	1.48722	.69804	1.43258	.72432	1.38060	5		
56	.64775	1.54379	.67282	1.48629	.69847	1.43169	.72477	1.37976	4		
57	.64817	1.54281	.67324	1.48536	.69891	1.43080	.72521	1.37891	3		
58	.64858	1.54183	.67366	1.48442	.69934	1.42992	.72565	1.37807	2		
59	.64899	1.54085	.67409	1.48349	.69977	1.42903	.72610	1.37722	1		
60	.64941	1.53986	.67451	1.48256	.70021	1.42815	.72654	1.37638	0		
Cotang		Tang		Cotang		Tang		Cotang		Tang	
57°		56°		55°		54°					

TABLE III.—NATURAL TANGENTS AND COTANGENTS.

	36°		37°		38°		39°		
	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	
0	.72654	1.37638	.75355	1.32704	.78129	1.27994	.80978	1.23490	60
1	.72699	1.37554	.75401	1.32624	.78175	1.27917	.81027	1.23416	59
2	.72743	1.37470	.75447	1.32544	.78222	1.27841	.81075	1.23343	58
3	.72788	1.37386	.75492	1.32464	.78269	1.27764	.81123	1.23270	57
4	.72832	1.37302	.75538	1.32384	.78316	1.27688	.81171	1.23196	56
5	.72877	1.37218	.75584	1.32304	.78363	1.27611	.81220	1.23123	55
6	.72921	1.37134	.75629	1.32224	.78410	1.27535	.81268	1.23050	54
7	.72966	1.37050	.75675	1.32144	.78457	1.27458	.81316	1.22977	53
8	.73010	1.36967	.75721	1.32064	.78504	1.27382	.81364	1.22904	52
9	.73055	1.36883	.75767	1.31984	.78551	1.27306	.81413	1.22831	51
10	.73100	1.36800	.75812	1.31904	.78598	1.27230	.81461	1.22758	50
11	.73144	1.36716	.75858	1.31825	.78645	1.27153	.81510	1.22685	49
12	.73189	1.36633	.75904	1.31745	.78692	1.27077	.81558	1.22612	48
13	.73234	1.36549	.75950	1.31666	.78739	1.27001	.81606	1.22539	47
14	.73278	1.36466	.75996	1.31586	.78786	1.26925	.81655	1.22467	46
15	.73323	1.36383	.76042	1.31507	.78834	1.26849	.81703	1.22394	45
16	.73368	1.36300	.76088	1.31427	.78881	1.26774	.81752	1.22321	44
17	.73413	1.36217	.76134	1.31348	.78928	1.26698	.81800	1.22249	43
18	.73457	1.36134	.76180	1.31269	.78975	1.26622	.81849	1.22176	42
19	.73502	1.36051	.76226	1.31190	.79022	1.26546	.81898	1.22104	41
20	.73547	1.35968	.76272	1.31110	.79070	1.26471	.81946	1.22031	40
21	.73592	1.35885	.76318	1.31031	.79117	1.26395	.81995	1.21959	39
22	.73637	1.35802	.76364	1.30952	.79164	1.26319	.82044	1.21886	38
23	.73681	1.35719	.76410	1.30873	.79212	1.26244	.82092	1.21814	37
24	.73726	1.35637	.76456	1.30795	.79259	1.26169	.82141	1.21742	36
25	.73771	1.35554	.76502	1.30716	.79306	1.26093	.82190	1.21670	35
26	.73816	1.35472	.76548	1.30637	.79354	1.26018	.82238	1.21598	34
27	.73861	1.35389	.76594	1.30558	.79401	1.25943	.82287	1.21526	33
28	.73906	1.35307	.76640	1.30480	.79449	1.25867	.82336	1.21454	32
29	.73951	1.35224	.76686	1.30401	.79496	1.25792	.82385	1.21382	31
30	.73996	1.35142	.76733	1.30323	.79544	1.25717	.82434	1.21310	30
31	.74041	1.35060	.76779	1.30244	.79591	1.25642	.82483	1.21238	29
32	.74086	1.34978	.76825	1.30166	.79639	1.25567	.82531	1.21166	28
33	.74131	1.34896	.76871	1.30087	.79686	1.25492	.82580	1.21094	27
34	.74176	1.34814	.76918	1.30009	.79734	1.25417	.82629	1.21022	26
35	.74221	1.34732	.76964	1.29931	.79781	1.25343	.82678	1.20951	25
36	.74267	1.34650	.77010	1.29853	.79829	1.25268	.82727	1.20879	24
37	.74312	1.34568	.77057	1.29775	.79877	1.25193	.82776	1.20808	23
38	.74357	1.34487	.77103	1.29696	.79924	1.25118	.82825	1.20736	22
39	.74402	1.34405	.77149	1.29618	.79972	1.25044	.82874	1.20665	21
40	.74447	1.34323	.77196	1.29541	.80020	1.24969	.82923	1.20593	20
41	.74492	1.34242	.77242	1.29463	.80067	1.24895	.82972	1.20522	19
42	.74538	1.34160	.77289	1.29385	.80115	1.24820	.83021	1.20451	18
43	.74583	1.34079	.77335	1.29307	.80163	1.24746	.83071	1.20379	17
44	.74628	1.33998	.77382	1.29229	.80211	1.24672	.83120	1.20308	16
45	.74674	1.33916	.77428	1.29152	.80258	1.24597	.83169	1.20237	15
46	.74719	1.33835	.77475	1.29074	.80306	1.24523	.83218	1.20166	14
47	.74764	1.33754	.77521	1.28997	.80354	1.24449	.83268	1.20095	13
48	.74810	1.33673	.77568	1.28919	.80402	1.24375	.83317	1.20024	12
49	.74855	1.33592	.77615	1.28842	.80450	1.24301	.83366	1.19953	11
50	.74900	1.33511	.77661	1.28764	.80498	1.24227	.83415	1.19882	10
51	.74946	1.33430	.77708	1.28687	.80546	1.24153	.83465	1.19811	9
52	.74991	1.33349	.77754	1.28610	.80594	1.24079	.83514	1.19740	8
53	.75037	1.33268	.77801	1.28533	.80642	1.24005	.83564	1.19669	7
54	.75082	1.33187	.77848	1.28456	.80690	1.23931	.83613	1.19598	6
55	.75128	1.33107	.77895	1.28379	.80738	1.23858	.83663	1.19528	5
56	.75173	1.33026	.77941	1.28302	.80786	1.23784	.83712	1.19457	4
57	.75219	1.32946	.77988	1.28225	.80834	1.23710	.83761	1.19387	3
58	.75264	1.32865	.78035	1.28148	.80882	1.23637	.83811	1.19316	2
59	.75310	1.32785	.78082	1.28071	.80930	1.23563	.83860	1.19246	1
60	.75355	1.32704	.78129	1.27994	.80978	1.23490	.83910	1.19175	0
	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	
	53°		52°		51°		50°		

TABLE III.—NATURAL TANGENTS AND COTANGENTS.

40°		41°		42°		43°					
Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang				
0	.83910	1.19175	.86929	1.15087	.90040	1.11061	.93252	1.07287	60		
1	.83960	1.19105	.86980	1.14969	.90093	1.10996	.93306	1.07174	59		
2	.84009	1.19035	.87031	1.14902	.90146	1.10931	.93360	1.07112	58		
3	.84059	1.18964	.87082	1.14834	.90199	1.10867	.93415	1.07049	57		
4	.84108	1.18894	.87133	1.14767	.90251	1.10802	.93469	1.06987	56		
5	.84158	1.18824	.87184	1.14699	.90304	1.10737	.93524	1.06925	55		
6	.84208	1.18754	.87236	1.14632	.90357	1.10672	.93578	1.06862	54		
7	.84258	1.18684	.87287	1.14565	.90410	1.10607	.93633	1.06800	53		
8	.84307	1.18614	.87338	1.14498	.90463	1.10543	.93688	1.06738	52		
9	.84357	1.18544	.87389	1.14430	.90516	1.10478	.93742	1.06676	51		
10	.84407	1.18474	.87441	1.14363	.90569	1.10414	.93797	1.06613	50		
11	.84457	1.18404	.87492	1.14296	.90621	1.10349	.93852	1.06551	49		
12	.84507	1.18334	.87543	1.14229	.90674	1.10285	.93906	1.06489	48		
13	.84556	1.18264	.87595	1.14162	.90727	1.10220	.93961	1.06427	47		
14	.84606	1.18194	.87646	1.14095	.90781	1.10156	.94016	1.06365	46		
15	.84656	1.18125	.87698	1.14028	.90834	1.10091	.94071	1.06303	45		
16	.84706	1.18055	.87749	1.13961	.90887	1.10027	.94125	1.06241	44		
17	.84756	1.17986	.87801	1.13894	.90940	1.09963	.94180	1.06179	43		
18	.84806	1.17916	.87852	1.13828	.90993	1.09899	.94235	1.06117	42		
19	.84856	1.17846	.87904	1.13761	.91046	1.09834	.94290	1.06056	41		
20	.84906	1.17777	.87955	1.13694	.91099	1.09770	.94345	1.05994	40		
21	.84956	1.17708	.88007	1.13627	.91153	1.09706	.94400	1.05932	39		
22	.85006	1.17638	.88059	1.13561	.91206	1.09642	.94455	1.05870	38		
23	.85057	1.17569	.88110	1.13494	.91259	1.09578	.94510	1.05809	37		
24	.85107	1.17500	.88162	1.13428	.91313	1.09514	.94565	1.05747	36		
25	.85157	1.17430	.88214	1.13361	.91366	1.09450	.94620	1.05685	35		
26	.85207	1.17361	.88265	1.13295	.91419	1.09386	.94676	1.05624	34		
27	.85257	1.17292	.88317	1.13228	.91473	1.09322	.94731	1.05562	33		
28	.85308	1.17223	.88369	1.13162	.91526	1.09258	.94786	1.05501	32		
29	.85358	1.17154	.88421	1.13096	.91580	1.09195	.94841	1.05439	31		
30	.85408	1.17085	.88473	1.13029	.91633	1.09131	.94896	1.05378	30		
31	.85458	1.17016	.88524	1.12963	.91687	1.09067	.94952	1.05317	29		
32	.85509	1.16947	.88576	1.12897	.91740	1.09003	.95007	1.05255	28		
33	.85559	1.16878	.88628	1.12831	.91794	1.08940	.95062	1.05194	27		
34	.85609	1.16809	.88680	1.12765	.91847	1.08876	.95118	1.05133	26		
35	.85660	1.16741	.88732	1.12699	.91901	1.08813	.95173	1.05072	25		
36	.85710	1.16672	.88784	1.12633	.91955	1.08749	.95229	1.05010	24		
37	.85761	1.16603	.88836	1.12567	.92008	1.08686	.95284	1.04949	23		
38	.85811	1.16535	.88888	1.12501	.92062	1.08622	.95340	1.04888	22		
39	.85862	1.16466	.88940	1.12435	.92116	1.08559	.95395	1.04827	21		
40	.85912	1.16398	.88992	1.12369	.92170	1.08496	.95451	1.04766	20		
41	.85963	1.16329	.89045	1.12303	.92224	1.08432	.95506	1.04705	19		
42	.86014	1.16261	.89097	1.12238	.92277	1.08369	.95562	1.04644	18		
43	.86064	1.16192	.89149	1.12172	.92331	1.08306	.95618	1.04583	17		
44	.86115	1.16124	.89201	1.12106	.92385	1.08243	.95673	1.04522	16		
45	.86166	1.16056	.89253	1.12041	.92439	1.08179	.95729	1.04461	15		
46	.86216	1.15987	.89306	1.11975	.92493	1.08116	.95785	1.04401	14		
47	.86267	1.15919	.89358	1.11909	.92547	1.08053	.95841	1.04340	13		
48	.86318	1.15851	.89410	1.11844	.92601	1.07990	.95897	1.04279	12		
49	.86368	1.15783	.89463	1.11778	.92655	1.07927	.95952	1.04218	11		
50	.86419	1.15715	.89515	1.11713	.92709	1.07864	.96008	1.04158	10		
51	.86470	1.15647	.89567	1.11648	.92763	1.07801	.96064	1.04097	9		
52	.86521	1.15579	.89620	1.11582	.92817	1.07738	.96120	1.04036	8		
53	.86572	1.15511	.89672	1.11517	.92872	1.07676	.96176	1.03976	7		
54	.86623	1.15443	.89725	1.11452	.92926	1.07613	.96232	1.03915	6		
55	.86674	1.15375	.89777	1.11387	.92980	1.07550	.96288	1.03855	5		
56	.86725	1.15308	.89830	1.11321	.93034	1.07487	.96344	1.03794	4		
57	.86776	1.15240	.89883	1.11256	.93088	1.07425	.96400	1.03734	3		
58	.86827	1.15172	.89935	1.11191	.93143	1.07362	.96457	1.03674	2		
59	.86878	1.15104	.89988	1.11126	.93197	1.07299	.96513	1.03613	1		
60	.86929	1.15037	.90040	1.11061	.93252	1.07237	.96569	1.03553	0		
Cotang		Tang		Cotang		Tang		Cotang		Tang	
49°		48°		47°		46°					

TABLE III.—NATURAL TANGENTS AND COTANGENTS.

	44°				44°				44°			
	Tang	Cotang			Tang	Cotang			Tang	Cotang		
0	.96569	1.03553	60	20	.97700	1.02355	40	40	.98843	1.01170	20	
1	.96625	1.03498	59	21	.97756	1.02295	39	41	.98901	1.01112	19	
2	.96681	1.03433	58	22	.97813	1.02236	38	42	.98958	1.01053	18	
3	.96738	1.03373	57	23	.97870	1.02176	37	43	.99016	1.00994	17	
4	.96794	1.03312	56	24	.97927	1.02117	36	44	.99073	1.00935	16	
5	.96850	1.03252	55	25	.97984	1.02057	35	45	.99131	1.00876	15	
6	.96907	1.03192	54	26	.98041	1.01998	34	46	.99189	1.00818	14	
7	.96963	1.03132	53	27	.98098	1.01939	33	47	.99247	1.00759	13	
8	.97020	1.03072	52	28	.98155	1.01879	32	48	.99304	1.00701	12	
9	.97076	1.03012	51	29	.98213	1.01820	31	49	.99362	1.00642	11	
10	.97133	1.02952	50	30	.98270	1.01761	30	50	.99420	1.00583	10	
11	.97189	1.02892	49	31	.98327	1.01702	29	51	.99478	1.00525	9	
12	.97246	1.02832	48	32	.98384	1.01642	28	52	.99536	1.00467	8	
13	.97302	1.02772	47	33	.98441	1.01583	27	53	.99594	1.00408	7	
14	.97359	1.02713	46	34	.98499	1.01524	26	54	.99652	1.00350	6	
15	.97416	1.02653	45	35	.98556	1.01465	25	55	.99710	1.00291	5	
16	.97472	1.02593	44	36	.98613	1.01406	24	56	.99768	1.00233	4	
17	.97529	1.02533	43	37	.98671	1.01347	23	57	.99826	1.00175	3	
18	.97586	1.02474	42	38	.98728	1.01288	22	58	.99884	1.00116	2	
19	.97643	1.02414	41	39	.98786	1.01229	21	59	.99942	1.00058	1	
20	.97700	1.02355	40	40	.98843	1.01170	20	60	1.00000	1.00000	0	
	Cotang	Tang			Cotang	Tang			Cotang	Tang		
	45°				45°				45°			

TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SECANTS

	0°		1°		2°		3°		
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	
0	.00000	.00000	.00015	.00015	.00061	.00061	.00137	.00137	0
1	.00000	.00000	.00016	.00016	.00062	.00062	.00139	.00139	1
2	.00000	.00000	.00016	.00016	.00063	.00063	.00140	.00140	2
3	.00000	.00000	.00017	.00017	.00064	.00064	.00142	.00142	3
4	.00000	.00000	.00017	.00017	.00065	.00065	.00143	.00143	4
5	.00000	.00000	.00018	.00018	.00066	.00066	.00145	.00145	5
6	.00000	.00000	.00018	.00018	.00067	.00067	.00146	.00146	6
7	.00000	.00000	.00019	.00019	.00068	.00068	.00148	.00148	7
8	.00000	.00000	.00020	.00020	.00069	.00069	.00150	.00150	8
9	.00000	.00000	.00020	.00020	.00070	.00070	.00151	.00151	9
10	.00000	.00000	.00021	.00021	.00071	.00072	.00153	.00153	10
11	.00001	.00001	.00021	.00021	.00073	.00073	.00154	.00155	11
12	.00001	.00001	.00022	.00022	.00074	.00074	.00156	.00156	12
13	.00001	.00001	.00023	.00023	.00075	.00075	.00158	.00158	13
14	.00001	.00001	.00023	.00023	.00076	.00076	.00159	.00159	14
15	.00001	.00001	.00024	.00024	.00077	.00077	.00161	.00161	15
16	.00001	.00001	.00024	.00024	.00078	.00078	.00162	.00163	16
17	.00001	.00001	.00025	.00025	.00079	.00079	.00164	.00164	17
18	.00001	.00001	.00026	.00026	.00081	.00081	.00166	.00166	18
19	.00003	.00002	.00026	.00026	.00082	.00082	.00168	.00168	19
20	.00002	.00002	.00027	.00027	.00083	.00083	.00169	.00169	20
21	.00002	.00002	.00028	.00028	.00084	.00084	.00171	.00171	21
22	.00002	.00002	.00028	.00028	.00085	.00085	.00173	.00173	22
23	.00002	.00002	.00029	.00029	.00087	.00087	.00174	.00175	23
24	.00002	.00002	.00030	.00030	.00088	.00088	.00176	.00176	24
25	.00003	.00003	.00031	.00031	.00089	.00089	.00178	.00178	25
26	.00003	.00003	.00031	.00031	.00090	.00090	.00179	.00180	26
27	.00003	.00003	.00032	.00032	.00091	.00091	.00181	.00182	27
28	.00003	.00003	.00033	.00033	.00093	.00093	.00183	.00183	28
29	.00004	.00004	.00034	.00034	.00094	.00094	.00185	.00185	29
30	.00004	.00004	.00034	.00034	.00095	.00095	.00187	.00187	30
31	.00004	.00004	.00035	.00035	.00096	.00097	.00188	.00189	31
32	.00004	.00004	.00036	.00036	.00098	.00098	.00190	.00190	32
33	.00005	.00005	.00037	.00037	.00099	.00099	.00192	.00192	33
34	.00005	.00005	.00037	.00037	.00100	.00100	.00194	.00194	34
35	.00005	.00005	.00038	.00038	.00102	.00102	.00196	.00196	35
36	.00005	.00005	.00039	.00039	.00103	.00103	.00197	.00198	36
37	.00006	.00006	.00040	.00040	.00104	.00104	.00199	.00200	37
38	.00006	.00006	.00041	.00041	.00106	.00106	.00201	.00201	38
39	.00006	.00006	.00041	.00041	.00107	.00107	.00203	.00203	39
40	.00007	.00007	.00042	.00042	.00108	.00108	.00205	.00205	40
41	.00007	.00007	.00043	.00043	.00110	.00110	.00207	.00207	41
42	.00007	.00007	.00044	.00044	.00111	.00111	.00208	.00209	42
43	.00008	.00008	.00045	.00045	.00112	.00113	.00210	.00211	43
44	.00008	.00008	.00046	.00046	.00114	.00114	.00212	.00213	44
45	.00009	.00009	.00047	.00047	.00115	.00115	.00214	.00215	45
46	.00009	.00009	.00048	.00048	.00117	.00117	.00216	.00216	46
47	.00009	.00009	.00048	.00048	.00118	.00118	.00218	.00218	47
48	.00010	.00010	.00049	.00049	.00119	.00120	.00220	.00220	48
49	.00010	.00010	.00050	.00050	.00121	.00121	.00222	.00222	49
50	.00011	.00011	.00051	.00051	.00122	.00122	.00224	.00224	50
51	.00011	.00011	.00052	.00052	.00124	.00124	.00226	.00226	51
52	.00011	.00011	.00053	.00053	.00125	.00125	.00228	.00228	52
53	.00012	.00012	.00054	.00054	.00127	.00127	.00230	.00230	53
54	.00012	.00012	.00055	.00055	.00128	.00128	.00232	.00232	54
55	.00013	.00013	.00056	.00056	.00130	.00130	.00234	.00234	55
56	.00013	.00013	.00057	.00057	.00131	.00131	.00236	.00236	56
57	.00014	.00014	.00058	.00058	.00133	.00133	.00238	.00238	57
58	.00014	.00014	.00059	.00059	.00134	.00134	.00240	.00240	58
59	.00015	.00015	.00060	.00060	.00136	.00136	.00242	.00242	59
60	.00015	.00015	.00061	.00061	.00137	.00137	.00244	.00244	60

TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SECANTS.

	4°		5°		6°		7°		
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	
0	.00244	.00244	.00881	.00882	.00548	.00551	.00745	.00751	0
1	.00246	.00246	.00883	.00885	.00551	.00554	.00749	.00755	1
2	.00248	.00248	.00886	.00887	.00554	.00557	.00752	.00758	2
3	.00250	.00250	.00888	.00890	.00557	.00560	.00756	.00762	3
4	.00252	.00252	.00391	.00392	.00560	.00563	.00760	.00765	4
5	.00254	.00254	.00393	.00395	.00563	.00566	.00763	.00769	5
6	.00256	.00257	.00396	.00397	.00566	.00569	.00767	.00773	6
7	.00258	.00259	.00398	.00400	.00569	.00573	.00770	.00776	7
8	.00260	.00261	.00401	.00403	.00572	.00576	.00774	.00780	8
9	.00262	.00263	.00404	.00405	.00576	.00579	.00778	.00784	9
10	.00264	.00265	.00406	.00408	.00579	.00582	.00781	.00787	10
11	.00266	.00267	.00409	.00411	.00582	.00585	.00785	.00791	11
12	.00269	.00269	.00412	.00413	.00585	.00588	.00789	.00795	12
13	.00271	.00271	.00414	.00416	.00588	.00592	.00792	.00799	13
14	.00273	.00274	.00417	.00419	.00591	.00595	.00796	.00802	14
15	.00275	.00276	.00420	.00421	.00594	.00598	.00800	.00806	15
16	.00277	.00278	.00422	.00424	.00598	.00601	.00803	.00810	16
17	.00279	.00280	.00425	.00427	.00601	.00604	.00807	.00813	17
18	.00281	.00282	.00428	.00429	.00604	.00608	.00811	.00817	18
19	.00284	.00284	.00430	.00432	.00607	.00611	.00814	.00821	19
20	.00286	.00287	.00433	.00435	.00610	.00614	.00818	.00825	20
21	.00288	.00289	.00436	.00438	.00614	.00617	.00822	.00828	21
22	.00290	.00291	.00438	.00440	.00617	.00621	.00825	.00832	22
23	.00293	.00293	.00441	.00443	.00620	.00624	.00829	.00836	23
24	.00295	.00296	.00444	.00446	.00623	.00627	.00833	.00840	24
25	.00297	.00298	.00447	.00449	.00626	.00630	.00837	.00844	25
26	.00299	.00300	.00449	.00451	.00630	.00634	.00840	.00848	26
27	.00301	.00302	.00452	.00454	.00633	.00637	.00844	.00851	27
28	.00304	.00305	.00455	.00457	.00636	.00640	.00848	.00855	28
29	.00306	.00307	.00458	.00460	.00640	.00644	.00852	.00859	29
30	.00308	.00309	.00460	.00463	.00643	.00647	.00856	.00863	30
31	.00311	.00312	.00463	.00465	.00646	.00650	.00859	.00867	31
32	.00313	.00314	.00466	.00468	.00649	.00654	.00863	.00871	32
33	.00315	.00316	.00469	.00471	.00653	.00657	.00867	.00875	33
34	.00317	.00318	.00472	.00474	.00656	.00660	.00871	.00878	34
35	.00320	.00321	.00474	.00477	.00659	.00664	.00875	.00882	35
36	.00322	.00323	.00477	.00480	.00663	.00667	.00878	.00886	36
37	.00324	.00326	.00480	.00482	.00666	.00671	.00882	.00890	37
38	.00327	.00328	.00483	.00485	.00669	.00674	.00886	.00894	38
39	.00329	.00330	.00486	.00488	.00673	.00677	.00890	.00898	39
40	.00332	.00333	.00489	.00491	.00676	.00681	.00894	.00902	40
41	.00334	.00335	.00492	.00494	.00680	.00684	.00898	.00906	41
42	.00336	.00337	.00494	.00497	.00683	.00688	.00902	.00910	42
43	.00339	.00340	.00497	.00500	.00686	.00691	.00906	.00914	43
44	.00341	.00342	.00500	.00503	.00690	.00695	.00909	.00918	44
45	.00343	.00345	.00503	.00506	.00693	.00698	.00913	.00922	45
46	.00346	.00347	.00506	.00509	.00697	.00701	.00917	.00926	46
47	.00348	.00350	.00509	.00512	.00700	.00705	.00921	.00930	47
48	.00351	.00352	.00512	.00515	.00703	.00708	.00925	.00934	48
49	.00353	.00354	.00515	.00518	.00707	.00712	.00929	.00938	49
50	.00356	.00357	.00518	.00521	.00710	.00715	.00933	.00942	50
51	.00358	.00359	.00521	.00524	.00714	.00719	.00937	.00946	51
52	.00361	.00362	.00524	.00527	.00717	.00722	.00941	.00950	52
53	.00363	.00364	.00527	.00530	.00721	.00726	.00945	.00954	53
54	.00365	.00367	.00530	.00533	.00724	.00730	.00949	.00958	54
55	.00368	.00369	.00533	.00536	.00728	.00733	.00953	.00962	55
56	.00370	.00372	.00536	.00539	.00731	.00737	.00957	.00966	56
57	.00373	.00374	.00539	.00542	.00735	.00740	.00961	.00970	57
58	.00375	.00377	.00542	.00545	.00738	.00744	.00965	.00975	58
59	.00378	.00379	.00545	.00548	.00742	.00747	.00969	.00979	59
60	.00381	.00382	.00548	.00551	.00745	.00751	.00973	.00983	60



TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SECANTS

	8°		9°		10°		11°		
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	
0	.00973	.00968	.01231	.01247	.01519	.01543	.01837	.01873	0
1	.00977	.00987	.01236	.01251	.01524	.01548	.01843	.01877	1
2	.00981	.00991	.01240	.01256	.01529	.01553	.01848	.01883	2
3	.00985	.00995	.01245	.01261	.01534	.01558	.01854	.01889	3
4	.00989	.00999	.01249	.01265	.01540	.01564	.01860	.01895	4
5	.00994	.01004	.01254	.01270	.01545	.01569	.01865	.01901	5
6	.00998	.01008	.01259	.01275	.01550	.01574	.01871	.01906	6
7	.01002	.01012	.01263	.01279	.01555	.01579	.01876	.01912	7
8	.01006	.01016	.01268	.01284	.01560	.01585	.01882	.01918	8
9	.01010	.01020	.01273	.01289	.01565	.01590	.01888	.01924	9
10	.01014	.01024	.01277	.01294	.01570	.01595	.01893	.01930	10
11	.01018	.01029	.01283	.01298	.01575	.01601	.01899	.01936	11
12	.01023	.01033	.01288	.01303	.01580	.01606	.01904	.01941	12
13	.01027	.01037	.01291	.01308	.01586	.01611	.01910	.01947	13
14	.01031	.01041	.01296	.01313	.01591	.01616	.01916	.01953	14
15	.01035	.01046	.01300	.01318	.01596	.01622	.01921	.01959	15
16	.01039	.01050	.01305	.01323	.01601	.01627	.01927	.01965	16
17	.01043	.01054	.01310	.01327	.01606	.01633	.01933	.01971	17
18	.01047	.01059	.01314	.01332	.01612	.01638	.01939	.01977	18
19	.01052	.01063	.01319	.01337	.01617	.01643	.01944	.01983	19
20	.01056	.01067	.01324	.01343	.01623	.01649	.01950	.01989	20
21	.01060	.01071	.01329	.01346	.01627	.01654	.01956	.01995	21
22	.01064	.01076	.01333	.01351	.01632	.01659	.01961	.02001	22
23	.01069	.01080	.01338	.01356	.01638	.01665	.01967	.02007	23
24	.01073	.01084	.01343	.01361	.01643	.01670	.01973	.02013	24
25	.01077	.01089	.01348	.01366	.01648	.01676	.01979	.02019	25
26	.01081	.01093	.01352	.01371	.01653	.01681	.01984	.02025	26
27	.01086	.01097	.01357	.01376	.01659	.01687	.01990	.02031	27
28	.01090	.01102	.01362	.01381	.01664	.01692	.01996	.02037	28
29	.01094	.01106	.01367	.01386	.01669	.01698	.02002	.02043	29
30	.01098	.01111	.01371	.01391	.01675	.01703	.02008	.02049	30
31	.01103	.01115	.01376	.01395	.01680	.01709	.02013	.02055	31
32	.01107	.01119	.01381	.01400	.01685	.01714	.02019	.02061	32
33	.01111	.01124	.01386	.01405	.01690	.01720	.02025	.02067	33
34	.01116	.01128	.01391	.01410	.01696	.01725	.02031	.02073	34
35	.01120	.01133	.01396	.01415	.01701	.01731	.02037	.02079	35
36	.01124	.01137	.01400	.01420	.01706	.01736	.02042	.02085	36
37	.01129	.01142	.01405	.01425	.01712	.01742	.02048	.02091	37
38	.01133	.01146	.01410	.01430	.01717	.01747	.02054	.02097	38
39	.01137	.01151	.01415	.01435	.01723	.01753	.02059	.02103	39
40	.01142	.01155	.01420	.01440	.01728	.01758	.02066	.02110	40
41	.01146	.01160	.01425	.01445	.01733	.01764	.02072	.02116	41
42	.01151	.01164	.01430	.01450	.01739	.01769	.02078	.02122	42
43	.01155	.01169	.01435	.01455	.01744	.01775	.02084	.02128	43
44	.01159	.01173	.01439	.01461	.01750	.01781	.02090	.02134	44
45	.01164	.01178	.01444	.01466	.01755	.01786	.02095	.02140	45
46	.01168	.01182	.01449	.01471	.01760	.01792	.02101	.02146	46
47	.01173	.01187	.01454	.01476	.01766	.01798	.02107	.02153	47
48	.01177	.01191	.01459	.01481	.01771	.01803	.02113	.02159	48
49	.01182	.01196	.01464	.01486	.01777	.01809	.02119	.02165	49
50	.01186	.01200	.01469	.01491	.01782	.01815	.02125	.02171	50
51	.01191	.01205	.01474	.01496	.01788	.01820	.02131	.02177	51
52	.01195	.01209	.01479	.01501	.01793	.01826	.02137	.02184	52
53	.01200	.01214	.01484	.01506	.01799	.01832	.02143	.02190	53
54	.01204	.01219	.01489	.01512	.01804	.01837	.02149	.02196	54
55	.01209	.01223	.01494	.01517	.01810	.01843	.02155	.02203	55
56	.01213	.01228	.01499	.01522	.01815	.01849	.02161	.02209	56
57	.01218	.01233	.01504	.01527	.01821	.01854	.02167	.02215	57
58	.01223	.01237	.01509	.01532	.01826	.01860	.02173	.02221	58
59	.01227	.01242	.01514	.01537	.01832	.01866	.02179	.02228	59
60	.01231	.01247	.01519	.01543	.01837	.01873	.02185	.02234	60

TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SECANTS.

	12°		13°		14°		15°		
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	
0	.02185	.02234	.02563	.02630	.02970	.03061	.03407	.03528	0
1	.02191	.02240	.02570	.02637	.02977	.03069	.03415	.03536	1
2	.02197	.02247	.02576	.02644	.02985	.03076	.03422	.03544	2
3	.02203	.02253	.02583	.02651	.02992	.03084	.03430	.03552	3
4	.02210	.02259	.02589	.02658	.02999	.03091	.03438	.03560	4
5	.02216	.02266	.02596	.02665	.03006	.03099	.03445	.03568	5
6	.02222	.02272	.02602	.02672	.03013	.03106	.03453	.03576	6
7	.02228	.02279	.02609	.02679	.03020	.03114	.03460	.03584	7
8	.02234	.02285	.02616	.02686	.03027	.03121	.03468	.03592	8
9	.02240	.02291	.02622	.02693	.03034	.03129	.03476	.03601	9
10	.02246	.02298	.02629	.02700	.03041	.03137	.03483	.03609	10
11	.02252	.02304	.02635	.02707	.03048	.03144	.03491	.03617	11
12	.02258	.02311	.02642	.02714	.03055	.03152	.03498	.03625	12
13	.02265	.02317	.02649	.02721	.03063	.03159	.03506	.03633	13
14	.02271	.02323	.02655	.02728	.03070	.03167	.03514	.03642	14
15	.02277	.02330	.02662	.02735	.03077	.03175	.03521	.03650	15
16	.02283	.02336	.02669	.02742	.03084	.03183	.03529	.03658	16
17	.02289	.02343	.02675	.02749	.03091	.03190	.03537	.03666	17
18	.02295	.02349	.02682	.02756	.03098	.03198	.03544	.03674	18
19	.02302	.02356	.02689	.02763	.03106	.03205	.03552	.03683	19
20	.02308	.02362	.02696	.02770	.03113	.03213	.03560	.03691	20
21	.02314	.02369	.02703	.02777	.03120	.03221	.03567	.03699	21
22	.02320	.02375	.02709	.02784	.03127	.03228	.03575	.03708	22
23	.02327	.02382	.02716	.02791	.03134	.03236	.03583	.03716	23
24	.02333	.02388	.02722	.02799	.03142	.03244	.03590	.03724	24
25	.02339	.02395	.02729	.02806	.03149	.03251	.03598	.03732	25
26	.02345	.02402	.02736	.02813	.03156	.03259	.03606	.03741	26
27	.02352	.02408	.02743	.02820	.03163	.03267	.03614	.03749	27
28	.02358	.02415	.02749	.02827	.03171	.03275	.03621	.03758	28
29	.02364	.02421	.02756	.02834	.03178	.03282	.03629	.03766	29
30	.02370	.02428	.02763	.02842	.03185	.03290	.03637	.03774	30
31	.02377	.02435	.02770	.02849	.03193	.03298	.03645	.03783	31
32	.02383	.02441	.02777	.02856	.03200	.03306	.03653	.03791	32
33	.02389	.02448	.02783	.02863	.03207	.03313	.03660	.03799	33
34	.02396	.02454	.02790	.02870	.03214	.03321	.03668	.03806	34
35	.02402	.02461	.02797	.02878	.03222	.03329	.03676	.03816	35
36	.02408	.02468	.02804	.02885	.03229	.03337	.03684	.03825	36
37	.02415	.02474	.02811	.02892	.03236	.03345	.03692	.03833	37
38	.02421	.02481	.02818	.02899	.03244	.03353	.03699	.03842	38
39	.02427	.02488	.02824	.02907	.03251	.03360	.03707	.03850	39
40	.02434	.02494	.02831	.02914	.03258	.03368	.03715	.03858	40
41	.02440	.02501	.02838	.02921	.03266	.03376	.03723	.03867	41
42	.02447	.02508	.02845	.02928	.03273	.03384	.03731	.03875	42
43	.02453	.02515	.02852	.02936	.03281	.03392	.03739	.03884	43
44	.02459	.02521	.02859	.02943	.03288	.03400	.03747	.03892	44
45	.02466	.02528	.02866	.02950	.03295	.03408	.03754	.03901	45
46	.02472	.02535	.02873	.02958	.03303	.03416	.03762	.03909	46
47	.02479	.02542	.02880	.02965	.03310	.03424	.03770	.03918	47
48	.02485	.02548	.02887	.02972	.03318	.03432	.03778	.03927	48
49	.02492	.02555	.02894	.02980	.03325	.03439	.03786	.03935	49
50	.02498	.02562	.02900	.02987	.03333	.03447	.03794	.03944	50
51	.02504	.02569	.02907	.02994	.03340	.03455	.03802	.03952	51
52	.02511	.02576	.02914	.03002	.03347	.03463	.03810	.03961	52
53	.02517	.02582	.02921	.03009	.03355	.03471	.03818	.03969	53
54	.02524	.02589	.02928	.03017	.03362	.03479	.03826	.03978	54
55	.02530	.02596	.02935	.03024	.03370	.03487	.03834	.03987	55
56	.02537	.02603	.02942	.03032	.03377	.03495	.03842	.03995	56
57	.02543	.02610	.02949	.03039	.03385	.03503	.03850	.04004	57
58	.02550	.02617	.02956	.03046	.03392	.03512	.03858	.04013	58
59	.02556	.02624	.02963	.03054	.03400	.03520	.03866	.04021	59
	.02563	.02630	.02970	.03061	.03407	.03528	.03874	.04030	60

TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SECANTS.

	16°		17°		18°		19°		
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	
0	.08874	.04080	.04870	.04569	.04894	.05146	.05448	.05762	0
1	.08882	.04039	.04878	.04578	.04908	.05156	.05458	.05773	1
2	.08890	.04047	.04887	.04588	.04912	.05166	.05467	.05783	2
3	.08898	.04056	.04895	.04597	.04921	.05176	.05477	.05794	3
4	.08906	.04065	.04904	.04606	.04930	.05186	.05486	.05805	4
5	.08914	.04073	.04412	.04616	.04939	.05196	.05496	.05815	5
6	.08922	.04082	.04421	.04625	.04948	.05206	.05505	.05826	6
7	.08930	.04091	.04429	.04635	.04957	.05216	.05515	.05836	7
8	.08938	.04100	.04438	.04644	.04967	.05226	.05524	.05847	8
9	.08946	.04108	.04446	.04653	.04976	.05236	.05534	.05858	9
10	.08954	.04117	.04455	.04663	.04985	.05246	.05543	.05869	10
11	.08963	.04126	.04464	.04672	.04994	.05256	.05553	.05879	11
12	.08971	.04135	.04472	.04682	.05008	.05266	.05562	.05890	12
13	.08979	.04144	.04481	.04691	.05012	.05276	.05572	.05901	13
14	.08987	.04152	.04489	.04700	.05021	.05286	.05582	.05911	14
15	.08995	.04161	.04498	.04710	.05030	.05297	.05591	.05922	15
16	.09003	.04170	.04507	.04719	.05039	.05307	.05601	.05933	16
17	.09011	.04179	.04515	.04729	.05048	.05317	.05610	.05944	17
18	.09019	.04188	.04524	.04738	.05057	.05327	.05620	.05955	18
19	.09028	.04197	.04533	.04748	.05067	.05337	.05630	.05965	19
20	.09036	.04206	.04541	.04757	.05076	.05347	.05639	.05976	20
21	.09044	.04214	.04550	.04767	.05085	.05357	.05649	.05987	21
22	.09052	.04223	.04559	.04776	.05094	.05367	.05658	.05998	22
23	.09060	.04232	.04567	.04786	.05103	.05378	.05668	.06009	23
24	.09069	.04241	.04576	.04795	.05112	.05388	.05678	.06020	24
25	.09077	.04250	.04585	.04805	.05122	.05398	.05687	.06030	25
26	.09085	.04259	.04593	.04815	.05131	.05408	.05697	.06041	26
27	.09093	.04268	.04602	.04824	.05140	.05418	.05707	.06052	27
28	.09102	.04277	.04611	.04834	.05149	.05429	.05716	.06063	28
29	.09110	.04286	.04620	.04843	.05158	.05439	.05726	.06074	29
30	.09118	.04295	.04628	.04853	.05168	.05449	.05736	.06085	30
31	.09126	.04304	.04637	.04863	.05177	.05460	.05746	.06096	31
32	.09135	.04313	.04646	.04872	.05186	.05470	.05755	.06107	32
33	.09143	.04322	.04655	.04882	.05195	.05480	.05765	.06118	33
34	.09151	.04331	.04663	.04891	.05205	.05490	.05775	.06129	34
35	.09159	.04340	.04672	.04901	.05214	.05501	.05785	.06140	35
36	.09168	.04349	.04681	.04911	.05223	.05511	.05794	.06151	36
37	.09176	.04358	.04690	.04920	.05232	.05521	.05804	.06162	37
38	.09184	.04367	.04699	.04930	.05242	.05532	.05814	.06173	38
39	.09193	.04376	.04707	.04940	.05251	.05542	.05824	.06184	39
40	.09201	.04385	.04716	.04950	.05260	.05552	.05833	.06195	40
41	.09209	.04394	.04725	.04959	.05270	.05563	.05843	.06206	41
42	.09218	.04403	.04734	.04969	.05279	.05573	.05853	.06217	42
43	.09226	.04413	.04743	.04979	.05288	.05584	.05863	.06228	43
44	.09234	.04422	.04752	.04989	.05298	.05594	.05873	.06239	44
45	.09243	.04431	.04760	.04998	.05307	.05604	.05882	.06250	45
46	.09251	.04440	.04769	.05008	.05316	.05615	.05892	.06261	46
47	.09260	.04449	.04778	.05018	.05326	.05625	.05902	.06272	47
48	.09268	.04458	.04787	.05028	.05335	.05636	.05912	.06283	48
49	.09276	.04468	.04796	.05038	.05344	.05646	.05922	.06295	49
50	.09285	.04477	.04805	.05047	.05354	.05657	.05932	.06306	50
51	.09293	.04486	.04814	.05057	.05363	.05667	.05942	.06317	51
52	.09302	.04495	.04823	.05067	.05373	.05678	.05951	.06328	52
53	.09310	.04504	.04832	.05077	.05382	.05688	.05961	.06339	53
54	.09319	.04514	.04841	.05087	.05391	.05699	.05971	.06350	54
55	.09327	.04523	.04850	.05097	.05401	.05709	.05981	.06362	55
56	.09336	.04532	.04858	.05107	.05410	.05720	.05991	.06373	56
57	.09344	.04541	.04867	.05116	.05420	.05730	.06001	.06384	57
58	.09353	.04551	.04876	.05126	.05429	.05741	.06011	.06395	58
59	.09361	.04560	.04885	.05136	.05439	.05751	.06021	.06407	59
60	.09370	.04569	.04894	.05146	.05448	.05762	.06031	.06418	60

TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SECANTS.

	20°		21°		22°		23°		
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	
0	.06031	.06418	.06642	.07115	.07282	.07853	.07950	.08636	0
1	.06041	.06429	.06652	.07126	.07293	.07866	.07961	.08649	1
2	.06051	.06440	.06663	.07138	.07303	.07879	.07972	.08663	2
3	.06061	.06452	.06673	.07150	.07314	.07892	.07984	.08676	3
4	.06071	.06463	.06684	.07162	.07325	.07904	.07995	.08690	4
5	.06081	.06474	.06694	.07174	.07336	.07917	.08006	.08703	5
6	.06091	.06486	.06705	.07186	.07347	.07930	.08018	.08717	6
7	.06101	.06497	.06715	.07199	.07358	.07943	.08029	.08730	7
8	.06111	.06508	.06726	.07211	.07369	.07955	.08041	.08744	8
9	.06121	.06520	.06736	.07223	.07380	.07968	.08052	.08757	9
10	.06131	.06531	.06747	.07235	.07391	.07981	.08064	.08771	10
11	.06141	.06542	.06757	.07247	.07402	.07994	.08075	.08784	11
12	.06151	.06554	.06768	.07259	.07413	.08006	.08086	.08798	12
13	.06161	.06565	.06778	.07271	.07424	.08019	.08098	.08811	13
14	.06171	.06577	.06789	.07283	.07435	.08032	.08109	.08825	14
15	.06181	.06588	.06799	.07295	.07446	.08045	.08121	.08839	15
16	.06191	.06600	.06810	.07307	.07457	.08058	.08132	.08852	16
17	.06201	.06611	.06820	.07320	.07468	.08071	.08144	.08866	17
18	.06211	.06622	.06831	.07332	.07479	.08084	.08155	.08880	18
19	.06221	.06634	.06841	.07344	.07490	.08097	.08167	.08893	19
20	.06231	.06645	.06852	.07356	.07501	.08109	.08179	.08907	20
21	.06241	.06657	.06863	.07368	.07512	.08122	.08190	.08921	21
22	.06252	.06668	.06873	.07380	.07523	.08135	.08201	.08934	22
23	.06262	.06680	.06884	.07393	.07534	.08148	.08213	.08948	23
24	.06272	.06691	.06894	.07405	.07545	.08161	.08225	.08962	24
25	.06282	.06703	.06905	.07417	.07556	.08174	.08236	.08975	25
26	.06292	.06715	.06916	.07429	.07568	.08187	.08248	.08989	26
27	.06302	.06726	.06926	.07442	.07579	.08200	.08259	.09003	27
28	.06312	.06738	.06937	.07454	.07590	.08213	.08271	.09017	28
29	.06323	.06749	.06948	.07466	.07601	.08226	.08282	.09030	29
30	.06333	.06761	.06958	.07479	.07612	.08239	.08294	.09044	30
31	.06343	.06773	.06969	.07491	.07623	.08252	.08306	.09058	31
32	.06353	.06784	.06980	.07503	.07634	.08265	.08317	.09072	32
33	.06363	.06796	.06990	.07516	.07645	.08278	.08329	.09086	33
34	.06374	.06807	.07001	.07528	.07657	.08291	.08340	.09099	34
35	.06384	.06819	.07012	.07540	.07668	.08305	.08352	.09113	35
36	.06394	.06831	.07022	.07553	.07679	.08318	.08364	.09127	36
37	.06404	.06843	.07033	.07565	.07690	.08331	.08375	.09141	37
38	.06415	.06854	.07044	.07578	.07701	.08344	.08387	.09155	38
39	.06425	.06866	.07055	.07590	.07713	.08357	.08399	.09169	39
40	.06435	.06878	.07066	.07602	.07724	.08370	.08410	.09183	40
41	.06445	.06889	.07076	.07615	.07735	.08383	.08422	.09197	41
42	.06456	.06901	.07087	.07627	.07746	.08397	.08434	.09211	42
43	.06466	.06913	.07098	.07640	.07757	.08410	.08445	.09224	43
44	.06476	.06925	.07108	.07652	.07769	.08423	.08457	.09238	44
45	.06486	.06936	.07119	.07665	.07780	.08436	.08469	.09252	45
46	.06497	.06948	.07130	.07677	.07791	.08449	.08481	.09266	46
47	.06507	.06960	.07141	.07690	.07802	.08463	.08492	.09280	47
48	.06517	.06972	.07151	.07702	.07814	.08476	.08504	.09294	48
49	.06528	.06984	.07162	.07715	.07825	.08489	.08516	.09308	49
50	.06538	.06995	.07173	.07727	.07836	.08503	.08528	.09322	50
51	.06548	.07007	.07184	.07740	.07848	.08516	.08539	.09337	51
52	.06559	.07019	.07195	.07752	.07859	.08529	.08551	.09351	52
53	.06569	.07031	.07206	.07765	.07870	.08542	.08563	.09365	53
54	.06580	.07043	.07216	.07778	.07881	.08556	.08575	.09379	54
55	.06590	.07055	.07227	.07790	.07893	.08569	.08586	.09393	55
56	.06600	.07067	.07238	.07803	.07904	.08582	.08598	.09407	56
57	.06611	.07079	.07249	.07816	.07915	.08596	.08610	.09421	57
	.06621	.07091	.07260	.07828	.07927	.08609	.08622	.09435	58
	.06632	.07103	.07271	.07841	.07938	.08623	.08634	.09449	59
	.06642	.07115	.07282	.07853	.07950	.08636	.08645	.09464	60

TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SEC

	24°		25°		26°		27°	
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.
0	.08645	.09464	.08669	.10388	.10121	.11260	.10699	.12233
1	.08657	.09478	.08682	.10353	.10133	.11276	.10913	.12249
2	.08669	.09492	.08694	.10368	.10146	.11292	.10926	.12266
3	.08681	.09506	.08706	.10383	.10159	.11308	.10939	.12283
4	.08693	.09520	.08718	.10398	.10172	.11323	.10952	.12299
5	.08705	.09535	.08731	.10413	.10184	.11339	.10965	.12316
6	.08717	.09549	.08743	.10428	.10197	.11355	.10979	.12333
7	.08728	.09563	.08755	.10443	.10210	.11371	.10992	.12349
8	.08740	.09577	.08768	.10458	.10223	.11387	.11005	.12366
9	.08752	.09592	.08790	.10473	.10236	.11403	.11019	.12383
10	.08764	.09606	.08798	.10488	.10248	.11419	.11032	.12400
11	.08776	.09620	.08805	.10503	.10261	.11435	.11045	.12416
12	.08788	.09635	.08817	.10518	.10274	.11451	.11058	.12433
13	.08800	.09649	.08830	.10533	.10287	.11467	.11072	.12450
14	.08812	.09663	.08842	.10549	.10300	.11483	.11085	.12467
15	.08824	.09678	.08854	.10564	.10313	.11499	.11098	.12484
16	.08836	.09692	.08867	.10579	.10326	.11515	.11112	.12501
17	.08848	.09707	.08879	.10594	.10338	.11531	.11125	.12518
18	.08860	.09721	.08892	.10609	.10351	.11547	.11138	.12534
19	.08872	.09735	.08904	.10625	.10364	.11563	.11152	.12551
20	.08884	.09750	.08917	.10640	.10377	.11579	.11165	.12568
21	.08896	.09764	.08929	.10655	.10390	.11595	.11178	.12585
22	.08908	.09779	.08942	.10670	.10403	.11611	.11192	.12602
23	.08920	.09793	.08954	.10686	.10416	.11627	.11205	.12619
24	.08932	.09808	.08966	.10701	.10429	.11643	.11218	.12636
25	.08944	.09822	.08979	.10716	.10442	.11659	.11232	.12653
26	.08956	.09837	.08991	.10731	.10455	.11675	.11245	.12670
27	.08968	.09851	.09004	.10747	.10468	.11691	.11259	.12687
28	.08980	.09866	.09016	.10762	.10481	.11708	.11272	.12704
29	.08992	.09880	.09029	.10777	.10494	.11724	.11285	.12721
30	.09004	.09895	.09041	.10793	.10507	.11740	.11299	.12738
31	.09016	.09909	.09054	.10808	.10520	.11756	.11312	.12755
32	.09028	.09924	.09067	.10824	.10533	.11772	.11326	.12772
33	.09040	.09939	.09079	.10839	.10546	.11789	.11339	.12789
34	.09052	.09953	.09092	.10854	.10559	.11805	.11353	.12807
35	.09064	.09968	.09104	.10870	.10572	.11821	.11366	.12824
36	.09076	.09982	.09117	.10885	.10585	.11838	.11380	.12841
37	.09089	.09997	.09129	.10901	.10598	.11854	.11393	.12858
38	.09101	.10012	.09142	.10916	.10611	.11870	.11407	.12875
39	.09113	.10026	.09154	.10932	.10624	.11886	.11420	.12892
40	.09125	.10041	.09167	.10947	.10637	.11903	.11434	.12910
41	.09137	.10055	.09180	.10963	.10650	.11919	.11447	.12927
42	.09149	.10071	.09192	.10978	.10663	.11936	.11461	.12944
43	.09161	.10085	.09205	.10994	.10676	.11952	.11474	.12961
44	.09174	.10100	.09218	.11009	.10689	.11968	.11488	.12979
45	.09186	.10115	.09230	.11025	.10702	.11985	.11501	.12996
46	.09198	.10130	.09243	.11041	.10715	.12001	.11515	.13013
47	.09210	.10144	.09255	.11056	.10728	.12018	.11528	.13031
48	.09222	.10159	.09268	.11072	.10741	.12034	.11542	.13048
49	.09234	.10174	.09281	.11087	.10755	.12051	.11555	.13065
50	.09247	.10189	.09293	.11103	.10768	.12067	.11569	.13083
51	.09259	.10204	.10006	.11119	.10781	.12084	.11583	.13100
52	.09271	.10218	.10019	.11134	.10794	.12100	.11596	.13117
53	.09283	.10233	.10032	.11150	.10807	.12117	.11610	.13135
54	.09296	.10248	.10044	.11166	.10820	.12133	.11623	.13152
55	.09308	.10263	.10057	.11181	.10833	.12150	.11637	.13170
56	.09320	.10278	.10070	.11197	.10847	.12166	.11651	.13187
57	.09332	.10293	.10082	.11213	.10860	.12183	.11664	.13205
58	.09345	.10308	.10095	.11229	.10873	.12199	.11678	.13222
59	.09357	.10323	.10108	.11244	.10886	.12216	.11692	.13240
60	.09369	.10338	.10121	.11260	.10899	.12233	.11705	.13257

# E IV.—NATURAL VERSED SINES AND EXTERNAL SECANTS.

28°		29°		30°		31°		
Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	
.11705	.13257	.12598	.14335	.13397	.15470	.14288	.16663	0
.11719	.13275	.12552	.14354	.13412	.15489	.14298	.16684	1
.11733	.13292	.12566	.14372	.13427	.15509	.14313	.16704	2
.11746	.13310	.12580	.14391	.13441	.15528	.14328	.16725	3
.11760	.13327	.12595	.14409	.13456	.15548	.14343	.16745	4
.11774	.13345	.12609	.14428	.13470	.15567	.14358	.16766	5
.11787	.13362	.12623	.14446	.13485	.15587	.14373	.16786	6
.11801	.13380	.12637	.14465	.13499	.15606	.14388	.16806	7
.11815	.13398	.12651	.14483	.13514	.15626	.14403	.16827	8
.11828	.13415	.12665	.14502	.13529	.15645	.14418	.16848	9
.11842	.13433	.12679	.14521	.13543	.15665	.14433	.16868	10
.11856	.13451	.12694	.14539	.13558	.15684	.14449	.16889	11
.11870	.13468	.12708	.14558	.13573	.15704	.14464	.16909	12
.11883	.13486	.12722	.14576	.13587	.15724	.14479	.16930	13
.11897	.13504	.12736	.14595	.13602	.15743	.14494	.16950	14
.11911	.13521	.12750	.14614	.13616	.15763	.14509	.16971	15
.11925	.13539	.12765	.14632	.13631	.15782	.14524	.16992	16
.11938	.13557	.12779	.14651	.13646	.15802	.14539	.17012	17
.11952	.13575	.12793	.14670	.13660	.15822	.14554	.17033	18
.11966	.13593	.12807	.14689	.13675	.15841	.14569	.17054	19
.11980	.13610	.12822	.14707	.13690	.15861	.14584	.17075	20
.11994	.13628	.12836	.14726	.13705	.15881	.14599	.17095	21
.12007	.13646	.12850	.14745	.13719	.15901	.14615	.17116	22
.12021	.13664	.12864	.14764	.13734	.15920	.14630	.17137	23
.12035	.13682	.12879	.14782	.13749	.15940	.14645	.17158	24
.12049	.13700	.12893	.14801	.13763	.15960	.14660	.17178	25
.12063	.13718	.12907	.14820	.13778	.15980	.14675	.17199	26
.12077	.13735	.12921	.14839	.13793	.16000	.14690	.17220	27
.12091	.13753	.12936	.14858	.13808	.16019	.14706	.17241	28
.12104	.13771	.12950	.14877	.13822	.16039	.14721	.17262	29
.12118	.13789	.12964	.14896	.13837	.16059	.14736	.17283	30
.12132	.13807	.12979	.14914	.13852	.16079	.14751	.17304	31
.12146	.13825	.12993	.14933	.13867	.16099	.14766	.17325	32
.12160	.13843	.13007	.14952	.13881	.16119	.14782	.17346	33
.12174	.13861	.13022	.14971	.13896	.16139	.14797	.17367	34
.12188	.13879	.13036	.14990	.13911	.16159	.14812	.17388	35
.12202	.13897	.13051	.15009	.13926	.16179	.14827	.17409	36
.12216	.13916	.13065	.15028	.13941	.16199	.14843	.17430	37
.12230	.13934	.13079	.15047	.13955	.16219	.14858	.17451	38
.12244	.13952	.13094	.15066	.13970	.16239	.14873	.17472	39
.12257	.13970	.13108	.15085	.13985	.16259	.14888	.17493	40
.12271	.13988	.13122	.15105	.14000	.16279	.14904	.17514	41
.12285	.14006	.13137	.15124	.14015	.16299	.14919	.17535	42
.12299	.14024	.13151	.15143	.14030	.16319	.14934	.17556	43
.12313	.14042	.13166	.15162	.14044	.16339	.14949	.17577	44
.12327	.14061	.13180	.15181	.14059	.16359	.14965	.17598	45
.12341	.14079	.13195	.15200	.14074	.16380	.14980	.17620	46
.12355	.14097	.13209	.15219	.14089	.16400	.14995	.17641	47
.12369	.14115	.13223	.15239	.14104	.16420	.15011	.17662	48
.12383	.14134	.13238	.15258	.14119	.16440	.15026	.17683	49
.12397	.14152	.13252	.15277	.14134	.16460	.15041	.17704	50
.12411	.14170	.13267	.15296	.14149	.16481	.15057	.17725	51
.12425	.14188	.13281	.15315	.14164	.16501	.15072	.17747	52
.12439	.14207	.13296	.15335	.14179	.16521	.15087	.17768	53
.12454	.14225	.13310	.15354	.14194	.16541	.15103	.17790	54
.12468	.14243	.13325	.15373	.14208	.16562	.15118	.17811	55
.12482	.14262	.13339	.15393	.14223	.16582	.15134	.17832	56
.12496	.14280	.13354	.15412	.14238	.16602	.15149	.17854	57
.12510	.14299	.13368	.15431	.14253	.16623	.15164	.17875	58
.12524	.14317	.13383	.15451	.14268	.16643	.15180	.17896	59
.12538	.14335	.13397	.15470	.14283	.16663	.15195	.17918	60

TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SEC.

	32°		33°		34°		35°	
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.
0	.15195	.17918	.16133	.19236	.17096	.20622	.18085	.22077
1	.15211	.17939	.16149	.19259	.17113	.20645	.18101	.22102
2	.15226	.17961	.16165	.19281	.17129	.20669	.18118	.22127
3	.15241	.17983	.16181	.19304	.17145	.20693	.18135	.22152
4	.15257	.18004	.16196	.19327	.17161	.20717	.18152	.22177
5	.15272	.18025	.16212	.19349	.17178	.20740	.18168	.22202
6	.15288	.18047	.16228	.19372	.17194	.20764	.18185	.22227
7	.15303	.18068	.16244	.19394	.17210	.20788	.18202	.22252
8	.15319	.18090	.16260	.19417	.17227	.20812	.18218	.22277
9	.15334	.18111	.16276	.19440	.17243	.20836	.18235	.22302
10	.15350	.18133	.16292	.19463	.17259	.20859	.18252	.22327
11	.15365	.18155	.16308	.19485	.17276	.20883	.18269	.22352
12	.15381	.18176	.16324	.19508	.17292	.20907	.18286	.22377
13	.15396	.18198	.16340	.19531	.17308	.20931	.18302	.22402
14	.15412	.18220	.16355	.19554	.17325	.20955	.18319	.22428
15	.15427	.18241	.16371	.19576	.17341	.20979	.18336	.22453
16	.15443	.18263	.16387	.19599	.17357	.21003	.18353	.22478
17	.15458	.18285	.16403	.19622	.17374	.21027	.18369	.22503
18	.15474	.18307	.16419	.19645	.17390	.21051	.18386	.22528
19	.15489	.18328	.16435	.19668	.17407	.21075	.18403	.22554
20	.15505	.18350	.16451	.19691	.17423	.21099	.18420	.22579
21	.15520	.18372	.16467	.19713	.17439	.21123	.18437	.22604
22	.15536	.18394	.16483	.19736	.17456	.21147	.18454	.22629
23	.15552	.18416	.16499	.19759	.17472	.21171	.18470	.22655
24	.15567	.18437	.16515	.19782	.17489	.21195	.18487	.22680
25	.15583	.18459	.16531	.19805	.17505	.21220	.18504	.22706
26	.15598	.18481	.16547	.19828	.17522	.21244	.18521	.22731
27	.15614	.18503	.16563	.19851	.17538	.21268	.18538	.22756
28	.15630	.18525	.16579	.19874	.17554	.21292	.18555	.22782
29	.15645	.18547	.16595	.19897	.17571	.21316	.18572	.22807
30	.15661	.18569	.16611	.19920	.17587	.21341	.18588	.22833
31	.15676	.18591	.16627	.19944	.17604	.21365	.18605	.22858
32	.15692	.18613	.16644	.19967	.17620	.21389	.18622	.22884
33	.15708	.18635	.16660	.19990	.17637	.21414	.18639	.22909
34	.15723	.18657	.16676	.20013	.17653	.21438	.18656	.22935
35	.15739	.18679	.16692	.20036	.17670	.21462	.18673	.22960
36	.15755	.18701	.16708	.20059	.17686	.21487	.18690	.22986
37	.15770	.18723	.16724	.20083	.17703	.21511	.18707	.23012
38	.15786	.18745	.16740	.20106	.17719	.21535	.18724	.23037
39	.15802	.18767	.16756	.20129	.17736	.21560	.18741	.23063
40	.15818	.18790	.16772	.20152	.17752	.21584	.18758	.23089
41	.15833	.18812	.16788	.20176	.17769	.21609	.18775	.23114
42	.15849	.18834	.16805	.20199	.17786	.21633	.18792	.23140
43	.15865	.18856	.16821	.20222	.17802	.21658	.18809	.23166
44	.15880	.18878	.16837	.20246	.17819	.21682	.18826	.23192
45	.15896	.18901	.16853	.20269	.17835	.21707	.18843	.23217
46	.15912	.18923	.16869	.20292	.17852	.21731	.18860	.23243
47	.15928	.18945	.16885	.20316	.17868	.21756	.18877	.23269
48	.15943	.18967	.16902	.20339	.17885	.21781	.18894	.23295
49	.15959	.18990	.16918	.20363	.17902	.21805	.18911	.23321
50	.15975	.19012	.16934	.20386	.17918	.21830	.18928	.23347
51	.15991	.19034	.16950	.20410	.17935	.21855	.18945	.23373
52	.16006	.19057	.16966	.20433	.17952	.21879	.18962	.23399
53	.16022	.19079	.16983	.20457	.17968	.21904	.18979	.23424
54	.16038	.19102	.16999	.20480	.17985	.21929	.18996	.23450
55	.16054	.19124	.17015	.20504	.18001	.21953	.19013	.23476
56	.16070	.19146	.17031	.20527	.18018	.21978	.19030	.23502
57	.16085	.19169	.17047	.20551	.18035	.22003	.19047	.23529
58	.16101	.19191	.17064	.20575	.18051	.22028	.19064	.23555
59	.16117	.19214	.17080	.20598	.18068	.22053	.19081	.23581
60	.16133	.19236	.17096	.20622	.18085	.22077	.19098	.23607

TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SECANTS.

	36°		37°		38°		39°		
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	
0	.19098	.22607	.20126	.25214	.21199	.26902	.22285	.26676	0
1	.19115	.22633	.20154	.25241	.21217	.26931	.22304	.26706	1
2	.19133	.22659	.20171	.25269	.21235	.26960	.22323	.26737	2
3	.19150	.22685	.20189	.25296	.21253	.26988	.22340	.26767	3
4	.19167	.22711	.20207	.25324	.21271	.27017	.22359	.26797	4
5	.19184	.22738	.20224	.25351	.21289	.27046	.22377	.26828	5
6	.19201	.22764	.20242	.25379	.21307	.27075	.22395	.26858	6
7	.19218	.22790	.20259	.25406	.21324	.27104	.22414	.26889	7
8	.19235	.22816	.20277	.25434	.21342	.27133	.22432	.26919	8
9	.19252	.22843	.20294	.25462	.21360	.27162	.22450	.26950	9
10	.19270	.22869	.20312	.25489	.21378	.27191	.22469	.26980	10
11	.19287	.22895	.20329	.25517	.21396	.27221	.22487	.27011	11
12	.19304	.22922	.20347	.25545	.21414	.27250	.22506	.27042	12
13	.19321	.22948	.20365	.25572	.21432	.27279	.22524	.27072	13
14	.19338	.22975	.20382	.25600	.21450	.27308	.22542	.27103	14
15	.19356	.23001	.20400	.25628	.21468	.27337	.22561	.27133	15
16	.19373	.23028	.20417	.25656	.21486	.27366	.22579	.27164	16
17	.19390	.23054	.20435	.25683	.21504	.27396	.22598	.27195	17
18	.19407	.23081	.20453	.25711	.21522	.27425	.22616	.27226	18
19	.19424	.23107	.20470	.25739	.21540	.27454	.22634	.27256	19
20	.19442	.23134	.20488	.25767	.21558	.27483	.22653	.27287	20
21	.19459	.23160	.20506	.25795	.21576	.27513	.22671	.27318	21
22	.19476	.23187	.20523	.25823	.21595	.27542	.22690	.27349	22
23	.19493	.23213	.20541	.25851	.21613	.27572	.22708	.27380	23
24	.19511	.23240	.20559	.25879	.21631	.27601	.22727	.27411	24
25	.19528	.23267	.20576	.25907	.21649	.27630	.22745	.27442	25
26	.19545	.23293	.20594	.25935	.21667	.27660	.22764	.27473	26
27	.19562	.23320	.20612	.25963	.21685	.27689	.22782	.27504	27
28	.19580	.23347	.20629	.25991	.21703	.27719	.22801	.27535	28
29	.19597	.23373	.20647	.26019	.21721	.27748	.22819	.27566	29
30	.19614	.23400	.20665	.26047	.21739	.27776	.22838	.27597	30
31	.19632	.23427	.20682	.26075	.21757	.27807	.22856	.27628	31
32	.19649	.23454	.20700	.26104	.21775	.27837	.22875	.27659	32
33	.19666	.23481	.20718	.26132	.21794	.27867	.22893	.27690	33
34	.19684	.23508	.20736	.26160	.21812	.27896	.22912	.27721	34
35	.19701	.23534	.20753	.26188	.21830	.27926	.22930	.27752	35
36	.19718	.23561	.20771	.26216	.21848	.27956	.22949	.27784	36
37	.19736	.23588	.20789	.26245	.21866	.27985	.22967	.27815	37
38	.19753	.23615	.20807	.26273	.21884	.28015	.22986	.27846	38
39	.19770	.23642	.20824	.26301	.21902	.28045	.23004	.27877	39
40	.19788	.23669	.20842	.26330	.21921	.28075	.23023	.27909	40
41	.19805	.23696	.20860	.26358	.21939	.28105	.23041	.27940	41
42	.19822	.23723	.20878	.26387	.21957	.28134	.23060	.27971	42
43	.19840	.23750	.20895	.26415	.21975	.28164	.23079	.28003	43
44	.19857	.23777	.20913	.26443	.21993	.28194	.23097	.28034	44
45	.19875	.23804	.20931	.26472	.22012	.28224	.23116	.28066	45
46	.19892	.23832	.20949	.26500	.22030	.28254	.23134	.28097	46
47	.19909	.23859	.20967	.26529	.22048	.28284	.23153	.28129	47
48	.19927	.23886	.20985	.26557	.22066	.28314	.23172	.28160	48
49	.19944	.23913	.21002	.26586	.22084	.28344	.23190	.28193	49
50	.19962	.23940	.21020	.26615	.22103	.28374	.23209	.28223	50
51	.19979	.23967	.21038	.26643	.22121	.28404	.23228	.28255	51
52	.19997	.23995	.21056	.26672	.22139	.28434	.23246	.28287	52
53	.20014	.24022	.21074	.26701	.22157	.28464	.23265	.28318	53
54	.20032	.24049	.21092	.26729	.22176	.28495	.23283	.28350	54
55	.20049	.24077	.21109	.26758	.22194	.28525	.23302	.28382	55
56	.20066	.24104	.21127	.26787	.22212	.28555	.23321	.28413	56
57	.20084	.24131	.21145	.26815	.22231	.28585	.23339	.28445	57
58	.20101	.24159	.21163	.26844	.22249	.28615	.23358	.28477	58
59	.20119	.24186	.21181	.26873	.22267	.28646	.23377	.28509	59
60	.20136	.24214	.21199	.26902	.22285	.28676	.23396	.28541	60



TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SECANTS

	40°		41°		42°		43°		
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	
0	.23306	.30541	.24529	.32501	.25686	.34563	.26865	.36733	0
1	.23414	.30573	.24548	.32535	.25705	.34599	.26884	.36770	1
2	.23483	.30605	.24567	.32568	.25724	.34634	.26904	.36807	2
3	.23452	.30636	.24586	.32602	.25744	.34669	.26924	.36844	3
4	.23470	.30668	.24605	.32636	.25763	.34704	.26944	.36881	4
5	.23489	.30700	.24625	.32669	.25783	.34740	.26964	.36919	5
6	.23508	.30732	.24644	.32703	.25802	.34775	.26984	.36956	6
7	.23527	.30764	.24663	.32737	.25822	.34811	.27004	.36993	7
8	.23545	.30796	.24683	.32770	.25841	.34846	.27024	.37030	8
9	.23564	.30829	.24701	.32804	.25861	.34882	.27043	.37068	9
10	.23583	.30861	.24720	.32838	.25880	.34917	.27063	.37105	10
11	.23602	.30893	.24739	.32872	.25900	.34953	.27083	.37143	11
12	.23620	.30925	.24759	.32905	.25920	.34988	.27103	.37180	12
13	.23639	.30957	.24778	.32939	.25939	.35024	.27123	.37218	13
14	.23658	.30989	.24797	.32973	.25959	.35060	.27143	.37255	14
15	.23677	.31022	.24816	.33007	.25978	.35095	.27163	.37293	15
16	.23696	.31054	.24835	.33041	.25998	.35131	.27183	.37330	16
17	.23714	.31086	.24854	.33075	.26017	.35167	.27203	.37368	17
18	.23733	.31119	.24874	.33109	.26037	.35203	.27223	.37406	18
19	.23752	.31151	.24893	.33143	.26056	.35238	.27243	.37443	19
20	.23771	.31183	.24912	.33177	.26076	.35274	.27263	.37481	20
21	.23790	.31216	.24931	.33211	.26096	.35310	.27283	.37519	21
22	.23808	.31248	.24950	.33245	.26115	.35346	.27303	.37556	22
23	.23827	.31281	.24970	.33279	.26135	.35382	.27323	.37594	23
24	.23846	.31313	.24989	.33314	.26154	.35418	.27343	.37632	24
25	.23865	.31346	.25008	.33348	.26174	.35454	.27363	.37670	25
26	.23884	.31378	.25027	.33382	.26194	.35490	.27383	.37708	26
27	.23903	.31411	.25047	.33416	.26213	.35526	.27403	.37746	27
28	.23922	.31443	.25066	.33451	.26233	.35562	.27423	.37784	28
29	.23941	.31476	.25085	.33485	.26253	.35598	.27443	.37822	29
30	.23959	.31509	.25104	.33519	.26272	.35634	.27463	.37860	30
31	.23978	.31541	.25124	.33554	.26292	.35670	.27483	.37898	31
32	.23997	.31574	.25143	.33588	.26312	.35707	.27503	.37936	32
33	.24016	.31607	.25162	.33622	.26331	.35743	.27523	.37974	33
34	.24035	.31640	.25182	.33657	.26351	.35779	.27543	.38012	34
35	.24054	.31672	.25201	.33691	.26371	.35815	.27563	.38051	35
36	.24073	.31705	.25220	.33726	.26390	.35852	.27583	.38089	36
37	.24092	.31738	.25240	.33760	.26410	.35888	.27603	.38127	37
38	.24111	.31771	.25259	.33795	.26430	.35924	.27623	.38165	38
39	.24130	.31804	.25278	.33830	.26449	.35961	.27643	.38204	39
40	.24149	.31837	.25297	.33864	.26469	.35997	.27663	.38242	40
41	.24168	.31870	.25317	.33899	.26489	.36034	.27683	.38280	41
42	.24187	.31903	.25336	.33934	.26509	.36070	.27703	.38319	42
43	.24206	.31936	.25356	.33968	.26528	.36107	.27723	.38357	43
44	.24225	.31969	.25375	.34003	.26548	.36143	.27743	.38396	44
45	.24244	.32002	.25394	.34038	.26568	.36180	.27763	.38434	45
46	.24263	.32035	.25414	.34073	.26588	.36217	.27783	.38473	46
47	.24281	.32068	.25433	.34108	.26607	.36253	.27804	.38512	47
48	.24300	.32101	.25452	.34142	.26627	.36290	.27824	.38550	48
49	.24320	.32134	.25472	.34177	.26647	.36327	.27844	.38589	49
50	.24339	.32168	.25491	.34212	.26667	.36363	.27864	.38628	50
51	.24358	.32201	.25511	.34247	.26686	.36400	.27884	.38666	51
52	.24377	.32234	.25530	.34282	.26706	.36437	.27905	.38705	52
53	.24396	.32267	.25549	.34317	.26726	.36474	.27925	.38744	53
54	.24415	.32301	.25569	.34352	.26746	.36511	.27945	.38783	54
55	.24434	.32334	.25588	.34387	.26766	.36548	.27965	.38822	55
56	.24453	.32368	.25608	.34423	.26785	.36585	.27985	.38860	56
57	.24472	.32401	.25627	.34458	.26805	.36622	.28005	.38899	57
58	.24491	.32434	.25647	.34493	.26825	.36659	.28026	.38938	58
59	.24510	.32468	.25666	.34528	.26845	.36696	.28046	.38977	59
60	.24529	.32501	.25686	.34563	.26865	.36733	.28066	.39016	60

TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SECANTS.

	44°		45°		46°		47°		
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	
0	.28066	.39016	.29289	.41421	.30534	.43956	.31800	.46628	0
1	.28066	.39055	.29310	.41463	.30555	.43999	.31821	.46674	1
2	.28106	.39095	.29330	.41504	.30576	.44042	.31843	.46719	2
3	.28127	.39134	.29351	.41545	.30597	.44086	.31864	.46765	3
4	.28147	.39173	.29372	.41586	.30618	.44129	.31885	.46811	4
5	.28167	.39212	.29393	.41627	.30639	.44173	.31907	.46857	5
6	.28187	.39251	.29413	.41669	.30660	.44217	.31928	.46903	6
7	.28208	.39291	.29433	.41710	.30681	.44260	.31949	.46949	7
8	.28228	.39330	.29454	.41752	.30702	.44304	.31971	.46995	8
9	.28248	.39369	.29475	.41793	.30723	.44347	.31992	.47041	9
10	.28268	.39409	.29495	.41835	.30744	.44391	.32013	.47087	10
11	.28289	.39448	.29516	.41876	.30765	.44435	.32035	.47134	11
12	.28309	.39487	.29537	.41918	.30786	.44479	.32056	.47180	12
13	.28329	.39527	.29557	.41959	.30807	.44523	.32077	.47226	13
14	.28350	.39566	.29578	.42001	.30828	.44567	.32099	.47272	14
15	.28370	.39606	.29599	.42042	.30849	.44610	.32120	.47319	15
16	.28390	.39646	.29619	.42084	.30870	.44654	.32141	.47365	16
17	.28410	.39685	.29640	.42126	.30891	.44698	.32163	.47411	17
18	.28431	.39725	.29661	.42168	.30912	.44742	.32184	.47458	18
19	.28451	.39764	.29681	.42210	.30933	.44787	.32205	.47504	19
20	.28471	.39804	.29702	.42251	.30954	.44831	.32227	.47551	20
21	.28492	.39844	.29723	.42293	.30975	.44875	.32248	.47598	21
22	.28512	.39884	.29743	.42335	.30996	.44919	.32270	.47644	22
23	.28532	.39924	.29764	.42377	.31017	.44963	.32291	.47691	23
24	.28553	.39963	.29785	.42419	.31038	.45007	.32312	.47738	24
25	.28573	.40003	.29805	.42461	.31059	.45052	.32334	.47784	25
26	.28593	.40043	.29826	.42503	.31080	.45096	.32355	.47831	26
27	.28614	.40083	.29847	.42545	.31101	.45141	.32377	.47878	27
28	.28634	.40123	.29868	.42587	.31122	.45185	.32398	.47925	28
29	.28655	.40163	.29888	.42630	.31143	.45229	.32420	.47972	29
30	.28675	.40203	.29909	.42672	.31165	.45274	.32441	.48019	30
31	.28695	.40243	.29930	.42714	.31186	.45319	.32462	.48066	31
32	.28716	.40283	.29951	.42756	.31207	.45363	.32484	.48113	32
33	.28736	.40324	.29971	.42799	.31228	.45408	.32505	.48160	33
34	.28757	.40364	.29992	.42841	.31249	.45452	.32527	.48207	34
35	.28777	.40404	.30013	.42883	.31270	.45497	.32548	.48254	35
36	.28797	.40444	.30034	.42926	.31291	.45542	.32570	.48301	36
37	.28818	.40485	.30054	.42968	.31312	.45587	.32591	.48349	37
38	.28838	.40525	.30075	.43011	.31334	.45631	.32613	.48396	38
39	.28859	.40565	.30096	.43053	.31355	.45676	.32634	.48443	39
40	.28879	.40606	.30117	.43096	.31376	.45721	.32656	.48491	40
41	.28900	.40646	.30138	.43139	.31397	.45766	.32677	.48538	41
42	.28920	.40687	.30158	.43181	.31418	.45811	.32699	.48586	42
43	.28941	.40727	.30179	.43224	.31439	.45856	.32720	.48633	43
44	.28961	.40768	.30200	.43267	.31461	.45901	.32742	.48681	44
45	.28981	.40808	.30221	.43310	.31482	.45946	.32763	.48728	45
46	.29002	.40849	.30242	.43352	.31503	.45992	.32785	.48776	46
47	.29022	.40890	.30263	.43395	.31524	.46037	.32806	.48824	47
48	.29043	.40930	.30283	.43438	.31545	.46082	.32828	.48871	48
49	.29063	.40971	.30304	.43481	.31567	.46127	.32849	.48919	49
50	.29084	.41012	.30325	.43524	.31588	.46173	.32871	.48967	50
51	.29104	.41053	.30346	.43567	.31609	.46218	.32893	.49015	51
52	.29125	.41093	.30367	.43610	.31630	.46263	.32914	.49063	52
53	.29145	.41134	.30388	.43653	.31651	.46309	.32936	.49111	53
54	.29166	.41175	.30409	.43696	.31673	.46354	.32957	.49159	54
55	.29187	.41216	.30430	.43739	.31694	.46400	.32979	.49207	55
56	.29207	.41257	.30451	.43783	.31715	.46445	.33001	.49255	56
57	.29228	.41298	.30471	.43826	.31736	.46491	.33022	.49303	57
58	.29248	.41339	.30492	.43869	.31758	.46537	.33044	.49351	58
59	.29269	.41380	.30513	.43912	.31779	.46582	.33065	.49399	59
60	.29289	.41421	.30534	.43956	.31800	.46628	.33087	.49448	60

TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SECANTS.

	48°		49°		50°		51°		
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	
0	.33067	.49448	.34394	.52425	.35721	.55572	.37068	.58902	0
1	.33109	.49496	.34416	.52476	.35744	.55626	.37091	.58959	1
2	.33130	.49544	.34438	.52527	.35766	.55680	.37113	.59016	2
3	.33152	.49593	.34460	.52579	.35788	.55734	.37136	.59073	3
4	.33173	.49641	.34482	.52630	.35810	.55789	.37158	.59130	4
5	.33195	.49690	.34504	.52681	.35833	.55843	.37181	.59188	5
6	.33217	.49738	.34526	.52732	.35855	.55897	.37204	.59245	6
7	.33238	.49787	.34548	.52784	.35877	.55951	.37226	.59302	7
8	.33260	.49835	.34570	.52835	.35900	.56005	.37249	.59360	8
9	.33282	.49884	.34592	.52886	.35922	.56060	.37272	.59418	9
10	.33303	.49933	.34614	.52938	.35944	.56114	.37294	.59475	10
11	.33325	.49981	.34636	.52989	.35967	.56169	.37317	.59533	11
12	.33347	.50030	.34658	.53041	.35989	.56223	.37340	.59590	12
13	.33368	.50079	.34680	.53092	.36011	.56278	.37362	.59648	13
14	.33390	.50128	.34702	.53144	.36034	.56332	.37385	.59706	14
15	.33412	.50177	.34724	.53196	.36056	.56387	.37408	.59764	15
16	.33434	.50226	.34746	.53247	.36078	.56442	.37430	.59822	16
17	.33455	.50275	.34768	.53299	.36101	.56497	.37453	.59880	17
18	.33477	.50324	.34790	.53351	.36123	.56551	.37476	.59938	18
19	.33499	.50373	.34812	.53403	.36146	.56606	.37498	.59996	19
20	.33520	.50422	.34834	.53455	.36168	.56661	.37521	.60054	20
21	.33542	.50471	.34856	.53507	.36190	.56716	.37544	.60112	21
22	.33564	.50521	.34878	.53559	.36213	.56771	.37567	.60171	22
23	.33586	.50570	.34900	.53611	.36235	.56826	.37589	.60229	23
24	.33607	.50619	.34923	.53663	.36258	.56881	.37612	.60287	24
25	.33629	.50669	.34945	.53715	.36280	.56937	.37635	.60346	25
26	.33651	.50718	.34967	.53768	.36302	.56992	.37658	.60404	26
27	.33673	.50767	.34989	.53820	.36325	.57047	.37680	.60463	27
28	.33694	.50817	.35011	.53872	.36347	.57103	.37703	.60521	28
29	.33716	.50866	.35033	.53924	.36370	.57158	.37726	.60580	29
30	.33738	.50916	.35055	.53977	.36392	.57213	.37749	.60639	30
31	.33760	.50966	.35077	.54029	.36415	.57269	.37771	.60698	31
32	.33782	.51015	.35099	.54082	.36437	.57324	.37794	.60756	32
33	.33803	.51065	.35122	.54134	.36460	.57380	.37817	.60815	33
34	.33825	.51115	.35144	.54187	.36482	.57436	.37840	.60874	34
35	.33847	.51165	.35166	.54240	.36504	.57491	.37862	.60933	35
36	.33869	.51215	.35188	.54292	.36527	.57547	.37885	.60992	36
37	.33891	.51265	.35210	.54345	.36549	.57603	.37908	.61051	37
38	.33912	.51314	.35232	.54398	.36572	.57659	.37931	.61111	38
39	.33934	.51364	.35254	.54451	.36594	.57715	.37954	.61170	39
40	.33956	.51415	.35277	.54504	.36617	.57771	.37976	.61229	40
41	.33978	.51465	.35299	.54557	.36639	.57827	.37999	.61288	41
42	.34000	.51515	.35321	.54610	.36662	.57883	.38022	.61348	42
43	.34022	.51565	.35343	.54663	.36684	.57939	.38045	.61407	43
44	.34044	.51615	.35365	.54716	.36707	.57995	.38068	.61467	44
45	.34065	.51665	.35388	.54769	.36729	.58051	.38091	.61526	45
46	.34087	.51716	.35410	.54822	.36752	.58108	.38113	.61586	46
47	.34109	.51766	.35432	.54876	.36775	.58164	.38136	.61646	47
48	.34131	.51817	.35454	.54929	.36797	.58221	.38159	.61705	48
49	.34153	.51867	.35476	.54982	.36820	.58277	.38182	.61765	49
50	.34175	.51918	.35499	.55036	.36842	.58333	.38205	.61825	50
51	.34197	.51968	.35521	.55089	.36865	.58390	.38228	.61885	51
52	.34219	.52019	.35543	.55143	.36887	.58447	.38251	.61945	52
53	.34241	.52069	.35565	.55196	.36910	.58503	.38274	.62005	53
54	.34262	.52120	.35588	.55250	.36932	.58560	.38296	.62065	54
55	.34284	.52171	.35610	.55303	.36955	.58617	.38319	.62125	55
56	.34306	.52222	.35632	.55357	.36978	.58674	.38342	.62185	56
57	.34328	.52273	.35654	.55411	.37000	.58731	.38365	.62246	57
58	.34350	.52323	.35677	.55465	.37023	.58788	.38388	.62306	58
59	.34372	.52374	.35699	.55518	.37045	.58845	.38411	.62366	59
60	.34394	.52425	.35721	.55572	.37068	.58902	.38434	.62427	60

TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SECANTS.

	52°		53°		54°		55°		
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	
0	.38434	.69487	.39619	.66164	.41291	.70180	.42642	.74345	0
1	.38457	.69487	.39642	.66228	.41345	.70198	.42666	.74417	1
2	.38480	.69548	.39665	.66292	.41369	.70267	.42690	.74490	2
3	.38508	.69609	.39688	.66357	.41393	.70335	.42714	.74562	3
4	.38526	.69669	.39711	.66421	.41316	.70403	.42738	.74635	4
5	.38549	.69730	.39735	.66486	.41339	.70472	.42762	.74708	5
6	.38571	.69791	.39758	.66550	.41363	.70540	.42785	.74781	6
7	.38594	.69852	.39781	.66615	.41386	.70609	.42809	.74854	7
8	.38617	.69913	.40005	.66679	.41410	.70677	.42833	.74927	8
9	.38640	.69974	.40028	.66744	.41433	.70746	.42857	.75000	9
10	.38663	.69935	.40051	.66809	.41457	.70815	.42881	.75073	10
11	.38686	.69996	.40074	.66873	.41481	.70884	.42905	.75146	11
12	.38709	.69157	.40098	.66938	.41504	.70953	.42929	.75219	12
13	.38732	.69218	.40121	.67003	.41528	.71022	.42953	.75293	13
14	.38755	.69279	.40144	.67068	.41551	.71091	.42977	.75366	14
15	.38778	.69341	.40168	.67133	.41575	.71160	.43000	.75440	15
16	.38801	.69402	.40191	.67199	.41599	.71229	.43024	.75513	16
17	.38824	.69464	.40214	.67264	.41622	.71298	.43048	.75587	17
18	.38847	.69525	.40237	.67329	.41646	.71368	.43072	.75661	18
19	.38870	.69587	.40261	.67394	.41670	.71437	.43096	.75734	19
20	.38893	.69648	.40284	.67460	.41693	.71506	.43120	.75808	20
21	.38916	.69710	.40307	.67525	.41717	.71576	.43144	.75882	21
22	.38939	.69772	.40331	.67591	.41740	.71646	.43168	.75956	22
23	.38962	.69834	.40354	.67656	.41764	.71715	.43192	.76030	23
24	.38985	.69895	.40378	.67722	.41788	.71785	.43216	.76105	24
25	.39009	.69957	.40401	.67788	.41811	.71855	.43240	.76179	25
26	.39032	.64019	.40424	.67853	.41835	.71925	.43264	.76253	26
27	.39055	.64081	.40448	.67919	.41859	.71995	.43287	.76328	27
28	.39078	.64144	.40471	.67985	.41882	.72065	.43311	.76402	28
29	.39101	.64206	.40494	.68051	.41906	.72135	.43335	.76477	29
30	.39124	.64268	.40518	.68117	.41930	.72205	.43359	.76552	30
31	.39147	.64330	.40541	.68183	.41953	.72275	.43383	.76626	31
32	.39170	.64393	.40565	.68250	.41977	.72346	.43407	.76701	32
33	.39193	.64455	.40588	.68316	.42001	.72416	.43431	.76776	33
34	.39216	.64518	.40611	.68382	.42024	.72487	.43455	.76851	34
35	.39239	.64580	.40635	.68449	.42048	.72557	.43479	.76926	35
36	.39262	.64643	.40658	.68515	.42073	.72628	.43503	.77001	36
37	.39286	.64705	.40682	.68582	.42096	.72698	.43527	.77077	37
38	.39309	.64768	.40705	.68648	.42119	.72769	.43551	.77152	38
39	.39332	.64831	.40728	.68715	.42143	.72840	.43575	.77227	39
40	.39355	.64894	.40752	.68782	.42167	.72911	.43599	.77303	40
41	.39378	.64957	.40775	.68848	.42191	.72982	.43623	.77378	41
42	.39401	.65020	.40799	.68915	.42214	.73053	.43647	.77454	42
43	.39424	.65083	.40822	.68982	.42238	.73124	.43671	.77530	43
44	.39447	.65146	.40846	.69049	.42262	.73195	.43695	.77606	44
45	.39471	.65209	.40869	.69116	.42285	.73267	.43720	.77681	45
46	.39494	.65272	.40893	.69183	.42309	.73338	.43744	.77757	46
47	.39517	.65336	.40916	.69250	.42333	.73409	.43768	.77833	47
48	.39540	.65399	.40939	.69318	.42357	.73481	.43792	.77910	48
49	.39563	.65462	.40963	.69385	.42381	.73552	.43816	.77986	49
50	.39586	.65526	.40986	.69452	.42404	.73624	.43840	.78062	50
51	.39610	.65589	.41010	.69520	.42428	.73696	.43864	.78138	51
52	.39633	.65653	.41033	.69587	.42452	.73768	.43888	.78215	52
53	.39656	.65717	.41057	.69655	.42476	.73840	.43912	.78291	53
54	.39679	.65780	.41080	.69723	.42499	.73911	.43936	.78368	54
55	.39702	.65844	.41104	.69790	.42523	.73983	.43960	.78445	55
56	.39726	.65908	.41127	.69858	.42547	.74055	.43984	.78521	56
57	.39749	.65972	.41151	.69926	.42571	.74128	.44008	.78598	57
58	.39772	.66036	.41174	.69994	.42595	.74200	.44032	.78675	58
59	.39795	.66100	.41198	.70062	.42619	.74272	.44057	.78752	59
60	.39819	.66164	.41221	.70130	.42642	.74345	.44081	.78829	60

TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SECANTS

	56°		57°		58°		59°		
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	
0	.44081	.78829	.45536	.83608	.47008	.88708	.48496	.94160	0
1	.44105	.78906	.45560	.83690	.47033	.88796	.48521	.94254	1
2	.44129	.78984	.45585	.83773	.47057	.88884	.48546	.94349	2
3	.44153	.79061	.45609	.83855	.47082	.88972	.48571	.94443	3
4	.44177	.79138	.45634	.83938	.47107	.89060	.48596	.94537	4
5	.44201	.79216	.45658	.84020	.47131	.89148	.48621	.94632	5
6	.44225	.79293	.45683	.84103	.47156	.89237	.48646	.94726	6
7	.44250	.79371	.45707	.84186	.47181	.89325	.48671	.94821	7
8	.44274	.79449	.45731	.84269	.47206	.89414	.48696	.94916	8
9	.44298	.79527	.45756	.84352	.47230	.89503	.48721	.95011	9
10	.44322	.79604	.45780	.84435	.47255	.89591	.48746	.95106	10
11	.44346	.79682	.45805	.84518	.47280	.89680	.48771	.95201	11
12	.44370	.79761	.45829	.84601	.47304	.89769	.48796	.95296	12
13	.44395	.79839	.45854	.84685	.47329	.89858	.48821	.95392	13
14	.44419	.79917	.45878	.84768	.47354	.89948	.48846	.95487	14
15	.44443	.79995	.45903	.84852	.47379	.90037	.48871	.95583	15
16	.44467	.80074	.45927	.84935	.47403	.90126	.48896	.95678	16
17	.44491	.80152	.45951	.85019	.47428	.90216	.48921	.95774	17
18	.44516	.80231	.45976	.85103	.47453	.90305	.48946	.95870	18
19	.44540	.80309	.46000	.85187	.47478	.90395	.48971	.95966	19
20	.44564	.80388	.46025	.85271	.47503	.90485	.48996	.96062	20
21	.44588	.80467	.46049	.85355	.47527	.90575	.49021	.96158	21
22	.44612	.80546	.46074	.85439	.47552	.90665	.49046	.96255	22
23	.44637	.80625	.46098	.85523	.47577	.90755	.49071	.96351	23
24	.44661	.80704	.46123	.85608	.47601	.90845	.49096	.96448	24
25	.44685	.80783	.46147	.85692	.47626	.90935	.49121	.96544	25
26	.44709	.80862	.46172	.85777	.47651	.91026	.49146	.96641	26
27	.44734	.80942	.46196	.85861	.47676	.91116	.49171	.96738	27
28	.44758	.81021	.46221	.85946	.47701	.91207	.49196	.96835	28
29	.44782	.81101	.46246	.86031	.47725	.91297	.49221	.96932	29
30	.44806	.81180	.46270	.86116	.47750	.91388	.49246	.97029	30
31	.44831	.81260	.46295	.86201	.47775	.91479	.49271	.97127	31
32	.44855	.81340	.46319	.86286	.47800	.91570	.49296	.97224	32
33	.44879	.81419	.46344	.86371	.47825	.91661	.49321	.97322	33
34	.44903	.81499	.46368	.86457	.47849	.91752	.49346	.97420	34
35	.44928	.81579	.46393	.86542	.47874	.91844	.49372	.97517	35
36	.44952	.81659	.46417	.86627	.47899	.91935	.49397	.97615	36
37	.44976	.81740	.46442	.86713	.47924	.92027	.49422	.97713	37
38	.45001	.81820	.46466	.86799	.47949	.92118	.49447	.97811	38
39	.45025	.81900	.46491	.86885	.47974	.92210	.49472	.97910	39
40	.45049	.81981	.46516	.86970	.47998	.92302	.49497	.98008	40
41	.45073	.82061	.46540	.87056	.48023	.92394	.49523	.98107	41
42	.45098	.82142	.46565	.87142	.48048	.92486	.49547	.98205	42
43	.45122	.82223	.46589	.87229	.48073	.92578	.49572	.98304	43
44	.45146	.82303	.46614	.87315	.48098	.92670	.49597	.98403	44
45	.45171	.82384	.46639	.87401	.48123	.92762	.49623	.98502	45
46	.45195	.82465	.46663	.87488	.48148	.92855	.49648	.98601	46
47	.45219	.82546	.46688	.87574	.48172	.92947	.49673	.98700	47
48	.45244	.82627	.46712	.87661	.48197	.93040	.49698	.98799	48
49	.45268	.82709	.46737	.87748	.48223	.93133	.49723	.98899	49
50	.45292	.82790	.46762	.87834	.48247	.93226	.49748	.98998	50
51	.45317	.82871	.46786	.87921	.48272	.93319	.49773	.99098	51
52	.45341	.82953	.46811	.88008	.48297	.93412	.49799	.99198	52
53	.45365	.83034	.46836	.88095	.48322	.93505	.49824	.99298	53
54	.45390	.83116	.46860	.88183	.48347	.93598	.49849	.99398	54
55	.45414	.83198	.46885	.88270	.48372	.93692	.49874	.99498	55
56	.45439	.83280	.46909	.88357	.48396	.93785	.49899	.99598	56
57	.45463	.83362	.46934	.88445	.48421	.93879	.49924	.99698	57
58	.45487	.83444	.46959	.88532	.48446	.93973	.49950	.99799	58
59	.45512	.83526	.46983	.88620	.48471	.94066	.49975	.99899	59
60	.45536	.83608	.47008	.88708	.48496	.94160	.50000	1.00000	60

TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SECANTS.

	60°		61°		62°		63°		
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	
0	.50000	1.00000	.51519	1.06267	.53063	1.13005	.54601	1.20269	0
1	.50025	1.00101	.51544	1.06375	.53079	1.13122	.54627	1.20395	1
2	.50050	1.00202	.51570	1.06483	.53104	1.13239	.54653	1.20521	2
3	.50076	1.00308	.51595	1.06592	.53130	1.13356	.54679	1.20647	3
4	.50101	1.00404	.51621	1.06701	.53156	1.13473	.54705	1.20773	4
5	.50126	1.00505	.51646	1.06809	.53181	1.13590	.54731	1.20900	5
6	.50151	1.00607	.51672	1.06918	.53207	1.13707	.54757	1.21026	6
7	.50176	1.00708	.51697	1.07027	.53233	1.13825	.54782	1.21153	7
8	.50202	1.00810	.51723	1.07137	.53258	1.13942	.54808	1.21280	8
9	.50227	1.00912	.51748	1.07246	.53284	1.14060	.54834	1.21407	9
10	.50252	1.01014	.51774	1.07356	.53310	1.14178	.54860	1.21535	10
11	.50277	1.01116	.51799	1.07465	.53336	1.14296	.54886	1.21662	11
12	.50303	1.01218	.51825	1.07575	.53361	1.14414	.54912	1.21790	12
13	.50328	1.01320	.51850	1.07685	.53387	1.14533	.54938	1.21918	13
14	.50353	1.01422	.51876	1.07795	.53413	1.14651	.54964	1.22045	14
15	.50378	1.01525	.51901	1.07905	.53439	1.14770	.54990	1.22172	15
16	.50404	1.01628	.51927	1.08015	.53464	1.14889	.55016	1.22300	16
17	.50429	1.01730	.51952	1.08126	.53490	1.15008	.55042	1.22428	17
18	.50454	1.01833	.51978	1.08236	.53516	1.15127	.55068	1.22559	18
19	.50479	1.01936	.52003	1.08347	.53542	1.15246	.55094	1.22688	19
20	.50505	1.02039	.52029	1.08458	.53567	1.15366	.55120	1.22817	20
21	.50530	1.02143	.52054	1.08569	.53593	1.15485	.55146	1.22946	21
22	.50555	1.02246	.52080	1.08680	.53619	1.15605	.55172	1.23075	22
23	.50581	1.02349	.52105	1.08791	.53645	1.15725	.55198	1.23205	23
24	.50606	1.02453	.52131	1.08903	.53670	1.15845	.55224	1.23334	24
25	.50631	1.02557	.52156	1.09014	.53696	1.15965	.55250	1.23464	25
26	.50656	1.02661	.52182	1.09126	.53722	1.16085	.55276	1.23594	26
27	.50682	1.02765	.52207	1.09238	.53748	1.16206	.55302	1.23724	27
28	.50707	1.02869	.52233	1.09350	.53774	1.16326	.55328	1.23855	28
29	.50732	1.02973	.52259	1.09462	.53799	1.16447	.55354	1.23985	29
30	.50758	1.03077	.52284	1.09574	.53825	1.16568	.55380	1.24116	30
31	.50783	1.03182	.52310	1.09686	.53851	1.16689	.55406	1.24247	31
32	.50808	1.03286	.52335	1.09799	.53877	1.16810	.55432	1.24378	32
33	.50834	1.03391	.52361	1.09911	.53903	1.16932	.55458	1.24509	33
34	.50859	1.03496	.52386	1.10024	.53928	1.17053	.55484	1.24640	34
35	.50884	1.03601	.52412	1.10137	.53954	1.17175	.55510	1.24772	35
36	.50910	1.03706	.52438	1.10250	.53980	1.17297	.55536	1.24903	36
37	.50935	1.03811	.52463	1.10363	.54006	1.17419	.55563	1.25035	37
38	.50960	1.03916	.52489	1.10477	.54032	1.17541	.55589	1.25167	38
39	.50986	1.04022	.52514	1.10590	.54058	1.17663	.55615	1.25299	39
40	.51011	1.04128	.52540	1.10704	.54083	1.17786	.55641	1.25432	40
41	.51036	1.04233	.52566	1.10817	.54109	1.17909	.55667	1.25565	41
42	.51062	1.04339	.52591	1.10931	.54135	1.18031	.55693	1.25697	42
43	.51087	1.04445	.52617	1.11045	.54161	1.18154	.55719	1.25830	43
44	.51113	1.04551	.52642	1.11159	.54187	1.18277	.55745	1.25963	44
45	.51138	1.04658	.52668	1.11274	.54213	1.18401	.55771	1.26097	45
46	.51163	1.04764	.52694	1.11388	.54238	1.18524	.55797	1.26230	46
47	.51189	1.04870	.52719	1.11503	.54264	1.18648	.55823	1.26364	47
48	.51214	1.04977	.52745	1.11617	.54290	1.18772	.55849	1.26498	48
49	.51239	1.05084	.52771	1.11732	.54316	1.18895	.55876	1.26632	49
50	.51265	1.05191	.52796	1.11847	.54342	1.19019	.55902	1.26766	50
51	.51290	1.05298	.52822	1.11963	.54368	1.19144	.55928	1.26900	51
52	.51316	1.05405	.52848	1.12078	.54394	1.19268	.55954	1.27035	52
53	.51341	1.05512	.52873	1.12193	.54420	1.19393	.55980	1.27169	53
54	.51366	1.05619	.52899	1.12309	.54446	1.19517	.56006	1.27304	54
55	.51392	1.05727	.52924	1.12425	.54471	1.19642	.56032	1.27439	55
56	.51417	1.05835	.52950	1.12540	.54497	1.19767	.56058	1.27574	56
57	.51443	1.05942	.52976	1.12657	.54523	1.19892	.56084	1.27710	57
58	.51468	1.06050	.53001	1.12773	.54549	1.20018	.56111	1.27845	58
59	.51494	1.06158	.53027	1.12889	.54575	1.20143	.56137	1.27981	59
60	.51519	1.06267	.53053	1.13005	.54601	1.20269	.56163	1.28117	60

TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SECANTS.

	64°		65°		66°		67°		
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	
0	.56163	1.28117	.57738	1.36620	.59326	1.45859	.60927	1.55930	0
1	.56189	1.28253	.57765	1.36768	.59353	1.46020	.60954	1.56106	1
2	.56215	1.28390	.57791	1.36916	.59379	1.46181	.60980	1.56282	2
3	.56241	1.28526	.57817	1.37064	.59406	1.46342	.61007	1.56458	3
4	.56267	1.28663	.57844	1.37212	.59433	1.46504	.61034	1.56634	4
5	.56294	1.28800	.57870	1.37361	.59459	1.46665	.61061	1.56811	5
6	.56320	1.28937	.57896	1.37509	.59486	1.46827	.61088	1.56988	6
7	.56346	1.29074	.57923	1.37658	.59512	1.46989	.61114	1.57165	7
8	.56372	1.29211	.57949	1.37808	.59539	1.47152	.61141	1.57342	8
9	.56398	1.29349	.57976	1.37957	.59566	1.47314	.61168	1.57520	9
10	.56425	1.29487	.58003	1.38107	.59592	1.47477	.61195	1.57698	10
11	.56451	1.29625	.58028	1.38256	.59619	1.47640	.61222	1.57876	11
12	.56477	1.29763	.58055	1.38406	.59645	1.47804	.61248	1.58054	12
13	.56503	1.29901	.58081	1.38556	.59672	1.47967	.61275	1.58233	13
14	.56529	1.30040	.58108	1.38707	.59699	1.48131	.61302	1.58412	14
15	.56555	1.30179	.58134	1.38857	.59725	1.48295	.61329	1.58591	15
16	.56582	1.30318	.58160	1.39008	.59752	1.48459	.61356	1.58771	16
17	.56608	1.30457	.58187	1.39159	.59779	1.48624	.61383	1.58950	17
18	.56634	1.30596	.58213	1.39311	.59805	1.48789	.61409	1.59130	18
19	.56660	1.30735	.58240	1.39462	.59832	1.48954	.61436	1.59311	19
20	.56687	1.30875	.58266	1.39614	.59859	1.49119	.61463	1.59491	20
21	.56713	1.31015	.58293	1.39766	.59885	1.49284	.61490	1.59672	21
22	.56739	1.31155	.58319	1.39918	.59912	1.49450	.61517	1.59853	22
23	.56765	1.31295	.58345	1.40070	.59938	1.49616	.61544	1.60035	23
24	.56791	1.31436	.58372	1.40222	.59965	1.49782	.61570	1.60217	24
25	.56818	1.31576	.58398	1.40375	.59992	1.49948	.61597	1.60399	25
26	.56844	1.31717	.58425	1.40528	.60018	1.50115	.61624	1.60581	26
27	.56870	1.31858	.58451	1.40681	.60045	1.50282	.61651	1.60763	27
28	.56896	1.31999	.58478	1.40835	.60072	1.50449	.61678	1.60946	28
29	.56923	1.32140	.58504	1.40988	.60098	1.50617	.61705	1.61129	29
30	.56949	1.32282	.58531	1.41142	.60125	1.50784	.61733	1.61313	30
31	.56975	1.32424	.58557	1.41296	.60152	1.50952	.61759	1.61496	31
32	.57001	1.32566	.58584	1.41450	.60178	1.51120	.61785	1.61680	32
33	.57028	1.32708	.58610	1.41605	.60205	1.51289	.61812	1.61864	33
34	.57054	1.32850	.58637	1.41760	.60232	1.51457	.61839	1.62049	34
35	.57080	1.32993	.58663	1.41914	.60259	1.51626	.61866	1.62234	35
36	.57106	1.33135	.58690	1.42070	.60285	1.51795	.61893	1.62419	36
37	.57133	1.33278	.58716	1.42225	.60312	1.51965	.61920	1.62604	37
38	.57159	1.33422	.58743	1.42380	.60339	1.52134	.61947	1.62790	38
39	.57185	1.33565	.58769	1.42536	.60365	1.52304	.61974	1.62976	39
40	.57212	1.33708	.58796	1.42692	.60392	1.52474	.62001	1.63162	40
41	.57238	1.33852	.58822	1.42848	.60419	1.52645	.62027	1.63348	41
42	.57264	1.33996	.58849	1.43005	.60445	1.52815	.62054	1.63535	42
43	.57291	1.34140	.58875	1.43162	.60472	1.52986	.62081	1.63722	43
44	.57317	1.34284	.58902	1.43318	.60499	1.53157	.62108	1.63909	44
45	.57343	1.34429	.58928	1.43475	.60526	1.53329	.62135	1.64097	45
46	.57369	1.34573	.58955	1.43633	.60552	1.53500	.62162	1.64285	46
47	.57396	1.34718	.58981	1.43790	.60579	1.53672	.62189	1.64473	47
48	.57422	1.34863	.59008	1.43948	.60606	1.53845	.62216	1.64663	48
49	.57448	1.35009	.59034	1.44106	.60633	1.54017	.62243	1.64851	49
50	.57475	1.35154	.59061	1.44264	.60659	1.54190	.62270	1.65040	50
51	.57501	1.35300	.59087	1.44423	.60686	1.54363	.62297	1.65229	51
52	.57527	1.35446	.59114	1.44582	.60713	1.54536	.62324	1.65419	52
53	.57554	1.35592	.59140	1.44741	.60740	1.54709	.62351	1.65609	53
54	.57580	1.35738	.59167	1.44900	.60766	1.54883	.62378	1.65799	54
55	.57606	1.35885	.59194	1.45059	.60793	1.55057	.62405	1.65989	55
56	.57633	1.36031	.59220	1.45219	.60820	1.55231	.62431	1.66180	56
57	.57659	1.36178	.59247	1.45378	.60847	1.55405	.62458	1.66371	57
58	.57685	1.36325	.59273	1.45539	.60873	1.55580	.62485	1.66563	58
59	.57712	1.36473	.59300	1.45699	.60900	1.55755	.62512	1.66755	59
60	.57738	1.36620	.59326	1.45859	.60927	1.55930	.62539	1.66947	60

TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SECANTS.

	68°		69°		70°		71°		
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	
0	.62539	1.66947	.64163	1.79043	.65798	1.92380	.67443	2.07155	0
1	.62566	1.67139	.64190	1.79254	.65825	1.92514	.67471	2.07415	1
2	.62593	1.67332	.64218	1.79466	.65853	1.92649	.67498	2.07675	2
3	.62620	1.67525	.64245	1.79679	.65880	1.92783	.67526	2.07936	3
4	.62647	1.67718	.64272	1.79891	.65907	1.92918	.67553	2.08197	4
5	.62674	1.67911	.64299	1.80104	.65935	1.93054	.67581	2.08459	5
6	.62701	1.68105	.64326	1.80318	.65962	1.93190	.67608	2.08721	6
7	.62728	1.68299	.64353	1.80531	.65989	1.94026	.67636	2.08983	7
8	.62755	1.68494	.64381	1.80746	.66017	1.94263	.67663	2.09246	8
9	.62782	1.68689	.64408	1.80960	.66044	1.94500	.67691	2.09510	9
10	.62809	1.68884	.64435	1.81175	.66071	1.94737	.67718	2.09774	10
11	.62836	1.69079	.64462	1.81390	.66099	1.94975	.67746	2.10038	11
12	.62863	1.69275	.64489	1.81605	.66126	1.95213	.67773	2.10302	12
13	.62890	1.69471	.64517	1.81821	.66154	1.95452	.67801	2.10566	13
14	.62917	1.69667	.64544	1.82037	.66181	1.95691	.67829	2.10830	14
15	.62944	1.69864	.64571	1.82254	.66208	1.95931	.67856	2.11101	15
16	.62971	1.70061	.64598	1.82471	.66236	1.96171	.67884	2.11367	16
17	.62998	1.70258	.64625	1.82688	.66263	1.96411	.67911	2.11635	17
18	.63025	1.70455	.64653	1.82906	.66290	1.96652	.67939	2.11903	18
19	.63052	1.70653	.64680	1.83124	.66318	1.96893	.67966	2.12171	19
20	.63079	1.70851	.64707	1.83342	.66345	1.97135	.67994	2.12440	20
21	.63106	1.71050	.64734	1.83561	.66373	1.97377	.68021	2.12709	21
22	.63133	1.71249	.64761	1.83780	.66400	1.97619	.68049	2.12979	22
23	.63161	1.71448	.64789	1.83999	.66427	1.97862	.68077	2.13249	23
24	.63188	1.71647	.64816	1.84219	.66455	1.98106	.68104	2.13520	24
25	.63215	1.71847	.64843	1.84439	.66482	1.98349	.68132	2.13791	25
26	.63242	1.72047	.64870	1.84659	.66510	1.98594	.68159	2.14063	26
27	.63269	1.72247	.64898	1.84880	.66537	1.98838	.68187	2.14335	27
28	.63296	1.72448	.64925	1.85102	.66564	1.99083	.68214	2.14608	28
29	.63323	1.72649	.64952	1.85323	.66592	1.99329	.68242	2.14881	29
30	.63350	1.72850	.64979	1.85545	.66619	1.99574	.68270	2.15155	30
31	.63377	1.73052	.65007	1.85767	.66647	1.99821	.68297	2.15429	31
32	.63404	1.73254	.65034	1.85990	.66674	2.00067	.68325	2.15704	32
33	.63431	1.73456	.65061	1.86213	.66702	2.00315	.68352	2.15979	33
34	.63458	1.73659	.65088	1.86437	.66729	2.00562	.68380	2.16255	34
35	.63485	1.73862	.65116	1.86661	.66756	2.00810	.68408	2.16531	35
36	.63512	1.74065	.65143	1.86885	.66784	2.01059	.68435	2.16806	36
37	.63539	1.74269	.65170	1.87109	.66811	2.01308	.68463	2.17083	37
38	.63566	1.74473	.65197	1.87334	.66839	2.01557	.68490	2.17363	38
39	.63594	1.74677	.65225	1.87560	.66866	2.01807	.68518	2.17641	39
40	.63621	1.74881	.65252	1.87785	.66894	2.02057	.68546	2.17920	40
41	.63648	1.75086	.65279	1.88011	.66921	2.02308	.68573	2.18199	41
42	.63675	1.75292	.65306	1.88238	.66949	2.02559	.68601	2.18479	42
43	.63702	1.75497	.65334	1.88465	.66976	2.02810	.68628	2.18759	43
44	.63729	1.75703	.65361	1.88692	.67003	2.03062	.68656	2.19040	44
45	.63756	1.75909	.65388	1.88920	.67031	2.03315	.68684	2.19322	45
46	.63783	1.76116	.65416	1.89148	.67058	2.03568	.68711	2.19604	46
47	.63810	1.76323	.65443	1.89376	.67086	2.03821	.68739	2.19886	47
48	.63838	1.76530	.65470	1.89605	.67113	2.04075	.68767	2.20169	48
49	.63865	1.76737	.65497	1.89834	.67141	2.04329	.68794	2.20453	49
50	.63892	1.76945	.65525	1.90063	.67168	2.04584	.68822	2.20737	50
51	.63919	1.77154	.65552	1.90293	.67196	2.04839	.68849	2.21021	51
52	.63946	1.77362	.65579	1.90524	.67223	2.05094	.68877	2.21306	52
53	.63973	1.77571	.65607	1.90754	.67251	2.05350	.68905	2.21592	53
54	.64000	1.77780	.65634	1.90986	.67278	2.05607	.68932	2.21878	54
55	.64027	1.77990	.65661	1.91217	.67306	2.05864	.68960	2.22165	55
56	.64055	1.78200	.65689	1.91449	.67333	2.06121	.68988	2.22452	56
57	.64082	1.78410	.65716	1.91681	.67361	2.06379	.69015	2.22740	57
58	.64109	1.78621	.65743	1.91914	.67388	2.06637	.69043	2.23028	58
59	.64136	1.78832	.65771	1.92147	.67416	2.06896	.69071	2.23317	59
60	.64163	1.79043	.65798	1.92380	.67443	2.07155	.69098	2.23607	60



TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SECANTS

	72°		73°		74°		75°		
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	
0	.69098	2.23607	.70763	2.42030	.72436	2.62796	.74118	2.86370	0
1	.69126	2.23897	.70791	2.42256	.72464	2.63164	.74146	2.86790	1
2	.69154	2.24187	.70818	2.42483	.72492	2.63533	.74174	2.87211	2
3	.69181	2.24478	.70846	2.42710	.72520	2.63903	.74202	2.87633	3
4	.69209	2.24770	.70874	2.42937	.72548	2.64274	.74231	2.88056	4
5	.69237	2.25062	.70902	2.43166	.72576	2.64645	.74259	2.88479	5
6	.69264	2.25355	.70930	2.43395	.72604	2.65018	.74287	2.88904	6
7	.69292	2.25648	.70958	2.44324	.72632	2.65391	.74315	2.89330	7
8	.69320	2.25942	.70985	2.44655	.72660	2.65765	.74343	2.89756	8
9	.69347	2.26237	.71013	2.44986	.72688	2.66140	.74371	2.90184	9
10	.69375	2.26531	.71041	2.45317	.72716	2.66515	.74399	2.90613	10
11	.69403	2.26827	.71069	2.45650	.72744	2.66892	.74427	2.91042	11
12	.69430	2.27123	.71097	2.45983	.72772	2.67269	.74455	2.91473	12
13	.69458	2.27420	.71125	2.46316	.72800	2.67647	.74484	2.91904	13
14	.69486	2.27717	.71153	2.46651	.72828	2.68025	.74512	2.92337	14
15	.69514	2.28015	.71180	2.46986	.72856	2.68405	.74540	2.92770	15
16	.69541	2.28313	.71208	2.47321	.72884	2.68785	.74568	2.93204	16
17	.69569	2.28612	.71236	2.47658	.72912	2.69167	.74596	2.93640	17
18	.69597	2.28912	.71264	2.47995	.72940	2.69549	.74624	2.94076	18
19	.69624	2.29212	.71292	2.48333	.72968	2.69931	.74652	2.94514	19
20	.69652	2.29512	.71320	2.48671	.72996	2.70315	.74680	2.94952	20
21	.69680	2.29814	.71348	2.49010	.73024	2.70700	.74709	2.95392	21
22	.69708	2.30115	.71375	2.49350	.73052	2.71085	.74737	2.95832	22
23	.69735	2.30418	.71403	2.49691	.73080	2.71471	.74765	2.96274	23
24	.69763	2.30721	.71431	2.50032	.73108	2.71858	.74793	2.96716	24
25	.69791	2.31024	.71459	2.50374	.73136	2.72246	.74821	2.97160	25
26	.69818	2.31328	.71487	2.50716	.73164	2.72635	.74849	2.97604	26
27	.69846	2.31633	.71515	2.51060	.73192	2.73024	.74878	2.98050	27
28	.69874	2.31939	.71543	2.51404	.73220	2.73414	.74906	2.98497	28
29	.69902	2.32244	.71571	2.51748	.73248	2.73806	.74934	2.98944	29
30	.69929	2.32551	.71599	2.52094	.73276	2.74198	.74962	2.99393	30
31	.69957	2.32858	.71626	2.52440	.73304	2.74591	.74990	2.99843	31
32	.69985	2.33166	.71654	2.52787	.73332	2.74984	.75018	3.00293	32
33	.70013	2.33474	.71682	2.53134	.73360	2.75379	.75047	3.00745	33
34	.70040	2.33783	.71710	2.53482	.73388	2.75775	.75075	3.01198	34
35	.70068	2.34092	.71738	2.53831	.73416	2.76171	.75103	3.01652	35
36	.70096	2.34403	.71766	2.54181	.73444	2.76568	.75131	3.02107	36
37	.70124	2.34713	.71794	2.54531	.73472	2.76966	.75159	3.02563	37
38	.70151	2.35025	.71822	2.54883	.73500	2.77365	.75187	3.03020	38
39	.70179	2.35336	.71850	2.55235	.73529	2.77765	.75216	3.03479	39
40	.70207	2.35649	.71877	2.55587	.73557	2.78166	.75244	3.03938	40
41	.70235	2.35962	.71905	2.55940	.73585	2.78568	.75272	3.04398	41
42	.70263	2.36276	.71933	2.56294	.73613	2.78970	.75300	3.04860	42
43	.70290	2.36590	.71961	2.56649	.73641	2.79374	.75328	3.05322	43
44	.70318	2.36905	.71989	2.57005	.73669	2.79778	.75356	3.05786	44
45	.70346	2.37221	.72017	2.57361	.73697	2.80183	.75385	3.06251	45
46	.70374	2.37537	.72045	2.57718	.73725	2.80589	.75413	3.06717	46
47	.70401	2.37854	.72073	2.58076	.73753	2.80996	.75441	3.07184	47
48	.70429	2.38171	.72101	2.58434	.73781	2.81404	.75469	3.07652	48
49	.70457	2.38489	.72129	2.58794	.73809	2.81813	.75497	3.08121	49
50	.70485	2.38808	.72157	2.59154	.73837	2.82223	.75526	3.08591	50
51	.70513	2.39128	.72185	2.59514	.73865	2.82633	.75554	3.09063	51
52	.70540	2.39448	.72213	2.59876	.73893	2.83045	.75582	3.09535	52
53	.70568	2.39768	.72241	2.60238	.73921	2.83457	.75610	3.10009	53
54	.70596	2.40089	.72269	2.60601	.73950	2.83871	.75639	3.10484	54
55	.70624	2.40411	.72296	2.60965	.73978	2.84285	.75667	3.10960	55
56	.70652	2.40734	.72324	2.61330	.74006	2.84700	.75695	3.11437	56
57	.70679	2.41057	.72352	2.61695	.74034	2.85116	.75723	3.11915	57
58	.70707	2.41381	.72380	2.62061	.74062	2.85533	.75751	3.12394	58
59	.70735	2.41706	.72408	2.62428	.74090	2.85951	.75779	3.12875	59
60	.70763	2.42030	.72436	2.62796	.74118	2.86370	.75808	3.13357	60

TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SECANTS.

	76°		77°		78°		79°		
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	
0	.75808	3.13357	.77505	3.44541	.79209	3.80973	.80919	4.24084	0
1	.75836	3.13639	.77533	3.45102	.79237	3.81633	.80948	4.24870	1
2	.75864	3.14323	.77562	3.45664	.79266	3.82294	.80976	4.25658	2
3	.75892	3.14809	.77590	3.46225	.79294	3.82955	.81005	4.26448	3
4	.75921	3.15295	.77618	3.46788	.79322	3.83621	.81033	4.27241	4
5	.75949	3.15782	.77647	3.47350	.79351	3.84288	.81062	4.28036	5
6	.75977	3.16271	.77675	3.47923	.79380	3.84956	.81090	4.28833	6
7	.76005	3.16761	.77703	3.48498	.79408	3.85627	.81119	4.29634	7
8	.76034	3.17252	.77732	3.49069	.79437	3.86299	.81148	4.30436	8
9	.76063	3.17744	.77760	3.49642	.79465	3.86973	.81176	4.31241	9
10	.76090	3.18238	.77788	3.50216	.79493	3.87649	.81205	4.32049	10
11	.76118	3.18733	.77817	3.50791	.79522	3.88327	.81233	4.32859	11
12	.76147	3.19228	.77845	3.51368	.79550	3.89007	.81262	4.33671	12
13	.76175	3.19725	.77874	3.51947	.79579	3.89689	.81290	4.34486	13
14	.76203	3.20224	.77902	3.52527	.79607	3.90373	.81319	4.35304	14
15	.76231	3.20723	.77930	3.53109	.79636	3.91058	.81348	4.36124	15
16	.76260	3.21224	.77959	3.53692	.79664	3.91746	.81376	4.36947	16
17	.76288	3.21726	.77987	3.54277	.79693	3.92436	.81405	4.37772	17
18	.76316	3.22229	.78015	3.54863	.79721	3.93128	.81433	4.38600	18
19	.76344	3.22734	.78044	3.55451	.79750	3.93821	.81462	4.39437	19
20	.76373	3.23239	.78072	3.56041	.79778	3.94517	.81491	4.40263	20
21	.76401	3.23746	.78101	3.56632	.79807	3.95215	.81519	4.41099	21
22	.76429	3.24255	.78129	3.57224	.79835	3.95914	.81548	4.41937	22
23	.76458	3.24764	.78157	3.57819	.79864	3.96616	.81576	4.42778	23
24	.76486	3.25275	.78186	3.58414	.79892	3.97320	.81605	4.43622	24
25	.76514	3.25787	.78214	3.59012	.79921	3.98025	.81633	4.44468	25
26	.76542	3.26300	.78242	3.59611	.79949	3.98733	.81662	4.45317	26
27	.76571	3.26814	.78271	3.60211	.79978	3.99443	.81691	4.46169	27
28	.76599	3.27330	.78299	3.60818	.80006	4.00155	.81719	4.47023	28
29	.76627	3.27847	.78328	3.61417	.80035	4.00869	.81748	4.47881	29
30	.76655	3.28366	.78356	3.62023	.80063	4.01585	.81776	4.48740	30
31	.76684	3.28885	.78384	3.62630	.80092	4.02308	.81805	4.49603	31
32	.76712	3.29406	.78413	3.63238	.80120	4.03024	.81834	4.50468	32
33	.76740	3.29929	.78441	3.63849	.80149	4.03746	.81862	4.51337	33
34	.76769	3.30452	.78470	3.64461	.80177	4.04471	.81891	4.52208	34
35	.76797	3.30977	.78498	3.65074	.80206	4.05197	.81919	4.53081	35
36	.76825	3.31503	.78526	3.65690	.80234	4.05926	.81948	4.53958	36
37	.76854	3.32031	.78555	3.66307	.80263	4.06657	.81977	4.54837	37
38	.76882	3.32560	.78583	3.66925	.80291	4.07389	.82005	4.55720	38
39	.76910	3.33090	.78612	3.67545	.80320	4.08125	.82034	4.56605	39
40	.76938	3.33622	.78640	3.68167	.80348	4.08863	.82063	4.57493	40
41	.76967	3.34154	.78669	3.68791	.80377	4.09602	.82091	4.58383	41
42	.76995	3.34689	.78697	3.69417	.80405	4.10344	.82120	4.59277	42
43	.77023	3.35224	.78725	3.70044	.80434	4.11088	.82148	4.60174	43
44	.77052	3.35761	.78754	3.70673	.80462	4.11835	.82177	4.61073	44
45	.77080	3.36299	.78782	3.71303	.80491	4.12583	.82206	4.61976	45
46	.77108	3.36839	.78811	3.71935	.80520	4.13334	.82234	4.62881	46
47	.77137	3.37380	.78839	3.72569	.80548	4.14087	.82263	4.63790	47
48	.77165	3.37923	.78868	3.73205	.80577	4.14842	.82292	4.64701	48
49	.77193	3.38466	.78896	3.73843	.80605	4.15599	.82320	4.65616	49
50	.77222	3.39012	.78924	3.74482	.80634	4.16359	.82349	4.66533	50
51	.77250	3.39558	.78953	3.75123	.80662	4.17121	.82377	4.67454	51
52	.77278	3.40106	.78981	3.75766	.80691	4.17886	.82406	4.68377	52
53	.77307	3.40656	.79010	3.76411	.80719	4.18652	.82435	4.69304	53
54	.77335	3.41206	.79038	3.77057	.80748	4.19421	.82463	4.70234	54
55	.77363	3.41759	.79067	3.77705	.80776	4.20193	.82492	4.71166	55
56	.77392	3.42312	.79095	3.78355	.80805	4.20966	.82521	4.72102	56
57	.77420	3.42867	.79123	3.79007	.80833	4.21742	.82549	4.73041	57
58	.77448	3.43424	.79152	3.79661	.80862	4.22521	.82578	4.73983	58
59	.77477	3.43982	.79180	3.80316	.80891	4.23301	.82607	4.74929	59
60	.77505	3.44541	.79209	3.80973	.80919	4.24084	.82635	4.75877	60

TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SECANTS.

	80°		81°		82°		83°		
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	
0	.82635	4.75877	.84357	5.39245	.86083	6.18530	.87818	7.20551	0
1	.82664	4.76829	.84385	5.40122	.86112	6.20020	.87842	7.22500	1
2	.82692	4.77784	.84414	5.41002	.86140	6.21517	.87871	7.24457	2
3	.82721	4.78742	.84443	5.42787	.86169	6.23019	.87900	7.26425	3
4	.82750	4.79703	.84471	5.43977	.86198	6.24529	.87929	7.28402	4
5	.82778	4.80667	.84500	5.45171	.86227	6.26044	.87957	7.30388	5
6	.82807	4.81635	.84529	5.46369	.86256	6.27566	.87986	7.32364	6
7	.82836	4.82606	.84558	5.47572	.86284	6.29095	.88015	7.34390	7
8	.82864	4.83581	.84586	5.48779	.86313	6.30630	.88044	7.36405	8
9	.82893	4.84558	.84615	5.49991	.86342	6.32171	.88073	7.38431	9
10	.82922	4.85539	.84644	5.51206	.86371	6.33719	.88102	7.40466	10
11	.82950	4.86524	.84673	5.52429	.86400	6.35274	.88131	7.42511	11
12	.82979	4.87511	.84701	5.53655	.86428	6.36835	.88160	7.44566	12
13	.83008	4.88502	.84730	5.54886	.86457	6.38403	.88188	7.46632	13
14	.83036	4.89497	.84759	5.56121	.86486	6.39978	.88217	7.48707	14
15	.83065	4.90495	.84788	5.57361	.86515	6.41560	.88246	7.50793	15
16	.83094	4.91496	.84816	5.58606	.86544	6.43148	.88275	7.52889	16
17	.83122	4.92501	.84845	5.59855	.86573	6.44743	.88304	7.54996	17
18	.83151	4.93509	.84874	5.61110	.86601	6.46346	.88333	7.57118	18
19	.83180	4.94521	.84903	5.62369	.86630	6.47955	.88362	7.59241	19
20	.83208	4.95536	.84931	5.63633	.86659	6.49571	.88391	7.61379	20
21	.83237	4.96555	.84960	5.64902	.86688	6.51194	.88420	7.63528	21
22	.83266	4.97577	.84989	5.66176	.86717	6.52825	.88448	7.65688	22
23	.83294	4.98603	.85018	5.67454	.86746	6.54462	.88477	7.67859	23
24	.83323	4.99633	.85046	5.68738	.86774	6.56107	.88506	7.70041	24
25	.83352	5.00666	.85075	5.70027	.86803	6.57759	.88535	7.72234	25
26	.83380	5.01703	.85104	5.71321	.86832	6.59418	.88564	7.74438	26
27	.83409	5.02743	.85133	5.72620	.86861	6.61085	.88593	7.76653	27
28	.83438	5.03787	.85162	5.73924	.86890	6.62759	.88622	7.78880	28
29	.83467	5.04834	.85190	5.75233	.86919	6.64441	.88651	7.81118	29
30	.83495	5.05886	.85219	5.76547	.86947	6.66130	.88680	7.83367	30
31	.83524	5.06941	.85248	5.77866	.86976	6.67826	.88709	7.85628	31
32	.83553	5.08000	.85277	5.79191	.87005	6.69530	.88737	7.87901	32
33	.83581	5.09062	.85305	5.80521	.87034	6.71242	.88766	7.90186	33
34	.83610	5.10129	.85334	5.81856	.87063	6.72962	.88795	7.92482	34
35	.83639	5.11199	.85363	5.83196	.87092	6.74689	.88824	7.94791	35
36	.83667	5.12273	.85392	5.84542	.87120	6.76424	.88853	7.97111	36
37	.83696	5.13350	.85420	5.85893	.87149	6.78167	.88882	7.99444	37
38	.83725	5.14432	.85449	5.87250	.87178	6.79918	.88911	8.01788	38
39	.83754	5.15517	.85478	5.88612	.87207	6.81677	.88940	8.04146	39
40	.83782	5.16607	.85507	5.89979	.87236	6.83443	.88969	8.06515	40
41	.83811	5.17700	.85536	5.91352	.87265	6.85218	.88998	8.08897	41
42	.83840	5.18797	.85564	5.92731	.87294	6.87001	.89027	8.11292	42
43	.83868	5.19898	.85593	5.94115	.87323	6.88792	.89055	8.13699	43
44	.83897	5.21004	.85622	5.95505	.87351	6.90592	.89084	8.16120	44
45	.83926	5.22113	.85651	5.96900	.87380	6.92400	.89113	8.18553	45
46	.83954	5.23226	.85680	5.98301	.87409	6.94216	.89142	8.20999	46
47	.83983	5.24343	.85708	5.99708	.87438	6.96040	.89171	8.23459	47
48	.84012	5.25464	.85737	6.01120	.87467	6.97873	.89200	8.25931	48
49	.84041	5.26590	.85766	6.02538	.87496	6.99714	.89229	8.28417	49
50	.84069	5.27719	.85795	6.03963	.87524	7.01565	.89258	8.30917	50
51	.84098	5.28853	.85823	6.05392	.87553	7.03423	.89287	8.33430	51
52	.84127	5.29991	.85852	6.06828	.87582	7.05291	.89316	8.35957	52
53	.84155	5.31133	.85881	6.08269	.87611	7.07167	.89345	8.38497	53
54	.84184	5.32279	.85910	6.09717	.87640	7.09052	.89374	8.41052	54
55	.84213	5.33429	.85939	6.11171	.87669	7.10946	.89403	8.43620	55
56	.84242	5.34584	.85967	6.12630	.87698	7.12849	.89431	8.46203	56
57	.84270	5.35743	.85996	6.14096	.87726	7.14760	.89460	8.48800	57
58	.84299	5.36906	.86025	6.15568	.87755	7.16681	.89489	8.51411	58
59	.84328	5.38073	.86054	6.17046	.87784	7.18612	.89518	8.54037	59
60	.84357	5.39245	.86083	6.18530	.87813	7.20551	.89547	8.56677	60

TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SECANTS.

	84°		85°		86°		
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	
0	.89547	8.50877	.91284	10.47371	.93024	13.33559	0
1	.89576	8.50832	.91313	10.51199	.93053	13.39547	1
2	.89605	8.50802	.91342	10.55052	.93082	13.45586	2
3	.89634	8.50867	.91371	10.58932	.93111	13.51676	3
4	.89663	8.50937	.91400	10.62837	.93140	13.57817	4
5	.89692	8.51013	.91429	10.66769	.93169	13.64011	5
6	.89721	8.51088	.91458	10.70728	.93198	13.70258	6
7	.89750	8.51157	.91487	10.74714	.93227	13.76558	7
8	.89779	8.51231	.91516	10.78727	.93257	13.82913	8
9	.89808	8.51311	.91545	10.82768	.93286	13.89323	9
10	.89836	8.51391	.91574	10.86837	.93315	13.95788	10
11	.89865	8.51472	.91603	10.90934	.93344	14.02310	11
12	.89894	8.51554	.91632	10.95060	.93373	14.08890	12
13	.89923	8.51639	.91661	10.99214	.93402	14.15527	13
14	.89952	8.51724	.91690	11.03397	.93431	14.22223	14
15	.89981	8.51813	.91719	11.07610	.93460	14.28979	15
16	.90010	9.01015	.91748	11.11852	.93489	14.35795	16
17	.90039	9.00923	.91777	11.16125	.93518	14.42672	17
18	.90068	9.00849	.91806	11.20427	.93547	14.49611	18
19	.90097	9.00792	.91835	11.24761	.93576	14.56614	19
20	.90126	9.12752	.91864	11.29125	.93605	14.63679	20
21	.90155	9.15730	.91893	11.33521	.93634	14.70810	21
22	.90184	9.18725	.91922	11.37948	.93663	14.78005	22
23	.90213	9.21739	.91951	11.42408	.93692	14.85268	23
24	.90242	9.24770	.91980	11.46900	.93721	14.92597	24
25	.90271	9.27819	.92009	11.51424	.93750	14.99995	25
26	.90300	9.30887	.92038	11.55982	.93779	15.07462	26
27	.90329	9.33973	.92067	11.60573	.93808	15.14999	27
28	.90358	9.37077	.92096	11.65197	.93837	15.22607	28
29	.90386	9.40201	.92125	11.69856	.93866	15.30287	29
30	.90415	9.43343	.92154	11.74550	.93895	15.38041	30
31	.90444	9.46505	.92183	11.79278	.93924	15.45869	31
32	.90473	9.49685	.92212	11.84042	.93953	15.53772	32
33	.90502	9.52886	.92241	11.88841	.93982	15.61751	33
34	.90531	9.56106	.92270	11.93677	.94011	15.69806	34
35	.90560	9.59346	.92299	11.98549	.94040	15.77944	35
36	.90589	9.62605	.92328	12.03458	.94069	15.86159	36
37	.90618	9.65885	.92357	12.08404	.94098	15.94456	37
38	.90647	9.69186	.92386	12.13388	.94127	16.02833	38
39	.90676	9.72507	.92415	12.18411	.94156	16.11297	39
40	.90705	9.75849	.92444	12.23473	.94186	16.19843	40
41	.90734	9.79212	.92473	12.28572	.94215	16.28476	41
42	.90763	9.82596	.92502	12.33713	.94244	16.37196	42
43	.90792	9.86001	.92531	12.38891	.94273	16.46005	43
44	.90821	9.89428	.92560	12.44112	.94302	16.54903	44
45	.90850	9.92877	.92589	12.49373	.94331	16.63893	45
46	.90879	9.96348	.92618	12.54676	.94360	16.72975	46
47	.90908	9.99841	.92647	12.60021	.94389	16.82152	47
48	.90937	10.03356	.92676	12.65408	.94418	16.91424	48
49	.90966	10.06894	.92705	12.70838	.94447	17.00794	49
50	.90995	10.10455	.92734	12.76312	.94476	17.10263	50
51	.91024	10.14039	.92763	12.81829	.94505	17.19830	51
52	.91053	10.17646	.92792	12.87391	.94534	17.29501	52
53	.91082	10.21277	.92821	12.92999	.94563	17.39274	53
54	.91111	10.24932	.92850	12.98651	.94592	17.49153	54
55	.91140	10.28610	.92879	13.04350	.94621	17.59139	55
56	.91169	10.32313	.92908	13.10096	.94650	17.69223	56
57	.91197	10.36040	.92937	13.15889	.94679	17.79438	57
58	.91226	10.39792	.92966	13.21730	.94708	17.89765	58
59	.91255	10.43569	.92995	13.27620	.94737	18.00185	59
60	.91284	10.47371	.93024	13.33559	.94766	18.10788	60

TABLE IV.—NATURAL VERSED SINES AND EXTERNAL SECANTS

	87°		88°		89°		
	Vers.	Ex. sec.	Vers.	Ex. sec.	Vers.	Ex. sec.	
0	.94766	18.10733	.96510	27.65371	.98255	56.29669	0
1	.94795	18.21397	.96539	27.89440	.98284	57.26976	1
2	.94825	18.32182	.96568	28.13917	.98313	58.27451	2
3	.94854	18.43068	.96597	28.38812	.98343	59.31411	3
4	.94883	18.54119	.96626	28.64137	.98371	60.39105	4
5	.94912	18.65275	.96655	28.89903	.98400	61.50715	5
6	.94941	18.76560	.96684	29.16120	.98429	62.66460	6
7	.94970	18.87976	.96714	29.42802	.98458	63.86572	7
8	.94999	18.99524	.96743	29.69960	.98487	65.11304	8
9	.95028	19.11208	.96772	29.97607	.98517	66.40927	9
10	.95057	19.23028	.96801	30.25758	.98546	67.75738	10
11	.95086	19.34969	.96830	30.54425	.98575	69.16047	11
12	.95115	19.47093	.96859	30.83623	.98604	70.62285	12
13	.95144	19.59341	.96888	31.13366	.98633	72.14533	13
14	.95173	19.71737	.96917	31.43671	.98662	73.73586	14
15	.95202	19.84283	.96946	31.74554	.98691	75.39655	15
16	.95231	19.96982	.96975	32.06030	.98720	77.13274	16
17	.95260	20.09838	.97004	32.38118	.98749	78.94968	17
18	.95289	20.22852	.97033	32.70835	.98778	80.85315	18
19	.95318	20.36027	.97062	33.04199	.98807	82.84947	19
20	.95347	20.49368	.97092	33.38223	.98836	84.94561	20
21	.95377	20.62876	.97121	33.72952	.98866	87.14924	21
22	.95406	20.76555	.97150	34.08380	.98895	89.46886	22
23	.95435	20.90403	.97179	34.44539	.98924	91.91387	23
24	.95464	21.04440	.97208	34.81452	.98953	94.49471	24
25	.95493	21.18653	.97237	35.19141	.98982	97.22303	25
26	.95522	21.33050	.97266	35.57633	.99011	100.1119	26
27	.95551	21.47635	.97295	35.96953	.99040	103.1757	27
28	.95580	21.62413	.97324	36.37127	.99069	106.4311	28
29	.95609	21.77386	.97353	36.78185	.99098	109.8966	29
30	.95638	21.92559	.97382	37.20155	.99127	113.5890	30
31	.95667	22.07935	.97411	37.63068	.99156	117.5444	31
32	.95696	22.23520	.97440	38.06957	.99186	121.7790	32
33	.95725	22.39316	.97470	38.51855	.99215	126.3253	33
34	.95754	22.55329	.97499	38.97797	.99244	131.2223	34
35	.95783	22.71563	.97528	39.44820	.99273	136.5111	35
36	.95812	22.88022	.97557	39.92963	.99302	142.2406	36
37	.95842	23.04712	.97586	40.42266	.99331	148.4694	37
38	.95871	23.21637	.97615	40.92772	.99360	155.2623	38
39	.95900	23.38802	.97644	41.44525	.99389	162.7083	39
40	.95929	23.56212	.97673	41.97571	.99418	170.8883	40
41	.95958	23.73873	.97702	42.51961	.99447	179.9850	41
42	.95987	23.91790	.97731	43.07746	.99476	189.9868	42
43	.96016	24.09969	.97760	43.64980	.99505	201.2212	43
44	.96045	24.28414	.97789	44.23720	.99535	213.8600	44
45	.96074	24.47184	.97819	44.84023	.99564	228.1899	45
46	.96103	24.66182	.97848	45.45963	.99593	244.5540	46
47	.96132	24.85417	.97877	46.09596	.99622	263.4427	47
48	.96161	25.04994	.97906	46.74997	.99651	285.4795	48
49	.96190	25.24969	.97935	47.42241	.99680	311.5230	49
50	.96219	25.45351	.97964	48.11406	.99709	342.7752	50
51	.96248	25.66546	.97993	48.82576	.99738	380.9723	51
52	.96277	25.88660	.98022	49.55840	.99767	428.7187	52
53	.96307	26.07503	.98051	50.31290	.99796	490.1070	53
54	.96336	26.28981	.98080	51.09027	.99825	571.9581	54
55	.96365	26.50804	.98109	51.89156	.99855	668.5496	55
56	.96394	26.72978	.98138	52.71790	.99884	808.4369	56
57	.96423	26.95513	.98168	53.57046	.99913	1144.916	57
58	.96452	27.18417	.98197	54.45053	.99942	1717.874	58
59	.96481	27.41700	.98226	55.35946	.99971	2436.747	59
60	.96510	27.65371	.98255	56.29869	1.00000	Infinite	60

TABLE V.—SQUARES, CUBES, SQUARE ROOTS,

No.	Squares.	Cubes.	Square Roots.	Cube Roots.	Reciprocals.
1	1	1	1.000000	1.000000	1.00000000
2	4	8	1.4142136	1.2599210	.50000000
3	9	27	1.7320508	1.4422496	.33333333
4	16	64	2.0000000	1.5874011	.25000000
5	25	125	2.2360680	1.7099759	.20000000
6	36	216	2.4494897	1.8171208	.16666667
7	49	343	2.6457513	1.9129312	.14285714
8	64	512	2.8284271	2.0000000	.12500000
9	81	729	3.0000000	2.0800887	.11111111
10	100	1000	3.1622777	2.1544347	.10000000
11	121	1331	3.3166248	2.2238601	.09090909
12	144	1728	3.4641016	2.2894286	.08333333
13	169	2197	3.6055513	2.3518347	.07692307
14	196	2744	3.7416574	2.4101423	.07142857
15	225	3375	3.8729833	2.4662121	.06666667
16	256	4096	4.0000000	2.5198421	.06250000
17	289	4913	4.1231056	2.5712816	.05882353
18	324	5832	4.2426407	2.6207414	.05555556
19	361	6859	4.3588969	2.6684016	.05263157
20	400	8000	4.4721360	2.7144177	.05000000
21	441	9261	4.5825757	2.7589243	.04761904
22	484	10648	4.6904158	2.8020893	.04545454
23	529	12167	4.7955315	2.8438670	.04347826
24	576	13824	4.8989795	2.8844901	.04166667
25	625	15625	5.0000000	2.9240177	.04000000
26	676	17576	5.0990195	2.9624960	.03846154
27	729	19683	5.1961524	3.0000000	.03703703
28	784	21952	5.2915026	3.0365889	.03571429
29	841	24389	5.3851648	3.0723168	.03448276
30	900	27000	5.4772256	3.1072325	.03333333
31	961	29791	5.5677644	3.1418806	.03225806
32	1024	32768	5.6568542	3.1748021	.03125000
33	1089	35937	5.7445626	3.2075343	.03030303
34	1156	39304	5.8309519	3.2396118	.02941176
35	1225	42875	5.9160798	3.2710663	.02857143
36	1296	46656	6.0000000	3.3019272	.02777778
37	1369	50653	6.0827625	3.3322218	.02702703
38	1444	54872	6.1644140	3.3619754	.02631579
39	1521	59319	6.2449980	3.3912114	.02564103
40	1600	64000	6.3245553	3.4199519	.02500000
41	1681	68921	6.4031242	3.4482172	.02439024
42	1764	74068	6.4807407	3.4760266	.02380952
43	1849	79507	6.5574385	3.5033981	.02325581
44	1936	85184	6.6332496	3.5303483	.02272727
45	2025	91125	6.7082039	3.5568983	.02222222
46	2116	97336	6.7823300	3.5830479	.02173913
47	2209	103823	6.8556546	3.6088261	.02127660
48	2304	110592	6.9282032	3.6342411	.02083333
49	2401	117649	7.0000000	3.6593057	.02040816
50	2500	125000	7.0710678	3.6840314	.02000000
51	2601	132651	7.1414284	3.7084298	.01960784
52	2704	140608	7.2111026	3.7325111	.01923077
53	2809	148877	7.2801099	3.7562358	.01886792
54	2916	157464	7.3484692	3.7797631	.01851851
55	3025	166375	7.4161965	3.8029525	.01818181
56	3136	175616	7.4833148	3.8258624	.01785714
57	3249	185193	7.5498344	3.8485011	.01754386
58	3364	195112	7.6157731	3.8708766	.01724137
59	3481	205379	7.6811457	3.8929965	.01694915
60	3600	216000	7.7459667	3.9148676	.01666667
61	3721	226981	7.8102497	3.9364973	.01639344
62	3844	238328	7.8740079	3.9578915	.01612903

# CUBE ROOTS, AND RECIPROCAL.

No.	Squares.	Cubes.	Square Roots.	Cube Roots.	Reciprocals.
63	3969	250047	7.9372539	8.9790571	.015873016
64	4096	262144	8.0000000	4.0000000	.015625000
65	4225	274625	8.0622577	4.0207256	.015384615
66	4356	287496	8.1240884	4.0412401	.015151515
67	4489	300763	8.1853258	4.0615480	.014925373
68	4624	314432	8.2462113	4.0816551	.014705892
69	4761	328509	8.3066239	4.1015661	.014492754
70	4900	343000	8.3666003	4.1212853	.014285714
71	5041	357911	8.4261498	4.1408178	.014084507
72	5184	373248	8.4852814	4.1601676	.013888889
73	5329	389017	8.5440037	4.1793390	.013696630
74	5476	405224	8.6023253	4.1983364	.013513514
75	5625	421875	8.6602540	4.2171633	.013333333
76	5776	438976	8.7177979	4.2358236	.013157895
77	5929	456533	8.7749644	4.2543210	.012987013
78	6084	474552	8.8317609	4.2726586	.012820513
79	6241	493039	8.8881944	4.2908404	.012658228
80	6400	512000	8.9442719	4.3088695	.012500000
81	6561	531441	9.0000000	4.3267487	.012345679
82	6724	551368	9.0553851	4.3444815	.012195122
83	6889	571787	9.1104336	4.3620707	.012048193
84	7056	592704	9.1651514	4.3795191	.011904782
85	7225	614125	9.2195445	4.3968296	.011764706
86	7396	636056	9.2736185	4.4140049	.011627907
87	7569	658503	9.3273791	4.4310476	.011494253
88	7744	681472	9.3806315	4.4479602	.011363636
89	7921	704969	9.4339611	4.4647451	.011235955
90	8100	729000	9.4868330	4.4814047	.011111111
91	8281	753571	9.5393920	4.4979414	.010989011
92	8464	778688	9.5916630	4.5143574	.010869565
93	8649	804357	9.6436508	4.5306549	.010752688
94	8836	830584	9.6953597	4.5468359	.010638298
95	9025	857375	9.7467943	4.5629026	.010526316
96	9216	884736	9.7979590	4.5788570	.010416667
97	9409	912673	9.8488578	4.5947009	.010309278
98	9604	941192	9.8994949	4.6104363	.010204082
99	9801	970299	9.9498744	4.6260650	.010101010
100	10000	1000000	10.0000000	4.6415888	.010000000
101	10201	1030301	10.0498756	4.6570095	.009900990
102	10404	1061208	10.0995049	4.6723287	.009803922
103	10609	1092727	10.1488916	4.6875482	.009708738
104	10816	1124864	10.1980390	4.7026694	.009615385
105	11025	1157625	10.2469508	4.7176940	.009523810
106	11236	1191016	10.2956301	4.7326235	.009433962
107	11449	1225043	10.3440804	4.7474594	.009345794
108	11664	1259712	10.3923048	4.7622032	.009259259
109	11881	1295029	10.4403065	4.7768562	.009174312
110	12100	1331000	10.4880885	4.7914199	.009090909
111	12321	1367631	10.5356538	4.8058955	.009009009
112	12544	1404928	10.5830053	4.8202845	.008928571
113	12769	1442897	10.6301458	4.8345881	.008849558
114	12996	1481544	10.6770788	4.8488076	.008771980
115	13225	1520875	10.7238053	4.8629442	.008695652
116	13456	1560896	10.7703296	4.8769990	.008620690
117	13689	1601613	10.8166538	4.8909732	.008547009
118	13924	1643032	10.8627805	4.9048681	.008474576
119	14161	1685159	10.9087121	4.9186847	.008403361
120	14400	1728000	10.9544512	4.9324242	.008333333
121	14641	1771561	11.0000000	4.9460874	.008264463
122	14884	1815848	11.0453610	4.9596757	.008196721
123	15129	1860867	11.0905365	4.9731898	.008130081
124	15376	1906624	11.1355287	4.9866310	.008064516

TABLE V.—SQUARES, CUBES, SQUARE ROOTS,

No.	Squares.	Cubes.	Square Roots.	Cube Roots.	Reciprocal.
125	15625	1953125	11.1803399	5.0000000	.008000000
126	15876	2000876	11.2249722	5.0132979	.007936508
127	16129	2048383	11.2694277	5.0265257	.007874016
128	16384	2097152	11.3137065	5.0396843	.007812500
129	16641	2146689	11.3578167	5.0527743	.007751988
130	16900	2197000	11.4017543	5.0657970	.007692808
131	17161	2248091	11.4455231	5.0787531	.007635588
132	17424	2299968	11.4891253	5.0916434	.007575758
133	17689	2352637	11.5325626	5.1044687	.007518797
134	17956	2406104	11.5758369	5.1172299	.007462687
135	18225	2460875	11.6189500	5.1299278	.007407407
136	18496	2515456	11.6619038	5.1425633	.007352941
137	18769	2571353	11.7046999	5.1551867	.007299270
138	19044	2628072	11.7473401	5.1676493	.007246377
139	19321	2685619	11.7898261	5.1801015	.007194245
140	19600	2744000	11.8321596	5.1924941	.007142857
141	19881	2803221	11.8743421	5.2048279	.007092199
142	20164	2863288	11.9163753	5.2171084	.007042254
143	20449	2924207	11.9582607	5.2293215	.006993007
144	20736	2985984	12.0000000	5.2414828	.006944444
145	21025	3048625	12.0415946	5.2535879	.006895553
146	21316	3112136	12.0830460	5.2656374	.006846815
147	21609	3176523	12.1243557	5.2776321	.006802721
148	21904	3241793	12.1655251	5.2895725	.006756757
149	22201	3307949	12.2065556	5.3014592	.006711409
150	22500	3375000	12.2474487	5.3132928	.006666667
151	22801	3442951	12.2882057	5.3250740	.006622517
152	23104	3511808	12.3288280	5.3368033	.006578947
153	23409	3581577	12.3693169	5.3484812	.006535948
154	23716	3652264	12.4096736	5.3601084	.006493506
155	24025	3723875	12.4498996	5.3716854	.006451613
156	24336	3796416	12.4899960	5.3832126	.006410256
157	24649	3869893	12.5299641	5.3946907	.006369427
158	24964	3944312	12.5698051	5.4061203	.006329114
159	25281	4019679	12.6095202	5.4175015	.006289308
160	25600	4096000	12.6491106	5.4288352	.006250000
161	25921	4173281	12.6885775	5.4401218	.006211180
162	26244	4251528	12.7279221	5.4513618	.006172840
163	26569	4330747	12.7671453	5.4625556	.006134969
164	26896	4410944	12.8062485	5.4737087	.006097561
165	27225	4492125	12.8452326	5.4848066	.006060606
166	27556	4574296	12.8840987	5.4958647	.006024096
167	27889	4657463	12.9228480	5.5068784	.005988024
168	28224	4741632	12.9614814	5.5178484	.005952381
169	28561	4826809	13.0000000	5.5287743	.005917160
170	28900	4913000	13.0394048	5.5396583	.005882353
171	29241	5000211	13.0786968	5.5504991	.005847958
172	29584	5088448	13.1187770	5.5612978	.005813953
173	29929	5177717	13.1589464	5.5720546	.005780347
174	30276	5268024	13.1990060	5.5827702	.005747126
175	30625	5359375	13.2387566	5.5934447	.005714286
176	30976	5451776	13.2664992	5.6040787	.005681818
177	31329	5545233	13.3041347	5.6146724	.005649718
178	31684	5639752	13.3416641	5.6252263	.005617978
179	32041	5735339	13.3790882	5.6357408	.005586593
180	32400	5832000	13.4164079	5.6462162	.005555556
181	32761	5929741	13.4536240	5.6566528	.005524862
182	33124	6028568	13.4907376	5.6670511	.005494505
183	33489	6128487	13.5277493	5.6774114	.005464481
184	33856	6229504	13.5646600	5.6877340	.005434738
185	34225	6331625	13.6014705	5.6980192	.005405405
186	34596	6434856	13.6381817	5.7082673	.005376344



# CUBE ROOTS, AND RECIPROCAL.

No.	Squares.	Cubes.	Square Roots.	Cube Roots.	Reciprocals.
187	34969	6599208	13.6747943	5.7184791	.005847594
188	35344	6644672	13.7113092	5.7286543	.005819149
189	35721	6751269	13.7477271	5.7387936	.005791005
190	36100	6859000	13.7840488	5.7488971	.005763158
191	36481	6967871	13.8202750	5.7589652	.005735602
192	36864	7077888	13.8564065	5.7689982	.005708333
193	37249	7189057	13.8924440	5.7789966	.005681347
194	37636	7301384	13.9283883	5.7889604	.005654639
195	38025	7414875	13.9642400	5.7988900	.005628205
196	38416	7529536	14.0000000	5.8087857	.005602041
197	38809	7645373	14.0356688	5.8186479	.005576142
198	39204	7762392	14.0712473	5.8284767	.005550505
199	39601	7880599	14.1067360	5.8382725	.005525126
200	40000	8000000	14.1421356	5.8480355	.005500000
201	40401	8120601	14.1774469	5.8577660	.005475124
202	40804	8242408	14.2126704	5.8674643	.005450495
203	41209	8365427	14.2478068	5.8771307	.005426108
204	41616	8489664	14.2828569	5.8867653	.005401961
205	42025	8615125	14.3178211	5.8963685	.005378049
206	42436	8741816	14.3527001	5.9059406	.005354369
207	42849	8869743	14.3874946	5.9154817	.005330918
208	43264	8998912	14.4222051	5.9249921	.005307692
209	43681	9129329	14.4568323	5.9344721	.005284689
210	44100	9261000	14.4913787	5.9439220	.005261905
211	44521	9393931	14.5258390	5.9533418	.005239336
212	44944	9528128	14.5602198	5.9627320	.005216981
213	45369	9663597	14.5945195	5.9720926	.005194836
214	45796	9800344	14.6287388	5.9814240	.005172897
215	46225	9938387	14.6628733	5.9907264	.005151163
216	46656	10077696	14.6969335	6.0000000	.005129630
217	47089	10218313	14.7309199	6.0092450	.005108295
218	47524	10360239	14.7648231	6.0184617	.005087156
219	47961	10503459	14.7986466	6.0276509	.005066210
220	48400	10648000	14.8323970	6.0368107	.005045455
221	48841	10793861	14.8660687	6.0459435	.005024887
222	49284	10941048	14.8996644	6.0550489	.005004505
223	49729	11089567	14.9331845	6.0641270	.004984308
224	50176	11239424	14.9666326	6.0731779	.004964286
225	50625	11390635	15.0000000	6.0822020	.004944444
226	51076	11543176	15.0332964	6.0911994	.004924779
227	51529	11697063	15.0665192	6.1001702	.004905286
228	51984	11852352	15.0996689	6.1091147	.004885965
229	52441	12009089	15.1327460	6.1180382	.004866812
230	52900	12167000	15.1657509	6.1269287	.004847826
231	53361	12326191	15.1986843	6.1357924	.004829004
232	53824	12486668	15.2315462	6.1446337	.004810345
233	54289	12648437	15.2643375	6.1534495	.004791845
234	54756	12811504	15.2970585	6.1622401	.004773504
235	55225	12975875	15.3297097	6.1710068	.004755319
236	55696	13141556	15.3622915	6.1797466	.004737288
237	56169	13308553	15.3948043	6.1884628	.004719409
238	56644	13476872	15.4272486	6.1971544	.004701681
239	57121	13646519	15.4596248	6.2058218	.004684100
240	57600	13817500	15.4919384	6.2144650	.004666667
241	58081	13989821	15.5241747	6.2230843	.004649378
242	58564	14163488	15.5563402	6.2316797	.004632231
243	59049	14338507	15.5884373	6.2402515	.004615226
244	59536	14514884	15.6204694	6.2487998	.004598361
245	60025	14692625	15.6524758	6.2573248	.004581633
246	60516	14871736	15.6844371	6.2658266	.004565041
247	61009	15052223	15.7162336	6.2743054	.004548585
248	61504	15234192	15.7480157	6.2827618	.004532268

TABLE V.—SQUARES, CUBES, SQUARE ROOTS,

No.	Squares.	Cubes.	Square Roots.	Cube Roots.	Reciprocal.
249	62001	15488249	15.7797338	6.2911946	.004016064
250	62500	15625000	15.8113883	6.2996053	.004000000
251	63001	15813251	15.8429795	6.3079935	.003984064
252	63504	16003008	15.8745079	6.3163596	.003968254
253	64009	16194277	15.9059737	6.3247035	.003952569
254	64516	16387064	15.9373775	6.3330256	.003937006
255	65025	16581375	15.9687194	6.3413257	.003921569
256	65536	16777216	16.0000000	6.3496042	.003906250
257	66049	16974593	16.0312195	6.3578611	.003891051
258	66564	17173512	16.0623784	6.3660968	.003875969
259	67081	17373979	16.0934769	6.3743111	.003861004
260	67600	17576000	16.1245155	6.3825043	.003846154
261	68121	17779581	16.1554944	6.3906765	.003831418
262	68644	17984728	16.1864141	6.3988279	.003816794
263	69169	18191447	16.2172747	6.4069585	.003802281
264	69696	18399744	16.2480768	6.4150687	.003787879
265	70225	18609625	16.2788206	6.4231588	.003773585
266	70756	18821096	16.3095084	6.4312276	.003759398
267	71289	19034163	16.3401346	6.4392767	.003745318
268	71824	19248832	16.3707055	6.4473057	.003731343
269	72361	19465109	16.4012195	6.4553148	.003717472
270	72900	19683000	16.4316767	6.4633041	.003703704
271	73441	19902511	16.4620776	6.4712736	.003690087
272	73984	20123648	16.4924225	6.4792236	.003676471
273	74529	20346417	16.5227116	6.4871541	.003662904
274	75076	20570824	16.5529454	6.4950653	.003649485
275	75625	20796875	16.5831240	6.5029572	.003636364
276	76176	21024576	16.6132477	6.5108300	.003623318
277	76729	21253933	16.6433170	6.5186839	.003610361
278	77284	21484952	16.6733320	6.5265189	.003597422
279	77841	21717639	16.7032981	6.5343351	.003584529
280	78400	21952000	16.7332005	6.5421326	.003571729
281	78961	22188041	16.7630546	6.5499116	.003558971
282	79524	22425768	16.7928556	6.5576722	.003546309
283	80089	22665187	16.8226038	6.5654144	.003533656
284	80656	22906304	16.8522995	6.5731385	.003521127
285	81225	23149125	16.8819430	6.5808443	.003508772
286	81796	23393656	16.9115345	6.5885323	.003496503
287	82369	23639903	16.9410743	6.5962023	.003484321
288	82944	23887872	16.9705627	6.6038545	.003472222
289	83521	24137569	17.0000000	6.6114890	.003460206
290	84100	24389000	17.0293864	6.6191060	.003448276
291	84681	24642171	17.0587221	6.6267054	.003436426
292	85264	24897088	17.0880075	6.6342874	.003424658
293	85849	25153757	17.1172428	6.6418522	.003412969
294	86436	25412184	17.1464282	6.6493996	.003401361
295	87025	25672375	17.1755640	6.6569302	.003389831
296	87616	25934336	17.2046505	6.6644437	.003378378
297	88209	26198073	17.2336879	6.6719403	.003366703
298	88804	26463592	17.2626765	6.6794200	.003355170
299	89401	26730899	17.2916165	6.6868831	.003344482
300	90000	27000000	17.3205081	6.6943295	.003333333
301	90601	27270901	17.3493516	6.7017593	.003322259
302	91204	27543608	17.3781472	6.7091729	.003311258
303	91809	27818127	17.4068952	6.7165700	.003300330
304	92416	28094464	17.4355958	6.7239508	.003289474
305	93025	28372625	17.4642492	6.7313155	.003278689
306	93636	28652616	17.4928557	6.7386641	.003267974
307	94249	28934443	17.5214155	6.7459987	.003257329
308	94864	29218112	17.5499288	6.7533134	.003246753
309	95481	29503629	17.5783958	6.7606143	.003236246
310	96100	29791000	17.6068169	6.7678995	.003225806

# CUBE ROOTS, AND RECIPROCAL.

No.	Squares.	Cubes.	Square Roots.	Cube Roots.	Reciprocals.
311	96721	30080231	17.6351921	6.7751690	.003215434
312	97344	30371328	17.6635217	6.7824229	.003205128
313	97969	30664297	17.6918060	6.7896613	.003194888
314	98596	30959144	17.7200451	6.7968844	.003184713
315	99225	31255875	17.7482393	6.8040921	.003174603
316	99856	31554496	17.7763888	6.8112847	.003164557
317	100489	31855013	17.8044933	6.8184620	.003154574
318	101124	32157432	17.8325545	6.8256242	.003144654
319	101761	32461759	17.8605711	6.8327714	.003134796
320	102400	32768000	17.8885438	6.8399037	.003125000
321	103041	33076161	17.9164729	6.8470213	.003115265
322	103684	33386248	17.9443584	6.8541240	.003105590
323	104329	33698267	17.9722008	6.8612120	.003095975
324	104976	34012224	18.0000000	6.8682855	.003086420
325	105625	34328125	18.0277564	6.8753443	.003076923
326	106276	34645976	18.0554701	6.8823888	.003067485
327	106929	34965788	18.0831413	6.8894188	.003058104
328	107584	35287552	18.1107708	6.8964345	.003048780
329	108241	35611289	18.1383571	6.9034369	.003039514
330	108900	35937000	18.1659021	6.9104232	.003030303
331	109561	36264691	18.1934054	6.9173964	.003021148
332	110224	36594368	18.2208672	6.9243556	.003012048
333	110889	36926037	18.2482876	6.9313008	.003003003
334	111556	37259704	18.2756669	6.9382331	.002994012
335	112225	37595375	18.3030052	6.9451496	.002985075
336	112896	37933056	18.3303028	6.9520533	.002976190
337	113569	38272753	18.3575598	6.9589434	.002967359
338	114244	38614472	18.3847763	6.9658198	.002958580
339	114921	38958219	18.4119526	6.9726826	.002949853
340	115600	39304000	18.4390889	6.9795321	.002941176
341	116281	39651821	18.4661853	6.9863681	.002932551
342	116964	40001688	18.4932420	6.9931906	.002923977
343	117649	40353607	18.5202592	7.0000000	.002915452
344	118336	40707584	18.5472370	7.0067962	.002906977
345	119025	41063625	18.5741756	7.0135791	.002898551
346	119716	41421736	18.6010752	7.0203490	.002890173
347	120409	41781923	18.6279360	7.0271058	.002881844
348	121104	42144192	18.6547581	7.0338497	.002873563
349	121801	42508549	18.6815417	7.0405806	.002865330
350	122500	42875000	18.7082869	7.0472987	.002857143
351	123201	43243551	18.7349940	7.0540041	.002849003
352	123904	43614208	18.7616630	7.0606967	.002840909
353	124609	43986977	18.7882942	7.0673767	.002832861
354	125316	44361864	18.8148877	7.0740440	.002824859
355	126025	44738875	18.8414437	7.0806988	.002816901
356	126736	45118016	18.8679623	7.0873431	.002808999
357	127449	45499203	18.8944436	7.0939709	.002801120
358	128164	45882712	18.9208879	7.1005885	.002793292
359	128881	46268379	18.9472953	7.1071987	.002785515
360	129600	46656000	18.9736660	7.1137866	.002777778
361	130321	47045681	19.0000000	7.1203674	.002770088
362	131044	47437528	19.0262976	7.1269360	.002762431
363	131769	47831447	19.0525589	7.1334925	.002754821
364	132496	48228544	19.0787840	7.1400370	.002747258
365	133225	48627125	19.1049732	7.1465695	.002739726
366	133956	49027896	19.1311265	7.1530901	.002732240
367	134689	49430863	19.1572441	7.1595988	.002724796
368	135424	49836032	19.1833261	7.1660957	.002717391
369	136161	50243409	19.2093727	7.1725809	.002710027
370	136900	50653000	19.2353841	7.1790544	.002702708
371	137641	51064811	19.2613608	7.1855162	.002695418
372	138384	51478848	19.2873015	7.1919663	.002688179

TABLE V.—SQUARES, CUBES, SQUARE ROOTS,

No.	Squares.	Cubes.	Square Roots.	Cube Roots.	Reciprocals.
373	139129	51895117	19.8123079	7.1984050	.002680965
374	139676	52313634	19.8390796	7.2048322	.002673797
375	140325	52734375	19.8649167	7.2112479	.002666667
376	141376	53157376	19.8907194	7.2176522	.002659574
377	142129	53582633	19.4164878	7.2240450	.002652520
378	142884	54010152	19.4422221	7.2304288	.002645503
379	143641	54439939	19.4679223	7.2367972	.002638522
380	144400	54872000	19.4935687	7.2431565	.002631579
381	145161	55306341	19.5192213	7.2495045	.002624672
382	145924	55742968	19.5448203	7.2558415	.002617801
383	146689	56181887	19.5703858	7.2621675	.002610966
384	147456	56623104	19.5959179	7.2684824	.002604167
385	148225	57066625	19.6214169	7.2747864	.002597403
386	148996	57512456	19.6468827	7.2810794	.002590674
387	149769	57960603	19.6723156	7.2873617	.002583979
388	150544	58411072	19.6977156	7.2936330	.002577280
389	151321	58863869	19.7230629	7.2998986	.002570694
390	152100	59319000	19.7484177	7.3061496	.002564108
391	152881	59776471	19.7737199	7.3123898	.002557545
392	153664	60236288	19.7989699	7.3186114	.002551020
393	154449	60698457	19.8242276	7.3248295	.002544529
394	155236	61162984	19.8494332	7.3310369	.002538071
395	156025	61629975	19.8746069	7.3372389	.002531646
396	156816	62099136	19.8997487	7.3434205	.002525253
397	157609	62570773	19.9248588	7.3495966	.002518892
398	158404	63044792	19.9499373	7.3557624	.002512563
399	159201	63521199	19.9749844	7.3619178	.002506266
400	160000	64000000	20.0000000	7.3680630	.002500000
401	160801	64481201	20.0249844	7.3741979	.002493766
402	161604	64964808	20.0499377	7.3803227	.002487562
403	162409	65450827	20.0748599	7.3864373	.002481390
404	163216	65939264	20.0997512	7.3925418	.002475248
405	164025	66430125	20.1246118	7.3986363	.002469136
406	164836	66923416	20.1494417	7.4047206	.002463054
407	165649	67419143	20.1742410	7.4107950	.002457002
408	166464	67917312	20.1990099	7.4168595	.002450980
409	167281	68417929	20.2237484	7.4229142	.002444988
410	168100	68921000	20.2484567	7.4289590	.002439024
411	168921	69426531	20.2731349	7.4349938	.002433090
412	169744	69934528	20.2977781	7.4410189	.002427184
413	170569	70444997	20.3224014	7.4470342	.002421306
414	171396	70957944	20.3469899	7.4530399	.002415459
415	172225	71473375	20.3715488	7.4590359	.002409639
416	173056	71991296	20.3960781	7.4650223	.002403846
417	173889	72511713	20.4205779	7.4709991	.002398082
418	174724	73034632	20.4450483	7.4769664	.002392344
419	175561	73560059	20.4694895	7.4829242	.002386635
420	176400	74088000	20.4939015	7.4888724	.002380952
421	177241	74618461	20.5182845	7.4948118	.002375297
422	178084	75151448	20.5426396	7.5007406	.002369668
423	178929	75686967	20.5669638	7.5066607	.002364066
424	179776	76225024	20.5912603	7.5125715	.002358491
425	180625	76765625	20.6155281	7.5184790	.002352941
426	181476	77308776	20.6397674	7.5243852	.002347418
427	182329	77854483	20.6639783	7.5302892	.002341920
428	183184	78402752	20.6881609	7.5361921	.002336449
429	184041	78953589	20.7123152	7.5421967	.002331002
430	184900	79507000	20.7364414	7.5481923	.002325581
431	185761	80062991	20.7605395	7.5541888	.002320186
432	186624	80621568	20.7846097	7.5591863	.002314815
433	187489	81182737	20.8086520	7.5651848	.002309469
434	188356	81746504	20.8326667	7.5711743	.002304147

# CUBE ROOTS, AND RECIPROCAL.

No.	Squares.	Cubes.	Square Roots.	Cube Roots.	Reciprocals.
435	189225	82812675	20.8566536	7.5769849	.002298851
436	190096	82881856	20.8806130	7.5827865	.002298578
437	190969	82951453	20.9045450	7.5885793	.002298303
438	191844	83021672	20.9284495	7.5943633	.002298105
439	192721	83092519	20.9523268	7.6001885	.002297904
440	193600	83164000	20.9761770	7.6059949	.002297727
441	194481	83236121	21.0000000	7.6116626	.002297574
442	195364	83308888	21.0237960	7.6174116	.002297443
443	196249	83382307	21.0475652	7.6231519	.002297336
444	197136	83456384	21.0713075	7.6288837	.002297252
445	198025	83531125	21.0950231	7.6346067	.002297191
446	198916	83606536	21.1187121	7.6403213	.002297152
447	199809	83682623	21.1423745	7.6460272	.002297136
448	200704	83759392	21.1660105	7.6517247	.002297143
449	201601	83836849	21.1896201	7.6574188	.002297171
450	202500	83915000	21.2132034	7.6630943	.002297222
451	203401	83993851	21.2367606	7.6687665	.002297295
452	204304	84073408	21.2602916	7.6744303	.002297389
453	205209	84153677	21.2837967	7.6800857	.002297506
454	206116	84234664	21.3072758	7.6857328	.002297643
455	207025	84316375	21.3307290	7.6913717	.002297802
456	207936	84398816	21.3541565	7.6970023	.002297982
457	208849	84481993	21.3775583	7.7026246	.002298184
458	209764	84565912	21.4009346	7.7082388	.002298406
459	210681	84650579	21.4242853	7.7138448	.002298649
460	211600	84736000	21.4476106	7.7194426	.002298913
461	212521	84822181	21.4709106	7.7250325	.002299197
462	213444	84909128	21.4941853	7.7306141	.002299502
463	214369	84996847	21.5174348	7.7361877	.002299827
464	215296	85085334	21.5406592	7.7417532	.002299172
465	216225	85174605	21.5638587	7.7473109	.002299538
466	217156	85264666	21.5870331	7.7528606	.002299923
467	218089	85355523	21.6101828	7.7584023	.002299328
468	219024	85447192	21.6333077	7.7639361	.002299752
469	219961	85539679	21.6564078	7.7694620	.002299196
470	220900	85632900	21.6794834	7.7749801	.002298660
471	221841	85726861	21.7025344	7.7804904	.002298142
472	222784	85821568	21.7255610	7.7859928	.002297644
473	223729	85917027	21.7485632	7.7914875	.002297165
474	224676	86013244	21.7715411	7.7969745	.002296705
475	225625	86110225	21.7944947	7.8024538	.002296263
476	226576	86207968	21.8174242	7.8079254	.002295839
477	227529	86306481	21.8403297	7.8133892	.002295433
478	228484	86405760	21.8632111	7.8188456	.002295045
479	229441	86505813	21.8860686	7.8242942	.002294675
480	230400	86606640	21.9089023	7.8297353	.002294323
481	231361	86708249	21.9317122	7.8351688	.002293989
482	232324	86810638	21.9544984	7.8405949	.002293673
483	233289	86913813	21.9772610	7.8460134	.002293375
484	234256	87017780	22.0000000	7.8514244	.002293094
485	235225	87122535	22.0227155	7.8568281	.002292830
486	236196	87228184	22.0454077	7.8622242	.002292583
487	237169	87334633	22.0680765	7.8676130	.002292353
488	238144	87441888	22.0907220	7.8729944	.002292139
489	239121	87549949	22.1133444	7.8783684	.002291940
490	240100	87658820	22.1359436	7.8837352	.002291756
491	241081	87768507	22.1585198	7.8890946	.002291587
492	242064	87878916	22.1810730	7.8944468	.002291433
493	243049	87989157	22.2036033	7.8997917	.002291294
494	244036	88099234	22.2261108	7.9051294	.002291170
495	245025	88209153	22.2485955	7.9104599	.002291060
496	246016	88319912	22.2710575	7.9157832	.002290963

TABLE V.—SQUARES, CUBES, SQUARE ROOTS,

No.	Squares.	Cubes.	Square Roots.	Cube Roots.	Reciprocals.
497	247009	122769473	22.2084968	7.9210994	.002012072
498	248004	123505992	22.3159136	7.9240685	.002006032
499	249001	124251499	22.3383079	7.9317104	.002004008
500	250000	125000000	22.3606798	7.9370053	.002000000
501	251001	125751501	22.3830293	7.9422931	.001996008
502	252.04	126506008	22.4053565	7.9475739	.001992032
503	253009	127263527	22.4276615	7.9528477	.001988072
504	254016	128024064	22.4499443	7.9581144	.001984127
505	255025	128787625	22.4722051	7.9633743	.001980198
506	256036	129554216	22.4944438	7.9686271	.001976285
507	257049	130323843	22.5166605	7.9738731	.001972387
508	258064	131096512	22.5388553	7.9791122	.001968504
509	259081	131872229	22.5610263	7.9843444	.001964637
510	260100	132651000	22.5831796	7.9895697	.001960784
511	261121	133432831	22.6053091	7.9947883	.001956947
512	262144	134217728	22.6274170	8.0000000	.001953125
513	263169	135005697	22.6495033	8.0052049	.001949318
514	264196	135796744	22.6715681	8.0104032	.001945525
515	265225	136590875	22.6936114	8.0155946	.001941748
516	266256	137388096	22.7156334	8.0207794	.001937984
517	267289	138188418	22.7376340	8.0259574	.001934236
518	268324	138991832	22.7596134	8.0311287	.001930502
519	269361	139798359	22.7815715	8.0362935	.001926782
520	270400	140608000	22.8035085	8.0414515	.001923077
521	271441	141420761	22.8254244	8.0466030	.001919386
522	272484	142236648	22.8473193	8.0517479	.001915709
523	273529	143055667	22.8691933	8.0568862	.001912046
524	274576	143877824	22.8910463	8.0620180	.001908397
525	275625	144703125	22.9128785	8.0671432	.001904763
526	276676	145531576	22.9346899	8.0722620	.001901141
527	277729	146363183	22.9564806	8.0773743	.001897533
528	278784	147197952	22.9782506	8.0824800	.001893939
529	279841	148035889	23.0000000	8.0875794	.001890359
530	280900	148877000	23.0217289	8.0926723	.001886792
531	281961	149721291	23.0434372	8.0977589	.001883239
532	283024	150568768	23.0651252	8.1028390	.001879699
533	284089	151419437	23.0867923	8.1079123	.001876173
534	285156	152273304	23.1084400	8.1129803	.001872659
535	286225	153130375	23.1300670	8.1180414	.001869159
536	287296	153990656	23.1516738	8.1230962	.001865672
537	288369	154854153	23.1732605	8.1281447	.001862197
538	289444	155720872	23.1948270	8.1331970	.001858736
539	290521	156590819	23.2163735	8.1382420	.001855288
540	291600	157464000	23.2379001	8.1432829	.001851852
541	292681	158340421	23.2594067	8.1483205	.001848429
542	293764	159220088	23.2808935	8.1533539	.001845018
543	294849	160103007	23.3023604	8.1583851	.001841621
544	295936	160989184	23.3238076	8.1634102	.001838235
545	297025	161878625	23.3452251	8.1684302	.001834862
546	298116	162771336	23.3666429	8.1734460	.001831502
547	299209	163667323	23.3880311	8.1784588	.001828154
548	300304	164566592	23.4093998	8.1834685	.001824818
549	301401	165469149	23.4307490	8.1884741	.001821494
550	302500	166375000	23.4520788	8.1934767	.001818182
551	303601	167284151	23.4733892	8.1984752	.001814889
552	304704	168196608	23.4946802	8.2034697	.001811594
553	305809	169112377	23.5159520	8.2084602	.001808318
554	306916	170031464	23.5372046	8.2134467	.001805054
555	308025	170953875	23.5584380	8.2184291	.001801803
556	309136	171879616	23.5796522	8.2234075	.001798561
557	310249	172808693	23.6008474	8.2283819	.001795332
558	311364	173741112	23.6220236	8.2333523	.001792115

# CUBE ROOTS, AND RECIPROALS.

No.	Squares.	Cubes.	Square Roots.	Cube Roots.	Reciprocals.
559	312481	174676879	23.6431808	8.2876614	.001788909
560	313600	175616000	23.6643191	8.2425706	.001788714
561	314721	176558481	23.6854386	8.2474740	.001788581
562	315844	177504328	23.7065892	8.2523715	.001779859
563	316969	178453547	23.7276810	8.2572633	.001776199
564	318096	179406144	23.7486842	8.2621492	.001773050
565	319225	180363125	23.7697296	8.2670294	.001769912
566	320356	181324496	23.7907545	8.2719039	.001766784
567	321489	182289263	23.8117618	8.2767726	.001763668
568	322624	183258432	23.8327506	8.2816355	.001760563
569	323761	184232000	23.8537209	8.2864928	.001757469
570	324900	185210000	23.8746728	8.2913444	.001754386
571	326041	186192411	23.8956063	8.2961908	.001751313
572	327184	187179248	23.9165215	8.3010304	.001748252
573	328329	188170517	23.9374184	8.3058651	.001745201
574	329476	189166224	23.9582971	8.3106941	.001742160
575	330625	190166375	23.9791576	8.3155175	.001739130
576	331776	191170976	24.0000000	8.3203353	.001736111
577	332929	192180033	24.0208243	8.3251475	.001733102
578	334084	193193552	24.0416306	8.3299542	.001730104
579	335241	194211539	24.0624188	8.3347553	.001727116
580	336400	195234000	24.0831891	8.3395509	.001724138
581	337561	196261941	24.1039416	8.3443410	.001721170
582	338724	197294368	24.1246762	8.3491256	.001718213
583	339889	198331287	24.1453929	8.3539047	.001715266
584	341056	199372704	24.1660919	8.3586784	.001712329
585	342225	200418625	24.1867732	8.3634466	.001709402
586	343396	201469056	24.2074369	8.3682095	.001706485
587	344569	202523903	24.2280829	8.3729668	.001703578
588	345744	203583172	24.2487113	8.3777188	.001700680
589	346921	204646869	24.2693222	8.3824653	.001697793
590	348100	205715000	24.2899156	8.3872065	.001694915
591	349281	206787571	24.3104916	8.3919423	.001692047
592	350464	207864588	24.3310501	8.3966729	.001689189
593	351649	208946057	24.3515913	8.4013981	.001686341
594	352836	209982084	24.3721152	8.4061180	.001683502
595	354025	210644875	24.3926218	8.4108326	.001680672
596	355216	211708736	24.4131112	8.4155419	.001677852
597	356409	212777613	24.4335884	8.4202460	.001675042
598	357604	213847192	24.4540385	8.4249448	.001672241
599	358801	214921799	24.4744765	8.4296383	.001669449
600	360000	216000000	24.4948974	8.4343267	.001666667
601	361201	217082181	24.5153013	8.4390098	.001663894
602	362404	218167208	24.5356883	8.4436877	.001661130
603	363609	219255227	24.5560583	8.4483605	.001658375
604	364816	220346284	24.5764115	8.4530281	.001655629
605	366025	221441225	24.5967478	8.4576906	.001652893
606	367236	222540166	24.6170673	8.4623479	.001650165
607	368449	223643043	24.6373700	8.4670001	.001647446
608	369664	224749872	24.6576560	8.4716471	.001644737
609	370881	225860629	24.6779254	8.4762892	.001642036
610	372100	226981000	24.6981781	8.4809261	.001639344
611	373321	228099131	24.7184142	8.4855579	.001636661
612	374544	229220028	24.7386338	8.4901848	.001633987
613	375769	230343697	24.7588368	8.4948065	.001631321
614	376996	231470144	24.7790234	8.4994233	.001628664
615	378225	232600375	24.7991935	8.5040350	.001626016
616	379456	233734486	24.8193473	8.5086417	.001623377
617	380689	234882513	24.8394847	8.5132435	.001620746
618	381924	236034562	24.8596058	8.5178408	.001618123
619	383161	237190639	24.8797106	8.5224321	.001615509
620	384400	238350800	24.8997992	8.5270189	.001612908

TABLE V.—SQUARES, CUBES, ETC.

No.	Squares.	Cubes.	Square Roots.	Cube Roots.	Reciprocals.
621	385641	239489061	34.9196716	8.5316009	.001610306
622	386884	240641848	34.9299278	8.5361780	.001607717
623	388129	241804867	34.9399879	8.5407501	.001605136
624	389376	242970624	34.9799920	8.5453173	.001602564
625	390625	244140625	35.0000000	8.5498797	.001600000
626	391876	245314376	35.0199920	8.5544372	.001597444
627	393129	246491888	35.0399681	8.5589999	.001594896
628	394384	247673152	35.0599232	8.5635577	.001592357
629	395641	248858189	35.0798724	8.5680607	.001589825
630	396900	250047000	35.0998008	8.5726189	.001587302
631	398161	251239691	35.1197184	8.5771523	.001584786
632	399424	252436968	35.1396103	8.5816809	.001582278
633	400689	2536386187	35.1594913	8.5862047	.001579779
634	401956	254840104	35.1793566	8.5907238	.001577287
635	403225	2560417875	35.1992063	8.5952380	.001574808
636	404496	257259456	35.2190404	8.5997476	.001572327
637	405769	258484853	35.2388589	8.6042525	.001569859
638	407044	2596994073	35.2586619	8.6087526	.001567398
639	408321	260917119	35.2784498	8.6132490	.001564945
640	409600	262144000	35.2982213	8.6177388	.001562500
641	410881	263374721	35.3179778	8.6222248	.001560062
642	412164	264609288	35.3377189	8.6267063	.001557632
643	413449	265844707	35.3574447	8.6311890	.001555210
644	414736	267089984	35.3771551	8.6356551	.001552795
645	416025	268336125	35.3968502	8.6401226	.001550388
646	417316	269586186	35.4165301	8.6445855	.001547988
647	418609	270840023	35.4361947	8.6490487	.001545595
648	419904	272097792	35.4558441	8.6534974	.001543210
649	421201	273359449	35.4754784	8.6579465	.001540832
650	422500	274625000	35.4950976	8.6623911	.001538462
651	423801	275894451	35.5147016	8.6668310	.001536098
652	425104	277167808	35.5342907	8.6712665	.001533742
653	426409	278445077	35.5538647	8.6756974	.001531394
654	427716	279726264	35.5734237	8.6801237	.001529052
655	429025	281011375	35.5929678	8.6845456	.001526718
656	430336	282300416	35.6124969	8.6889630	.001524390
657	431649	283593393	35.6320112	8.6933759	.001522070
658	432964	284890312	35.6515107	8.6977843	.001519757
659	434281	286191179	35.6709963	8.7021882	.001517451
660	435600	287496000	35.6904652	8.7065877	.001515153
661	436921	288804781	35.7099203	8.7109827	.001512859
662	438244	290117528	35.7293807	8.7153734	.001510574
663	439569	291434247	35.7487864	8.7197596	.001508296
664	440896	292754944	35.7681975	8.7241414	.001506024
665	442225	294079625	35.7875939	8.7285187	.001503759
666	443556	295408296	35.8069758	8.7328918	.001501502
667	444889	296740963	35.8263431	8.7372604	.001499250
668	446224	298077632	35.8456960	8.7416246	.001497006
669	447561	299418309	35.8650343	8.7459846	.001494768
670	448900	300763000	35.8843582	8.7503401	.001492537
671	450241	302111711	35.9036677	8.7546913	.001490313
672	451584	303464448	35.9229628	8.7590388	.001488095
673	452929	304821217	35.9422435	8.7633809	.001485884
674	454276	306182024	35.9615100	8.7677192	.001483680
675	455625	307546875	35.9807621	8.7720532	.001481481
676	456976	308915776	36.0000000	8.7763830	.001479290
677	458329	310288733	36.0192237	8.7807084	.001477105
678	459684	311665752	36.0384331	8.7850296	.001474926
679	461041	313046839	36.0576284	8.7893466	.001472754
680	462400	314432000	36.0768096	8.7936593	.001470588
681	463761	315821241	36.0959767	8.7979679	.001468429
682	465124	317214568	36.1151297	8.8022721	.001466276



# CUBE ROOTS, AND RECIPROCAL.

No.	Squares.	Cubes.	Square Roots.	Cube Roots.	Reciprocals.
688	466489	318611987	26.1342657	8.8065722	.001464129
689	467856	320013504	26.1598937	8.8108661	.001461988
690	469225	321419125	26.1725047	8.8151598	.001459854
691	470596	322828856	26.1916017	8.8194474	.001457726
692	471969	324242703	26.2106848	8.8237307	.001455604
693	473344	325660672	26.2297541	8.8280099	.001453488
694	474721	327082769	26.2488095	8.8322850	.001451379
695	476100	328509000	26.2678511	8.8365559	.001449275
696	477481	329939371	26.2868789	8.8408227	.001447178
697	478864	331373888	26.3058929	8.8450854	.001445087
698	480249	332812557	26.3248982	8.8493440	.001442901
699	481636	334255384	26.3438977	8.8535985	.001440822
700	483025	335702375	26.3628927	8.8578489	.001438849
701	484416	337153536	26.3818819	8.8620952	.001436782
702	485809	338608873	26.4007576	8.8663375	.001434720
703	487204	340068392	26.4196896	8.8705757	.001432665
704	488601	341532099	26.4386061	8.8748099	.001430615
705	490000	343000000	26.4575131	8.8790400	.001428571
706	491401	344472101	26.4764046	8.8832661	.001426534
707	492804	345948408	26.4952826	8.8874882	.001424501
708	494209	347428927	26.5141472	8.8917063	.001422475
709	495616	348913664	26.5329983	8.8959204	.001420455
710	497025	350402625	26.5518361	8.9001304	.001418440
711	498436	351895816	26.5706605	8.9043366	.001416431
712	499849	353393243	26.5894716	8.9085387	.001414427
713	501264	354894912	26.6082694	8.9127369	.001412429
714	502681	356400829	26.6270539	8.9169311	.001410437
715	504100	357911000	26.6458252	8.9211214	.001408451
716	505521	359425431	26.6645833	8.9253078	.001406470
717	506944	360944128	26.6833281	8.9294902	.001404494
718	508369	362467097	26.7020596	8.9336687	.001402525
719	509796	363994344	26.7207784	8.9378433	.001400560
720	511225	365525875	26.7394839	8.9420140	.001398601
721	512656	367061696	26.7581763	8.9461809	.001396648
722	514089	368601813	26.7768557	8.9503438	.001394700
723	515524	370146232	26.7955220	8.9545029	.001392752
724	516961	371694959	26.8141754	8.9586581	.001390821
725	518400	373248000	26.8328157	8.9628095	.001388889
726	519841	374805361	26.8514432	8.9669570	.001386963
727	521284	376367048	26.8700577	8.9711007	.001385042
728	522729	377933067	26.8886593	8.9752406	.001383126
729	524176	379503424	26.9072481	8.9793766	.001381215
730	525625	381078125	26.9258240	8.9835089	.001379310
731	527076	382657176	26.9443872	8.9876373	.001377410
732	528529	384240583	26.9629375	8.9917620	.001375516
733	529984	385828352	26.9814751	8.9958829	.001373628
734	531441	387420489	27.0000000	9.0000000	.001371742
735	532900	389017000	27.0185122	9.0041134	.001369863
736	534361	390617891	27.0370117	9.0082229	.001367989
737	535824	392223168	27.0554985	9.0123288	.001366120
738	537289	393833837	27.0739727	9.0164309	.001364256
739	538756	395449904	27.0924344	9.0205293	.001362398
740	540225	397071375	27.1108834	9.0246239	.001360544
741	541696	398698256	27.1293199	9.0287149	.001358696
742	543169	400330553	27.1477439	9.0328021	.001356852
743	544644	401968272	27.1661554	9.0368857	.001355014
744	546121	403611419	27.1845544	9.0409655	.001353180
745	547600	405260000	27.2029410	9.0450419	.001351351
746	549081	406914021	27.2213152	9.0491143	.001349528
747	550564	408573488	27.2396769	9.0531831	.001347709
748	552049	410238407	27.2580263	9.0572482	.001345895
749	553536	411908784	27.2763634	9.0613098	.001344086

TABLE V.—SQUARES, CUBES, SQUARE ROOTS,

No.	Squares.	Cubes.	Square Roots.	Cube Roots.	Reciprocals.
745	555025	418493625	27.3946881	9.0653677	.001342282
746	556516	415160936	27.3180006	9.0694220	.001340483
747	558009	416832723	27.3813007	9.0734726	.001338688
748	559504	418508992	27.3495887	9.0775197	.001336898
749	561001	420189749	27.3678644	9.0615631	.001335113
750	562500	421875000	27.3861279	9.0656030	.001333333
751	564001	423564751	27.4043792	9.0696392	.001331558
752	565504	425259008	27.4226184	9.0696719	.001329787
753	567009	426957777	27.4408455	9.0777010	.001328021
754	568516	428661064	27.4590604	9.1017265	.001326260
755	570025	430368875	27.4772632	9.1057485	.001324508
756	571536	432081216	27.4954542	9.1097669	.001322751
757	573049	433798093	27.5136330	9.1137818	.001321004
758	574564	435519512	27.5317998	9.1177931	.001319261
759	576081	437245479	27.5499546	9.1218010	.001317523
760	577600	438976000	27.5680975	9.1258053	.001315789
761	579121	440711081	27.5862284	9.1298061	.001314060
762	580644	442450728	27.6043475	9.1338034	.001312336
763	582169	444194947	27.6224546	9.1377971	.001310616
764	583696	445943744	27.6405499	9.1417874	.001308901
765	585225	447697125	27.6586334	9.1457742	.001307190
766	586756	449455096	27.6767050	9.1497576	.001305483
767	588289	451217663	27.6947648	9.1537375	.001303781
768	589824	452984832	27.7128129	9.1577139	.001302083
769	591361	454756609	27.7308492	9.1616863	.001300390
770	592900	456533000	27.7488739	9.1656565	.001298701
771	594441	458314011	27.7668868	9.1696225	.001297017
772	595984	460099648	27.7848880	9.1735852	.001295337
773	597529	461889917	27.8028775	9.1775445	.001293661
774	599076	463684824	27.8208555	9.1815003	.001291990
775	600625	465484375	27.8388218	9.1854527	.001290323
776	602176	467288576	27.8567766	9.1894018	.001288660
777	603729	469097433	27.8747197	9.1933474	.001287001
778	605284	470910952	27.8926514	9.1972897	.001285347
779	606841	472729139	27.9105715	9.2012286	.001283697
780	608400	474552000	27.9284801	9.2051641	.001282051
781	609961	476379541	27.9463772	9.2090962	.001280410
782	611524	478211768	27.9642629	9.2130250	.001278772
783	613089	480048687	27.9821372	9.2169505	.001277139
784	614656	481890304	28.0000000	9.2208726	.001275510
785	616225	483736625	28.0178515	9.2247914	.001273885
786	617796	485587656	28.0356915	9.2287068	.001272265
787	619369	487443403	28.0535203	9.2326189	.001270648
788	620944	489303872	28.0713377	9.2365277	.001269036
789	622521	491169069	28.0891438	9.2404333	.001267427
790	624100	493039000	28.1069386	9.2443355	.001265823
791	625681	494913671	28.1247222	9.2482344	.001264223
792	627264	496793088	28.1424946	9.2521300	.001262626
793	628849	498677257	28.1602557	9.2560224	.001261034
794	630436	500566184	28.1780056	9.2599114	.001259446
795	632025	502459875	28.1957444	9.2637973	.001257862
796	633616	504358336	28.2134720	9.2676798	.001256281
797	635209	506261573	28.2311884	9.2715592	.001254705
798	636804	508169592	28.2488938	9.2754352	.001253133
799	638401	510082399	28.2665881	9.2793081	.001251564
800	640000	512000000	28.2842712	9.2831777	.001250000
801	641601	513922401	28.3019434	9.2870440	.001248439
802	643204	515849608	28.3196045	9.2909072	.001246883
803	644809	517781627	28.3372546	9.2947671	.001245330
804	646416	519718464	28.3548938	9.2986239	.001243781
805	648025	521660125	28.3725219	9.3024775	.001242236
806	649636	523606616	28.3901391	9.3063278	.001240695

# CUBE ROOTS, AND RECIPROCAL.

No.	Squares.	Cubes.	Square Roots.	Cube Roots.	Reciprocals.
807	651249	525557943	28.4077454	9.3101750	.001239157
808	652864	527514112	28.4253408	9.3140190	.001237624
809	654481	529475129	28.4429253	9.3178599	.001236094
810	656100	531441000	28.4604989	9.3216975	.001234568
811	657721	533411731	28.4780617	9.3255320	.001233046
812	659344	535387328	28.4956137	9.3293684	.001231527
813	660969	537367797	28.5131549	9.3331918	.001230012
814	662596	539353144	28.5306852	9.3370187	.001228501
815	664225	541343975	28.5482048	9.3408386	.001226994
816	665856	543336496	28.5657187	9.3446575	.001225490
817	667489	545333513	28.5832119	9.3484731	.001223990
818	669124	547343432	28.6006993	9.3522857	.001222494
819	670761	549353259	28.6181760	9.3560952	.001221001
820	672400	551368000	28.6356421	9.3599018	.001219512
821	674041	553387661	28.6530976	9.3637049	.001218027
822	675684	555412248	28.6705424	9.3675051	.001216545
823	677329	557441787	28.6879766	9.3713022	.001215067
824	678976	559476224	28.7054002	9.3750963	.001213592
825	680625	561515625	28.7228182	9.3788873	.001212121
826	682276	563559976	28.7402157	9.3826752	.001210654
827	683929	565609283	28.7576077	9.3864600	.001209190
828	685584	567663552	28.7749891	9.3902419	.001207729
829	687241	569722789	28.7923601	9.3940206	.001206273
830	688900	571787000	28.8097206	9.3977964	.001204819
831	690561	573856191	28.8270706	9.4015691	.001203369
832	692224	575930368	28.8444102	9.4053387	.001201923
833	693889	578009537	28.8617394	9.4091054	.001200480
834	695556	580093704	28.8790582	9.4128690	.001199041
835	697225	582182875	28.8963666	9.4166297	.001197605
836	698896	584277056	28.9136646	9.4203873	.001196173
837	700569	586376253	28.9309523	9.4241420	.001194743
838	702244	588480472	28.9482297	9.4278936	.001193317
839	703921	590589719	28.9654967	9.4316423	.001191895
840	705600	592704000	28.9827535	9.4353880	.001190476
841	707281	594823321	29.0000000	9.4391307	.001189061
842	708964	596947688	29.0172363	9.4428704	.001187648
843	710649	599077107	29.0344623	9.4466072	.001186240
844	712336	601211584	29.0516781	9.4503410	.001184834
845	714025	603351125	29.0688837	9.4540719	.001183432
846	715716	605495736	29.0860791	9.4577999	.001182033
847	717409	607645423	29.1032644	9.4615249	.001180638
848	719104	609800192	29.1204396	9.4652470	.001179245
849	720801	611960049	29.1376046	9.4689661	.001177856
850	722500	614125000	29.1547595	9.4726824	.001176471
851	724201	616295051	29.1719043	9.4763957	.001175088
852	725904	618470208	29.1890390	9.4801061	.001173709
853	727609	620650477	29.2061637	9.4838136	.001172333
854	729316	622835864	29.2232784	9.4875182	.001170960
855	731025	625026375	29.2403830	9.4912200	.001169591
856	732736	627222016	29.2574777	9.4949188	.001168224
857	734449	629422793	29.2745623	9.4986147	.001166861
858	736164	631628712	29.2916370	9.5023078	.001165501
859	737881	633839779	29.3087018	9.5059980	.001164144
860	739600	636056000	29.3257566	9.5096854	.001162791
861	741321	638277381	29.3428015	9.5133699	.001161440
862	743044	640503928	29.3598365	9.5170515	.001160093
863	744769	642735647	29.3768616	9.5207303	.001158749
864	746496	644972544	29.3938769	9.5244063	.001157407
865	748225	647214625	29.4108823	9.5280794	.001156069
866	749956	649461896	29.4278779	9.5317497	.001154734
867	751689	651714363	29.4448637	9.5354172	.001153403
868	753424	653972032	29.4618397	9.5390818	.001152074

TABLE V.—SQUARES, CUBES, SQUARE ROOTS,

No.	Squares.	Cubes.	Square Roots.	Cube Roots.	Reciprocals.
869	755161	656234909	29.4788069	9.5427437	.001150748
870	756900	658508000	29.4957624	9.5464027	.001149425
871	758641	660797631	29.5127091	9.5500589	.001148106
872	760384	663054848	29.5296461	9.5537123	.001146789
873	762129	665338617	29.5465734	9.5573630	.001145475
874	763876	667627624	29.5634910	9.5610108	.001144165
875	765625	669921875	29.5803969	9.5646559	.001142857
876	767376	672221876	29.5972972	9.5682982	.001141553
877	769129	674526133	29.6141858	9.5719377	.001140251
878	770884	676836152	29.6310648	9.5755745	.001138952
879	772641	679151439	29.6479342	9.5792085	.001137656
880	774400	681472000	29.6647989	9.5828397	.001136364
881	776161	683797841	29.6816442	9.5864682	.001135074
882	777924	686128968	29.6984848	9.5900939	.001133787
883	779689	688465387	29.7153159	9.5937169	.001132503
884	781456	690807104	29.7321375	9.5973373	.001131222
885	783225	693154125	29.7489496	9.6009548	.001129944
886	784996	695506456	29.7657521	9.6045696	.001128668
887	786769	697864103	29.7825452	9.6081817	.001127396
888	788544	700227072	29.7993289	9.6117911	.001126126
889	790321	702595369	29.8161080	9.6153977	.001124859
890	792100	704969000	29.8328678	9.6190017	.001123596
891	793881	707347971	29.8496231	9.6226080	.001122334
892	795664	709732288	29.8663690	9.6262016	.001121076
893	797449	712121957	29.8831056	9.6297975	.001119821
894	799236	714516984	29.8998328	9.6333907	.001118568
895	801025	716917375	29.9165506	9.6369812	.001117318
896	802816	719323136	29.9332591	9.6405690	.001116071
897	804609	721734273	29.9499583	9.6441542	.001114827
898	806404	724150792	29.9666481	9.6477367	.001113586
899	808201	726572699	29.9833287	9.6513166	.001112347
900	810000	729000000	30.0000000	9.6548938	.001111111
901	811801	731432701	30.0166620	9.6584684	.001109878
902	813604	733870608	30.0333148	9.6620403	.001108647
903	815409	736314327	30.0499584	9.6656096	.001107420
904	817216	738763264	30.0665928	9.6691762	.001106195
905	819025	741217625	30.0832179	9.6727403	.001104972
906	820836	743677416	30.0998339	9.6763017	.001103753
907	822649	746142643	30.1164407	9.6798604	.001102536
908	824464	748613312	30.1330383	9.6834166	.001101322
909	826281	751089429	30.1496269	9.6869701	.001100110
910	828100	753571000	30.1662063	9.6905211	.001098901
911	829921	756058031	30.1827765	9.6940694	.001097695
912	831744	758550528	30.1993377	9.6976151	.001096491
913	833569	761048497	30.2158899	9.7011583	.001095290
914	835396	763551944	30.2324329	9.7046999	.001094092
915	837225	766060875	30.2489669	9.7082369	.001092896
916	839056	768575296	30.2654919	9.7117723	.001091703
917	840889	771095213	30.2820079	9.7153051	.001090513
918	842724	773620632	30.2985148	9.7188354	.001089325
919	844561	776151559	30.3150128	9.7223631	.001088139
920	846400	778688000	30.3315018	9.7258883	.001086957
921	848241	781229961	30.3479818	9.7294109	.001085776
922	850084	783777448	30.3644529	9.7329309	.001084599
923	851929	786330467	30.3809151	9.7364484	.001083423
924	853776	7888889024	30.3973683	9.7399634	.001082251
925	855625	791453125	30.4138127	9.7434758	.001081081
926	857476	794022776	30.4302481	9.7469857	.001079914
927	859329	796597983	30.4466747	9.7504980	.001078749
928	861184	799178752	30.4630924	9.7539979	.001077586
929	863041	801765089	30.4795013	9.7575002	.001076426
930	864900	804357000	30.4959014	9.7610001	.001075269

# CUBE ROOTS, AND RECIPROCAL.

No.	Squares.	Cubes.	Square Roots.	Cube Roots.	Reciprocals.
981	866761	806954491	30.5122926	9.7644974	.001074114
982	868624	809557568	30.5286750	9.7679922	.001072961
983	870489	812166237	30.5450487	9.7714845	.001071811
984	872356	814780504	30.5614186	9.7749743	.001070684
985	874225	817400875	30.5777697	9.7784616	.001069519
986	876096	820025856	30.5941171	9.7819466	.001068376
987	877969	822656953	30.6104557	9.7854288	.001067236
988	879844	825298672	30.6267857	9.7889087	.001066096
989	881721	827936019	30.6431069	9.7923861	.001064963
990	883600	830584000	30.6594194	9.7958611	.001063830
991	885481	833237621	30.6757233	9.7993336	.001062699
992	887364	835896888	30.6920185	9.8028036	.001061571
993	889249	838561807	30.7083051	9.8062711	.001060445
994	891136	841232384	30.7245830	9.8097362	.001059322
995	893025	843908625	30.7408523	9.8131989	.001058201
996	894916	846590536	30.7571130	9.8166591	.001057082
997	896809	849278123	30.7733651	9.8201169	.001055966
998	898704	851971392	30.7896086	9.8235723	.001054852
999	900601	854670349	30.8058436	9.8270252	.001053741
1000	902500	857375000	30.8220700	9.8304757	.001052632
1001	904401	860086351	30.8382879	9.8339238	.001051525
1002	906304	862801408	30.8544972	9.8373695	.001050420
1003	908209	865523177	30.8706981	9.8408127	.001049318
1004	910116	868250664	30.8868904	9.8442536	.001048218
1005	912025	870983875	30.9030743	9.8476920	.001047120
1006	913936	873722816	30.9192497	9.8511280	.001046025
1007	915849	876467493	30.9354166	9.8545617	.001044932
1008	917764	879217912	30.9515751	9.8579929	.001043841
1009	919681	881974079	30.9677251	9.8614218	.001042753
1010	921600	884736000	30.9838668	9.8648483	.001041667
1011	923521	887503681	31.0000000	9.8682724	.001040583
1012	925444	890277128	31.0161248	9.8716941	.001039501
1013	927369	893056847	31.0322413	9.8751135	.001038422
1014	929296	895841844	31.0483494	9.8785305	.001037344
1015	931225	898632125	31.0644491	9.8819451	.001036269
1016	933156	901428696	31.0805405	9.8853574	.001035197
1017	935089	904231063	31.0966236	9.8887673	.001034126
1018	937024	907039232	31.1126964	9.8921749	.001033056
1019	938961	909853209	31.1287648	9.8955801	.001031992
1020	940900	912673000	31.1448230	9.8989830	.001030928
1021	942841	915498611	31.1608729	9.9023838	.001029866
1022	944784	918330048	31.1769145	9.9057817	.001028807
1023	946729	921167317	31.1929479	9.9091776	.001027749
1024	948676	924010424	31.2089731	9.9125712	.001026694
1025	950625	926859375	31.2249900	9.9159624	.001025641
1026	952576	929714176	31.2409987	9.9193513	.001024590
1027	954529	932574883	31.2569992	9.9227379	.001023541
1028	956484	935441352	31.2729915	9.9261222	.001022495
1029	958441	938313739	31.2889757	9.9295042	.001021450
1030	960400	941192000	31.3049517	9.9328839	.001020408
1031	962361	944076141	31.3209195	9.9362613	.001019368
1032	964324	946966168	31.3368792	9.9396363	.001018330
1033	966289	949862087	31.3528306	9.9430092	.001017294
1034	968256	952763904	31.3687743	9.9463797	.001016260
1035	970225	955671625	31.3847097	9.9497479	.001015228
1036	972196	958585256	31.4006369	9.9531138	.001014199
1037	974169	961504803	31.4165561	9.9564775	.001013171
1038	976144	964430272	31.4324673	9.9598399	.001012146
1039	978121	967361669	31.4483704	9.9631981	.001011122
1040	980100	970299000	31.4642654	9.9665549	.001010101
1041	982081	973242271	31.4801525	9.9699095	.001009082
1042	984064	976191488	31.4960315	9.9732619	.001008065

TABLE V.—SQUARES, CUBES, SQUARE ROOTS,

No.	Squares.	Cubes.	Square Roots.	Cube Roots.	Reciprocals.
998	996049	979146657	31.5119025	9.9766120	.001007049
994	988036	982107784	31.5277655	9.9799599	.001006098
995	990025	985074875	31.5486206	9.9839055	.001005025
996	992016	988047986	31.5594677	9.9866488	.001004016
997	994009	991026973	31.5753068	9.9899900	.001003009
998	996004	994011992	31.5911880	9.9933289	.001002004
999	998001	997002999	31.6069618	9.9966656	.001001001
1000	1000000	1000000000	31.6227766	10.0000000	.001000000
1001	1002001	1003003001	31.6385840	10.0033322	.0009990010
1002	1004004	1006012008	31.6543886	10.0066622	.0009980040
1003	1006009	1009027027	31.6701752	10.0099899	.0009970090
1004	1008016	101248064	31.6859590	10.0133155	.0009960159
1005	1010025	1015075125	31.7017349	10.0166389	.0009950249
1006	1012036	1018108216	31.7175030	10.0199601	.0009940358
1007	1014049	1021147343	31.7332633	10.0232791	.0009930487
1008	1016064	1024192512	31.7490157	10.0265958	.0009920635
1009	1018081	1027243729	31.7647603	10.0299104	.0009910803
1010	1020100	1030301000	31.7804972	10.0332228	.0009900990
1011	1022121	1033364331	31.7962262	10.0365330	.0009891197
1012	1024144	1036433728	31.8119474	10.0398410	.0009881423
1013	1026169	1039509197	31.8276609	10.0431469	.0009871668
1014	1028196	1042590744	31.8433666	10.0464506	.0009861933
1015	1030225	1045678375	31.8590646	10.0497521	.0009852217
1016	1032256	1048772096	31.8747549	10.0530514	.0009842520
1017	1034289	1051871913	31.8904374	10.0563485	.0009832842
1018	1036324	1054977832	31.9061123	10.0596435	.0009823183
1019	1038361	1058089859	31.9217794	10.0629364	.0009813543
1020	1040400	1061208000	31.9374388	10.0662271	.0009803922
1021	1042441	1064332261	31.9530906	10.0695156	.0009794319
1022	1044484	1067462648	31.9687347	10.0728020	.0009784736
1023	1046529	1070599167	31.9843712	10.0760863	.0009775171
1024	1048576	1073741824	32.0000000	10.0793684	.0009765625
1025	1050625	1076890625	32.0156212	10.0826484	.0009756098
1026	1052676	1080045576	32.0312348	10.0859262	.0009746589
1027	1054729	1083206683	32.0468407	10.0892019	.0009737096
1028	1056784	1086373952	32.0624391	10.0924755	.0009727626
1029	1058841	1089547389	32.0780296	10.0957469	.0009718173
1030	1060900	1092727000	32.0936131	10.0990163	.0009708738
1031	1062961	1095912791	32.1091887	10.1022835	.0009699321
1032	1065024	1099104768	32.1247568	10.1055487	.0009690922
1033	1067089	1102302937	32.1403173	10.1088117	.0009682542
1034	1069156	1105507304	32.1558704	10.1120726	.0009674180
1035	1071225	1108717875	32.1714159	10.1153314	.0009665836
1036	1073296	1111934656	32.1869539	10.1185882	.0009657510
1037	1075369	1115157653	32.2024844	10.1218428	.0009649202
1038	1077444	1118386872	32.2180074	10.1250953	.0009640911
1039	1079521	1121622319	32.2335229	10.1283457	.0009632639
1040	1081600	1124864000	32.2490310	10.1315941	.0009624385
1041	1083681	1128111921	32.2645316	10.1348403	.0009616148
1042	1085764	1131366068	32.2800248	10.1380845	.0009607929
1043	1087849	1134628507	32.2955105	10.1413266	.0009599728
1044	1089936	1137893184	32.3109888	10.1445667	.0009591544
1045	1092025	1141166125	32.3264598	10.1478047	.0009583378
1046	1094116	1144445336	32.3419233	10.1510406	.0009575229
1047	1096209	1147730823	32.3573794	10.1542744	.0009567096
1048	1098304	1151022592	32.3728281	10.1575062	.0009558985
1049	1100401	1154320649	32.3882695	10.1607359	.0009550888
1050	1102500	1157625000	32.4037035	10.1639636	.0009542810
1051	1104601	1160935651	32.4191301	10.1671893	.0009534748
1052	1106704	1164252608	32.4345495	10.1704129	.0009526703
1053	1108809	1167575877	32.4499615	10.1736344	.0009518676
1054	1110916	1170905464	32.4653662	10.1768539	.0009510666

TABLE VI.—DEFLECTION ANGLES FOR A SPIRAL WHEN  
THE CHORD =  $R_1 \div 60$ .

Sta. 0	Sta. 1	Sta. 2	Sta. 3	Sta. 4	Sta. 5	Sta. 6	Sta. 7
	$R = 60C$	$R = 30C$	$R = 20C$	$R = 15C$	$R = 12C$	$R = 10C$	$R = 8.6C$
Ins. at 0	0° 29'	1° 12'	2° 14'	3° 35'	5° 15'	7° 14'	9° 32'
0° 00'	Ins. at 1	1 26	2 38	4 08	5 58	8 07	10 35
0 00	0 48	Ins. at 2	3 06	4 46	6 46	9 04	11 42
0 00	0 53	2 04	Ins. at 3	5 25	7 34	10 02	12 49
0 00	1 02	2 23	4 04	Ins. at 4	8 21	10 59	13 55
0 00	1 12	2 42	4 32	6 41	Ins. at 5	11 56	15 02
0 00	1 21	3 01	5 01	7 20	9 57	Ins. at 6	16 09
0 00	1 31	3 21	5 30	7 58	10 45	13 51	Ins. at 7

TABLE VII.—RADIUS, FROG ANGLES, AND FROG DISTANCES  
FOR GIVEN NUMBER OF FROG.

No. of Frog.	Radius.	Frog Angle.	Frog Distance.	No. of Frog.	Radius.	Frog Angle.	Frog Distance.
	Feet.		Feet.		Feet.		Feet.
2	37.66	28° 04'	18.83	5	235.41	11° 25'	47.08
2½	58.85	22 37	23.54	5½	284.83	10 23	51.79
3	84.75	18 55	28.25	6	338.99	9 32	56.50
3½	115.35	16 16	32.96	6½	397.83	8 48	61.20
4	150.67	14 15	37.66	7	461.39	8 10	65.91
4½	190.67	12 41	42.37	7½	529.65	7 38	70.62
5	235.41	11 25	47.08	8	602.63	7 09	75.33

TABLE VIII.—FROG ANGLES AND FROG DISTANCES FOR  
GIVEN RADIUS.

Radius.	Frog Angle.	Frog Distance.	Radius.	Frog Angle.	Frog Distance.	Radius.	Frog Angle.	Frog Distance.
Feet.		Feet.	Feet.		Feet.	Feet.		Feet.
35	29° 04'	18.15	60	22° 24'	23.77	85	18° 53'	28.29
36	28 41	18.41	61	22 18	23.96	86	18 47	28.46
37	28 19	18.67	62	22 03	24.16	87	18 40	28.62
38	27 57	18.92	63	21 52	24.36	88	18 34	28.79
39	27 36	19.16	64	21 42	24.55	89	18 28	28.95
40	27 16	19.40	65	21 33	24.74	90	18 22	29.11
41	26 57	19.65	66	21 23	24.93	91	18 16	29.27
42	26 38	19.89	67	21 13	25.12	92	18 10	29.43
43	26 20	20.12	68	21 04	25.30	93	18 04	29.59
44	26 03	20.36	69	20 55	25.49	94	17 59	29.75
45	25 45	20.59	70	20 47	25.67	95	17 53	29.91
46	25 29	20.81	71	20 38	25.86	96	17 47	30.07
47	25 13	21.04	72	20 30	26.04	97	17 42	30.23
48	24 57	21.26	73	20 21	26.22	98	17 37	30.38
49	24 42	21.48	74	20 13	26.40	99	17 32	30.53
50	24 28	21.70	75	20 05	26.57	100	17 26	30.69
51	24 14	21.92	76	19 57	26.75	105	17 01	31.44
52	24 01	22.13	77	19 50	26.93	110	16 38	32.18
53	23 48	22.34	78	19 42	27.10	115	16 17	32.91
54	23 35	22.55	79	19 35	27.27	120	15 56	33.62
55	23 22	22.76	80	19 28	27.44	125	15 37	34.31
56	23 10	22.96	81	19 21	27.62	130	15 19	34.99
57	22 58	23.17	82	19 14	27.79	135	15 02	35.66
58	22 46	23.37	83	19 07	27.96	140	14 46	36.31
59	22 35	23.57	84	19 00	28.12	145	14 31	36.95
60	22 24	23.77	85	18 53	28.29	150	14 17	37.58

TABLE IX.—USEFUL NUMBERS AND FORMULÆ.

Title.	Symbol.	Number.	Logarithm.
Ratio of circumference to diameter.....	$\pi$	3.1415927	0.4971499
Reciprocal of same .....	$\frac{1}{\pi}$	0.3183099	9.5028501
Degrees in arc of length equal to radius....	$\frac{180^\circ}{\pi}$	57.295780	1.7581226
Minutes " " " " " ....	$\frac{10800'}{\pi}$	3437.7468	3.5362739
Seconds " " " " " ....	$\frac{648000''}{\pi}$	206264.81	5.3144251
Length of 1° arc, radius unity.....	$\frac{\pi}{180^\circ}$	.01745329	8.2418774
Length of 1' arc, " " .....	$\frac{\pi}{10800}$	.00029089	6.4637261
Length of 1" arc, " " .....	$\frac{\pi}{648000}$	.000004848	4.6855749
Radius by which 1 foot of arc = 1 degree.		57.295780	1.7581226
Radius " " $\frac{1}{180}$ " " = 1 minute.		343.77468	2.5362739
Radius " " $\frac{1}{1080}$ " " = 10 seconds		206.26481	2.3144251
Factors for dividing a line into extreme } and mean ratio..... }		0.6180340	9.7910124
		0.3819660	9.5820248
Base of hyperbolic logarithms.....	$e$	2.7182818	0.4342945
Modulus of common system of logs. = log $e$	$M$	0.4342945	9.6377843
Reciprocal of same = hyp. log. 10.....	$\frac{1}{M}$	2.3025851	0.3622157
Length of seconds pendulum at New York in inches .....		39.11256	1.5923162
Length of seconds pendulum at New York in feet.....		3.25938	0.5181350
Acceleration due to gravity at New York...	$g$	32.1688	1.5074547
Square root of same .....	$\sqrt{g}$	5.67175	0.7537173
Yards in 1 metre.....		1.093623	0.0388676
Feet in 1 " .....		3.280839	0.5159869
Inches in 1 " .....		39.37043	1.5951701
Metres in 1 foot.....		0.304797	9.4840111
Metres in 1 yard.....		0.914398	9.9611324
Metres in 1 mile.....		1609.330	3.2066450



TABLE IX.—USEFUL NUMBERS AND FORMULÆ

Title.	Symbol.	Number.	Loga- rithm.
Cubic inches in 1 U. S. gallon .....		231.	2.3636120
“ “ “ 1 Imperial gallon.....		277.274	2.4429092
“ “ “ 1 U. S. bushel.....		2150.42	3.3325233
Cubic feet in 1 U. S. gallon.....		0.133681	9.1260683
“ “ “ 1 Imperial gallon.....		0.160459	9.2053655
“ “ “ 1 U. S. bushel.....		1.244456	0.0949796
Weight of 1 cub. foot of water, barom. 30 in. ther. 39°.83 Fah.; pounds..		62.379	1.7950884
“ 62° “ “ ..		62.321	1.7946349
Weight in grains, 1 cubic inch, at 62° Fah..		252.458	2.4021892
No. of grains in 1 pound avoird.....		7000.	3.8450960
“ “ “ 1 ounce “ .....		437.5	2.6409781

$$\left. \begin{array}{l}
 r = \text{radius of circular arc;} \\
 l = \text{length of arc;} \\
 a^\circ = \text{degrees in same arc.}
 \end{array} \right\}
 \begin{array}{l}
 a^\circ = \frac{l}{r} \cdot \frac{180^\circ}{\pi} \\
 r = \frac{l}{a^\circ} \cdot \frac{180^\circ}{\pi} \\
 l = a^\circ r \cdot \frac{\pi}{180^\circ}
 \end{array}$$

Radius by which the length of chord  $c$  in feet =  $\frac{a'}{10}$  in minutes;

$$r = \frac{\frac{1}{2}a'}{10 \sin \frac{1}{2}a'}$$

Hyp. log  $x = \text{com. log } x \times \frac{1}{M}$ , or

$$\text{com. log (hyp. log } x) = \text{com. log (com. log } x) + 0.3622157$$

Com. log  $x = M \times \text{hyp. log } x$ ; or

$$\text{com. log (com. log } x) = 9.6377843 + \text{com. log (hyp. log } x)$$

Circumference of circle (radius =  $r$ ).....  $2\pi r$

Area of circle .....

$$\pi r^2$$

Area of sector (length of arc =  $l$ ).....  $\frac{1}{2}lr$

Area of sector (angle of arc =  $a^\circ$ ).....  $\frac{a}{360} \pi r^2$

Approximate area of segment (chord =  $c$ , mid. ord. =  $m$ ).....  $\frac{3}{8}cm$

